# CONTACT US! ALL PRICES WILL BE DISCOUNTED EVEN MORE! Call DICK JONES SALES 800-441-9955 or E-mail DickJones@DickJonesSales.com

# WAREHOUSE SOLUTIONS



TENNSCO° Bulk Racks See page 5



HUSKY™ Invincible™
Pallet Racks
See page 6



JARKE" Steeltree Heavy-Industrial Grade Cantilever Racks See page 8



HERCULES® Premium Scale Pallet Truck



QUANTUM STORAGE SYSTEMS
Pick Racks
See page 19



RELIUS SOLUTIONS" Ultra Deep-Door Security Bin Cabinets See page 20



EDSAL Premium Shelving See page 22



RELIUS SOLUTIONS™ Wire Gravity Flow Shelving See page 24



EAGLE Flammable Liquids
Safety Cabinets
See page 28



RELIUS SOLUTIONS\*\*
Cylinder Storage Cabinets
See page 29



RELIUS ELITE™ Premium
Security Box Trucks
See page 30



RELIUS ELITE\*\*
Wire Security Trucks
See page 31



HALLOWELL Modular Storage Lockers See page 32



**HUSKY**™ **Perimeter Guards** See page 33



WILDECK Wilgard\* Two-Rib Steel
Protective Railing Systems
See page 34



VESTIL Quick-Assembly High-Security Storage Sheds See page 34

SECURE STORAGE AREA Pgs 26-31

**RIII K** 

SMALL STORAGE AREA Pgs 16-25

STORAGE AREA

EQUIPMENT STORAGE AREA Pgs 32-35

# WAREHOUSE

Meet your warehouse space optimization goals with a wide variety of affordable storage solutions. Find bulk containers, small storage options, secure storage products and equipment storage for all areas of your warehouse. Revamp your storage solutions for less—from racking to bins. we've got it covered!

# **EXCLUSIVE** brands for you!









Additional sizes can be found on page 12. Call for color options.



#### **Collapsible Wire Containers**

- · Steel wire
- 4-way fork access
- Stackable

High-strength, lightweight containers add less weight to shipping costs. Welded, square mesh wire. Include half-drop side gates and caster pads. 4" underclearance. IN STOCK.

#### Collapsible Wire Containers with Zinc-Plated Finish

Optional casters sold separately. Specify: (01) container only, (02) container with lid. IN STOCK.

								CONTAINER		CONTAINER WITH LID	
Overall	Cap.	Cap.	Inside	Collapsed	Drop Gate	Mesh	Mesh	Stock		Stock	
WxLxH	Lbs.	Cu. Ft.	Height	Height	Side	Size	Gauge	Number	\$	Number	\$
48x40x35"	4000	30.8	29.78"	81/4"	48"	2"	3	3527601-V	239.00	3527602-V	278.00

3527800-V Optional 4x2" phenolic casters, \$.....

.69.60




## Premium 6600-Lb. **Capacity Pallet Truck**

5-year warranty

Built to last with extra-thick steel and reinforced fork bracing. Reinforced spring-loaded ergonomic handle includes rubber covered top and 3-position raise, lower, and neutral fingertip controls. Extralarge bearing under apron head for smoother maneuverability. Specially designed cast steel pump. Orange powder coat finish. IN STOCK.

Fork Width,	Fork Length,	Stock	
Overall	Overall	Number	\$
21"	48"	7873304-V	459.00
27"	48"	7873308-V	479.00

# SOLUTIONS



Perfo panel accessories not included. Please call for hooks, clamps, etc.



# Deep-Door Security Cabinets

- 800-lb. capacity per shelf
- 16-gauge steel
- All-welded
- · Padlock hasp with single-point lock

"Universal," all-in-one, premium-series cabinets store all your tools and supplies. High-security padlock hasp prevents cutting devices from reaching lock. 30'/z"Wx167/s"Dx4"H, 75-lb. capacity drawers have 100% full-extension ball-bearing glides. Drawers may be divided into (16) 4x7'/z" compartments with removable dividers provided. Removable Akro-Bins\* hang from louvered panels. Made in USA. *IN STOCK*.

#### **Eight-Drawer Cabinet with 96 Bins**

Includes (96)  $5^3/8$ "Lx4 $^1/8$ "Wx3"H bins.  $17^3/4$ "Wx34 $^1/2$ "H perfo panel accepts BOTT hooks and accessories.

Overall WxDxH	Stock No.	\$
36x24x72"	8414200-V	3381.00







#### **Heavy-Duty Self-Dumping Containers**

- 7-aauae steel
- Up to 8000-lb. capacity

Automatic latch unlocks easily as forklift tilts container releasing the door and emptying the load. As container is lowered to the ground, latch resets and securely locks the door. Casters are available, call for information. Made in USA.

-	Cap.	Cap.	Overall	Fork Pocket	Stock	
	Lbs.	Cu. Yd.	LxWxH	WxH	Number	\$
	6000	3	69x58x56"	42x3"	2010300-S	1861.00



## Relius Protective Railing System

- 14-gauge steel
- Unassembled components
- Mounting hardware included


Overlapping rails bolt together on the front of the support posts to form an uninterruped barrier. Rails are customizable in the field—can be cut to any length. Rails and posts sold separately. Made in USA. *IN STOCK*.

Overall Lgth.	Stock No.	\$
10'	7811000-U	183.00
6'	7811100-U	150.00

D	_	•	+

POST										
Overall Ht.	Stock No.	\$								
18"	7811900-U	276.00								

# **BULK STORAGE AREA**





## Reinforced Shelving

- Ultra-Capacity: 14-gauge steel posts; 16-gauge steel shelves
- · Shelf capacity: up to 4000 lbs., capacities based on evenly distributed loads
- Unassembled

Unique cross beam supports provide maximum shelf capacity. Braceless design permits access from all sides. Comes complete with (5) shelves that adjust in 11/2" increments. Powder-coat finish. Color: gray. Made in USA. SELECTED MODELS IN STOCK AND FACTORY OUICK SHIP.

Overall WxDxH	Shelf Cap. Lbs.	Shelf Qty.	Stock No.	\$
36x18x72"	4000	5	5171900-S	338.00
36x24x72"	4000	5	5173100-S	390.00
48x18x72"	4000	5	5172000-S	405.00
48x24x72"	4000	5	5172100-S	454.00
60x24x72"	3250	5	5172200-S	536.00
72x24x72"	2750	5	5172300-S	613.00
72x36x72"	2750	5	5695600-S	869.00
96x24x72"	2600	5	5695700-S	902.00
96x36x72"	2600	5	5695800-S	1141.00
36x18x84"	4000	5	5695900-S	345.00
36x24x84"	4000	5	5696000-S	400.00
48x18x84"	4000	5	5696100-S	412.00
48x24x84"	4000	5	5172400-S	460.00
60x24x84"	3250	5	5172500-S	544.00
72x24x84"	2750	5	5172600-S	652.00
72x36x84"	2750	5	5173200-S	879.00
96x24x84"	2600	5	5172700-S	909.00
96x36x84"	2600	5	5696200-S	1153.00
36x18x96"	4000	5	5172800-S	353.00
36x24x96"	4000	5	5696300-S	408.00
48x18x96"	4000	5	5173700-S	420.00
48x24x96"	4000	5	5172900-S	471.00
60x24x96"	3250	5	5173000-S	550.00
72x24x96"	2750	5	5696400-S	661.00
72x36x96"	2750	5	5696500-S	886.00
96x24x96"	2600	5	5696600-S	919.00
96x36x96"	2600	5	5173800-S	1160.00








#### **Bulk Racks**

- Standard-Industrial: 14-gauge steel upright frame; 14-gauge steel beam
- · Beam-hook connection
- Shelf capacity: up to 4150 lbs.; capacities based on evenly distributed loads
- Shelf capacity: up to 4
  Shelf level quantity: 3
- Welded upright frame

Pre-welded upright frames and rolled formed steel box beams on shelf frames add strength. Z-shape beam design increases capacity. Each shelf level includes a shelf frame with built-in decking support angle. Shelf levels adjust in 2" increments. Three decking choices: economical particleboard; wire for better air flow and visibility; or smooth, fire-retardant steel. Starters can be used individually or combined with add-ons to complete a row of shelving. 17,000-lb. overall capacity. Color: medium gray. Made in USA. SELECTED MODELS FACTORY QUICK SHIP.





Shelf				PARTICLI DECI				
Overall	Cap.	STARTE	R UNITS	ADD-ON	N UNITS	EXTRA LEVELS		
WxDxH	Lbs.	Stock No.	\$	Stock No.	\$	Stock No.	\$	
48x24x72"	4150	5801001-T	269.00	5801101-T	217.00	5804100-T	53.80	
48x36x72"	4150	5801201-T	308.00	5801301-T	250.00	5804200-T	62.50	
72x24x72"	2750	5802501-T	344.00	5802601-T	290.00	5804400-T	78.40	
72x36x72"	2750	5802701-T	391.00	5802801-T	336.00	5804500-T	92.10	
96x24x72"	2150	5803501-T	412.00	5803601-T	358.00	5804700-T	102.00	
96x36x72"	2150	5803701-T	478.00	5803801-T	422.00	5804800-T	120.00	
48x24x96"	3000	5801002-T	305.00	5801102-T	235.00	5804100-T	53.80	
48x36x96"	3000	5801202-T	351.00	5801302-T	271.00	5804200-T	62.50	
72x24x96"	2750	5802502-T	380.00	5802602-T	311.00	5804400-T	78.40	
72x36x96"	2750	5802702-T	436.00	5802802-T	357.00	5804500-T	92.10	
96x24x96"	2150	5803502-T	447.00	5803602-T	376.00	5804700-T	102.00	
96x36x96"	2150	5803702-T	522.00	5803802-T	444.00	5804800-T	120.00	
96x24x120"	2150	5803503-T	482.00	5803603-T	394.00	5804700-T	102.00	
96x36x120"	2150	5803703-T	549.00	5803803-T	455.00	5804800-T	120.00	
96x48x120"	2150	5803903-T	616.00	5804003-T	516.00	5806900-T	147.00	

	Shelf WIRE DECKING									CORRU STE DECK	EL		
Overall	Cap.	STARTER	R UNITS	ADD-01	N UNITS	EXTRA	LEVELS	STARTE	RUNITS	ADD-ON	UNITS	EXTRA	LEVELS
WxDxH	Lbs.	Stock No.	\$	Stock No.	\$	Stock No.	\$	Stock No.	\$	Stock No.	\$	Stock No.	\$
48x24x72"	3800	5905200-T	321.00	5908300-T	280.00	5910500-T	75.20	5837001-T	345.00	5837101-T	292.00	5838800-T	78.30
48x36x72"	3800	5905300-T	386.00	5909400-T	340.00	5910600-T	94.80	5837201-T	409.00	5837301-T	352.00	5838900-T	96.50
72x24x72"	2750	5905400-T	419.00	5909500-T	382.00	5910700-T	114.00	5837601-T	438.00	5837701-T	383.00	5839100-T	110.00
72x36x72"	2750	5905500-T	584.00	5909600-T	492.00	5910800-T	151.00	5837801-T	526.00	5837901-T	469.00	5839200-T	144.00
96x24x72"	2150	5905600-T	508.00	5909700-T	481.00	5910900-T	147.00	5838201-T	534.00	5838301-T	483.00	5839400-T	151.00
96x36x72"	2150	5905700-T	631.00	5909800-T	599.00	5911300-T	190.00	5838401-T	652.00	5838501-T	595.00	5839500-T	184.00
48x24x96"	3800	5905800-T	356.00	5909900-T	301.00	5910500-T	75.20	5837002-T	379.00	5837102-T	310.00	5838800-T	78.30
48x36x96"	3800	5906100-T	425.00	5910000-T	357.00	5910600-T	94.80	5837202-T	451.00	5837302-T	375.00	5838900-T	96.50
72x24x96"	2750	5906200-T	470.00	5910100-T	401.00	5910700-T	114.00	5837602-T	472.00	5837702-T	403.00	5839100-T	110.00
72x36x96"	2750	5906300-T	578.00	5910200-T	513.00	5910800-T	151.00	5837802-T	570.00	5837902-T	492.00	5839200-T	144.00
96x24x96"	2150	5906400-T	569.00	5910300-T	500.00	5910900-T	147.00	5838202-T	570.00	5838302-T	500.00	5839400-T	151.00
96x36x96"	2150	5906500-T	687.00	5910400-T	618.00	5911300-T	190.00	5838402-T	695.00	5838502-T	617.00	5839500-T	184.00
96x24x120"	2150	5924400-T	607.00	5925700-T	519.00	5910900-T	147.00	5838203-T	606.00	5838303-T	519.00	5839400-T	151.00
96x36x120"	2150	5924500-T	714.00	5925800-T	617.00	5911300-T	190.00	5838403-T	723.00	5838503-T	628.00	5839500-T	184.00
96x48x120"	2150	5924800-T	867.00	5925900-T	754.00	5911400-T	230.00	5838603-T	841.00	5838703-T	740.00	5839600-T	216.00

Ships same day for 1-3 day delivery

# STOCK, STORE & MORE

## **USING PALLET RACKS WITH WIRE DECKING**



Call for Complete Rack and Deck Systems with Heavy Load Upright Frames.








#### Invincible<sup>™</sup> Complete Rack and Deck System

- Welded upright frames
- Upright frame maximum capacities from 19,380 to 28,800 lbs.
- Patented Bowlock' safety clip securely attaches beam to upright

Rugged, high-strength steel construction allows 2" beam adjustability. One-piece tubular beams feature a continuous seam weld. A minimum of 2 pairs of beams are required for each storage bay. Safety certified 55,000 lbs. psi minimum yield high-strength steel used throughout. Upright frames include foot plates. Complete starters include 2 upright frames, 4 solid beams, and 4 wire decks while the add-ons include 1 upright frame, 4 solid beams, and 4 wire decks. Heavy-duty foot plates are available for seismic requirements. Polyurethane paint finish on upright frames and beams. Upright frame style change as of April 2012; beams are interchangeable. Color: orange beams and green upright frames. Made in USA. *IN STOCK*.







4 beams, and 4 wire decks.



#### Standard or Heavy Load Upright Frames.

Upright frame style change as of April 2012. Made in USA. SELECTED MODELS IN STOCK or FACTORY OUICK SHIP.

		•		
Frame	STANDA	RD LOAD	HEAVY	'LOAD
DxH	Stock No.	\$	Stock No.	\$
36x96"	7847200-T	80.30	7848200-U	108.00
42x96"	7847300-T	82.10	5781300-T	109.00
48x96"	7847400-T	84.40	7848300-T	113.00
36x120"	7847500-T	106.00	5781500-T	137.00
42x120"	7847600-T	108.00	7848400-T	118.00
48x120"	5779800-T	133.00	7848500-T	120.00
36x144"	7847700-T	119.00	5781800-T	155.00
42x144"	7847800-T	122.00	7848600-T	132.00
48x144"	7847900-U	129.00	7848700-T	135.00
36x168"	5780300-T	168.00	5782100-T	184.00
42x168"	5780400-T	172.00	5782200-T	189.00
48x168"	7848000-T	148.00	5782300-T	193.00
36x192"	7848100-T	153.00	5782400-T	203.00
42x192"	5780700-T	188.00	7848800-U	185.00
48x192"	5780800-T	192.00	5782600-T	211.00
42x216"	5750800-T	213.00	5749800-T	233.00
42x240"	5750900-T	227.00	5749700-T	251.00







**Solid Beams.** Two per level required. Made in USA. SELECTED MODELS IN STOCK or FACTORY QUICK SHIP.

Beam LxH	Cap. Lbs. per Pair	Step Height	Stock No.	\$
60x3"	6118	11/2"	5743200-T	34.00
96x3"	3052	11/2"	5709700-T	35.30
96x4"	5047	11/2"	5717200-T	38.70
96x4 <sup>1</sup> / <sub>2</sub> "	6111	11/2"	5732700-T	48.00
96x5"	7286	11/2"	5717500-T	42.20
96x5 <sup>1</sup> / <sub>2</sub> "	10029	11/2"	5717800-T	50.60
108x3"	2494	11/2"	5716000-T	46.10
108x4"	4079	11/2"	5717300-T	42.30
108x5"	6357	11/2"	5717600-T	46.40
108x5 <sup>1</sup> / <sub>2</sub> "	8873	11/2"	5717900-T	55.70
120x3"	2083	11/2"	5720300-T	41.70
120x4"	3378	11/2"	5717400-T	55.00
120x5"	5228	11/2"	5717700-T	50.30
120x5 <sup>1</sup> / <sub>2</sub> "	7505	11/2"	5749900-T	60.80
120x6"	8478	11/2"	5718000-T	63.50
144x5 <sup>1</sup> / <sub>2</sub> "	5569	11/2"	5750700-T	71.00
144x6"	7820	11/2"	5718700-T	84.00



#### **Galvanized Steel Wire Decking**

- Step beam decking 2x4" mesh
- 6-gauge wire 14-gauge steel channels

Nothing to fasten—simply drop wire deck in place over rack beams. Low maintenance galvanized steel resists chemicals, rust and corrosion. Fits EDSAL Stor-Master Pallet Racks, HUSKY Invincible Pallet Racks and PENCO Pallet Storage Racks (11/2" and 15/8" step height only). Made in USA. IN STOCK.

9		. 5	•				
Overall	Cap.	Channel	Stock				
WxD	Lbs.	Qty.	Number	\$			
	321/4" DE	CK CHANNEL [	DEPTH				
46x36"	3250	3	5177300-U	28.30			
52x36"	3250	3	5177400-U	30.20			
58x36"	3900	4	5177500-U	35.50			
	381/4" DECK CHANNEL DEPTH						
46x42"	2610	3	5177600-U	31.80			
52x42"	2610	3	5177700-U	33.90			
58x42"	3150	4	5177800-U	39.80			
	44¹/₄" DECK CHANNEL DEPTH						
46x48"	2100	3	5178300-U	35.70			
52x48"	2100	3	5178500-U	38.20			
58x48"	2630	4	5178700-U	44.90			



#### Call for these Pallet Rack Accessories and MORE!



Pallet Rack Bins



CARRON NET
Pallet Rack Netting



NASHVILLE WIRE
Wire Security Enclosures



UNEX Span-Trak Gravity-Flow Decking



HUSKY Steel Pallet Rack Guards

# SAFE STORAGE FOR DIMENSIONAL LOADS

# CANTILEVER RACKS: COMPLETE OR CUSTOMIZABLE





Shown with two single-arm columns. The only manufacturer with Double-Tube Bracing for greater stability.



Rugged Arm Construction. Rigid columns are connected to heavy arm saddles for efficient load support.



Secure Pin Lock for Arms and Braces. Is easily inserted or removed to instantly adjust arms. Pin will not work loose when it is secured.

- Single-sided column capacity: up to 16,000 lbs. Double-sided column capacity: up to 32,000 lbs.
- · Arm capacity: up to 2000 lbs.
- 8', 10', and 12' heights

Tapered columns have patented internal stiffeners. 10-gauge steel columns. Straight arm with lip adjusts on 3" centers. Made in USA. SELECTED MODELS IN STOCK.

#### **Complete Cantilever Systems**

Includes hardware. Ships unassembled.

						STARTER			ADD-ON	
Overall	Base	Cap.	Arm	Brace	Arm	Stock		Arm	Stock	
Height	Depth	Lbs.	Cap. Lbs.	Width	Length	No.	\$	Length	No.	\$
				SINGLE-	SIDED COLUMN					
8'	37"	16,000	2000	(Set of 2) 6'	(8) at 24"	7640900-S	1227.00	(4) at 24"	7641600-S	732.00
10'	46"	15,600	1300	(Set of 3) 6'	(12) at 36"	7641400-S	1851.00	(6) at 36"	7641700-S	1025.00
12'	58"	16,000	1000	(Set of 3) 6'	(8) at 48"	7641500-S	2398.00	(4) at 48"	7641800-S	1295.00
				DOUBLE	-SIDED COLUMN					
8'	65"	32,000	2000	(Set of 2) 6'	(16) at 24"	7641900-S	1819.00	(8) at 24"	7642600-S	976.00
10'	82"	31,200	1300	(Set of 3) 6'	(24) at 36"	7642400-S	2549.00	(12) at 36"	7642700-S	1479.00
12'	106"	20,000	1000	(Set of 3) 6'	(16) at 48"	7642500-S	3757.00	(8) at 48"	7642800-S	1994.00

#### Components

#### Columns. Includes hardware. Ships unassembled.


Columnist melades hardware. Ships dridssembled.								
			SINGI	SINGLE-ARM COLUMN—			LE-ARM COLUN	IN—
			S	old individually	,	S	old individually	
Overall	Arm	Max.	Stock	Base		Stock	Base	
Height	Length	Cap./Side Lbs.	Number	Depth	\$	No.	Depth*	\$
8'	12", 18"	18,520, 14,950	7351300-S	31"	390.00	7352500-S	53"	459.00
8'	24"	12,530	7351400-S	37"	412.00	7352600-S	65"	513.00
8'	30", 36"	10,780, 9,460	7351500-S	46"	422.00	7352700-S	82"	529.00
8'	42", 48"	8,430, 7,600	7351600-S	58"	439.00	7352800-S	106"	660.00
10'	30", 36"	14,250, 12,340	7351900-S	46"	500.00	7353100-S	82"	609.00
10'	42", 48"	10,880, 9,730	7352000-S	58"	523.00	7353200-S	106"	741.00
12'	30", 36"	14,160, 12,270	7352300-S	46"	570.00	7353500-S	82"	675.00
12'	42", 48"	10,830, 9,690	7352400-S	58"	585.00	7353600-S	106"	803.00
12'	54", 60"	8,760, 8,000	7359000-S	70"	641.00	7360200-S	130"	753.00

Single-Sided Column

Double-Sided Column

#### Straight Arms. Pin assembly included.

	3							
Overall	Arm Cap. Lbs.	NO	LIP	WITH	LIP			
Length	Ailli Cap. Lbs.	Stock No.	\$	Stock No.	\$			
		EXTRA HEAVY	'-DUTY ARMS					
36"	3300	7357900-S	121.00	7381200-S	117.00			
48"	2500	7368100-S	141.00	7381300-S	145.00			
		HEAVY-DU	JTY ARMS					
36"	2175	7356600-S	97.80	7370900-S	102.00			
48"	1630	7356800-S	114.00	7380600-S	120.00			
		STANDA	RD ARMS					
12"	3000	7353700-S	34.70	7353800-S	38.50			
18"	2500	7353900-S	38.70	7354000-S	42.80			
24"	2000	7354100-S	42.20	7354200-S	45.70			
30"	1600	7354300-S	52.60	7354400-S	55.90			
36"	1300	7354500-S	55.10	7354600-S	58.90			
42"	1145	7354700-S	58.20	7354800-S	62.30			
48"	1000	7354900-S	61.60	7355000-S	65.50			
54"	890	7360600-S	65.00	7360700-S	57.80			
60"	800	7360800-S	73.30	7360900-S	73.30			



#### **Inclined Arms.** Do not have lip. Pin assembly included.

	. ,		
Overall Lgth.	Arm Cap. Lbs.	Stock No.	\$
12"	3000	7355100-S	37.00
18"	2500	7355200-S	40.20
24"	2000	7355300-S	53.40



#### **Brace Sets for Columns.**

3-6 ft. wide column centers. Includes hardware. Specify width: (01) 3', (02) 4', (03) 5', (04) 6'.

			,	(- , -, (- , , (	, - , ( - ,	
Column	Brace	Stock	(01) 3'	(02) 4'	(03) 5'	(04) 6'
Height	Qty.	Number	\$ Set	\$ Set	\$ Set	\$ Set
8'	Set of 2	73554-S	109.00	126.00	140.00	157.00
10' & 12'	Set of 3	73556-S	167.00	188.00	202.00	229.00



### Call for these Storage Racks and MORE!



RELIUS SOLUTIONS Cantilever Racks



RELIUS SOLUTIONS
Portable Stacking Racks



*MECO* Drum Storage Racks



STRUCTURAL PLASTICS Modular Dunnage Racks

<sup>\*</sup>Maximum capacity for double column is twice value shown.

# **SECURE YOUR WORK AREA**

# **PARTITIONS & ENCLOSURES FOR WORK SPACE & STORAGE**







C-Channel vertical frames for positive alignment between panels, prevents telescoping.



Horizontal stiffener channels securely interwoven thru continuous wire web.



Floor sockets & assembly bolts to connect panels. Stud anchors included for concrete floors.



Top capping channel to span more than one panel—ties top of partitions together (pre-drilled).



#### **Partition System**

- · Woven wire mesh
- Enamel finish Bolted assembly

Easy to set-up, remove and reuse. Can be installed by one person with hand tools. Partitions are interchangeable. Include nuts and bolts. Color: gray. Made in USA. FACTORY OUICK SHIP.

#### Stock-Size Wire Panels. 4 heights

	7' HIGH	PANELS	8' HIGH	PANELS	9' HIGH	PANELS	10' HIGH	I PANELS
Overall	Stock		Stock		Stock		Stock	
Width	]Number	\$	Number	\$	Number	\$	Number	\$
1'	4713028-S	95.30	4713728-S	104.00	4714228-S	117.00	4714728-S	150.00
2'	4713128-S	118.00	4713828-S	132.00	4714328-S	143.00	4714828-S	167.00
3'	4713228-S	142.00	4713928-S	153.00	4714428-S	169.00	4714928-S	188.00
4'	4713328-S	167.00	4714028-S	176.00	4714528-S	196.00	4715028-S	212.00
5'	4713428-S	177.00	4714128-S	188.00	4714628-S	223.00	4715128-S	229.00

area to be enclosed.

Note overall measurements. Call for assistance.



#### Channel Post.

Use 1 post every 2 panels.

For Panel	Stock	
Height	Number	\$
7'	4723428-S	68.50
8'	4723528-S	77.40
9'	4723328-S	87.30
10'	4723628-S	98.10



#### 90° Angle Post

required for each corner

For Panel	Stock	
Height	Number	\$
7'	4723028-T	36.50
8'	4723128-T	38.20
9'	4722728-T	40.30
10'	4723228-T	43.00



#### Fill-A-Gap Panels

18-ga. sheet steel panels adjust down to  $1^{1}/_{2}$ " inches, up to 1 ft.

For Panel	Stock	
Height	Number	\$
7'	4716128-S	130.00
8'	4716228-S	141.00
9'	4716728-S	152.00
10'	4716328-S	167.00



#### Adjustable Corner Post

For Panel	Stock	
Height	Number	\$
7'	4723728-S	64.10
8'	4723828-S	69.40
9'	4722328-S	77.40
10'	4723928-S	81.50



Wall Clips. with fasteners.

4721200-W \$ Pkg./3..... 4721500-W 1/4" Masonry Anchors.


4721600-W <sup>3</sup>/<sub>8</sub>" Masonry Anchors.




3-Way Clips

needed where 3 panels meet. Floor socket, fittings.

4721300-S \$ Pkg./3......18.10





#### **Doors for Partition** System

- Enamel finish
- · Woven wire mesh
- Bolted assembly A wide assortment of widths, heights, and door arrangements are available to meet your needs. Please send sketch of top view when ordering. Color: gray. Made in USA. FACTORY QUICK SHIP.

#### A. Sliding Doors

Designed for mounting outside wire partition. Equipped with ball-bearing hangers. Enclosed track comes with guide and keeper. Doors provide standard 7' height opening. Doors slide left, keyed right outside.

	Cyl. Loc	ks, Keys	w/Padlo	ock Lugs	Cyl. Loc	ks, Keys	w/Padlo	ck Lugs
Overall	Stock No.	\$	Stock No.	\$	Stock No.	\$	Stock No.	\$
WxH	FULL P	ARTITION HE	IGHT (no tra	nsoms)		WITH TE	RANSOM	
3x7'	4718628-S	625.00	4731828-S	589.00	_	_	_	_
4x7'	4718728-S	641.00	4731928-S	602.00	_	_	_	_
5x7'	4718828-S	682.00	4732028-S	644.00	_	_	_	_
6x7'	4718928-S	764.00	4732128-S	732.00	_	_	_	_
3x8'	4719428-S	675.00	4732228-S	636.00	4717428-S	485.00	4729528-S	447.00
4x8'	4719528-S	729.00	4732328-S	683.00	4717528-S	517.00	4729628-S	482.00
5x8'	4716928-S	832.00	4732428-S	795.00	4717628-S	553.00	4729728-S	515.00
6x8'	4719628-S	928.00	4732528-S	891.00	4717728-S	675.00	4729828-S	639.00
4x9'	4724728-S	774.00	4732728-S	740.00	4717928-S	541.00	4730028-S	504.00
5x9'	4724828-S	903.00	4732828-S	867.00	4718028-S	589.00	4730128-S	551.00
6x9'	4724928-S	1010.00	4732928-S	883.00	4718128-S	685.00	4730228-S	660.00
4x10'	4731228-S	808.00	4733128-S	769.00	4718328-S	552.00	4730428-S	515.00
5x10'	4731328-S	960.00	4733228-S	924.00	4718428-S	604.00	4730528-S	567.00
6x10'	4719828-S	1079.00	4733328-S	1043.00	4718528-S	689.00	4730628-S	651.00
Overall	E	XTRA-WIDE S	SINGLE SLIDII	NG DOORS-	-FULL PARTIT	TON HEIGHT	(no transom	s)
Ht.		8' V	VIDE			10' V	VIDE	
7'	4733828-S	1046.00	4734528-S	988.00	4734128-S	1144.00	4735028-S	1106.00
8'	4719728-S	1103.00	4734628-S	1065.00	4734228-S	1256.00	4735128-S	1217.00
9'	4733928-S	1214.00	4734728-S	1181.00	4734328-S	1365.00	4735228-S	1322.00
10'	4719928-S	1286.00	4734828-S	1255.00	4720028-S	1454.00	4735328-S	1416.00

#### **B. Hinged Doors**

Can be hinged on left or right; set to open in or out. Openings are 7' high with transom filling out the panel height of 8', 9' and 10' door.

neight of 0, 2 and 10 door.									
Overall	Cyl. Loc	ks, Keys	w/Padlo	ock Lugs					
WxH	Stock No.	\$	Stock No.	\$					
	HING	GED SINGLE I	DOORS						
3x7'	4720628-S	333.00	4708128-S	296.00					
4x7'	4720728-S	378.00	4708228-S	340.00					
3x8'	4720828-S	380.00	4708328-S	341.00					
4x8'	4720928-S	430.00	4708428-S	398.00					
3x9'	4720228-S	433.00	4708528-S	396.00					
4x9'	4720328-S	457.00	4708628-S	423.00					
3x10'	4722128-S	414.00	4708728-S	378.00					
4x10'	4722628-S	471.00	4708828-S	430.00					
HINGE	DOUBLE DO	OORS two sti	ffener posts	and angle					
	heade	r strikes. No	transom.						
6x7'	4725028-S	739.00	4726028-S	705.00					
8x7'	4725128-S	802.00	4726128-S	761.00					
6x8'	4725228-S	775.00	4726228-S	740.00					
8x8'	4725328-S	855.00	4726328-S	820.00					
6x9'	4725428-S	869.00	4726428-S	833.00					
8x9'	4725528-S	953.00	4726528-S	916.00					
6x10'	4725628-S	941.00	4726628-S	901.00					
8x10'	4725728-S	1033.00	4726728-S	995.00					

#### Call for these products and MORE!





**HUSKY** Windows for Partition System




**HUSKY** Reel Rack



**COFFING Heavy-Duty Hoists** 

# TURN UP THE VOLUME

## SPACE-SAVING BULK CONTAINMENT SYSTEMS



#### **Collapsible Wire Containers**

• Steel wire • 4-way fork access • Stackable

High-strength, lightweight containers add less weight to shipping costs. Welded, square mesh wire. Include half-drop side gates and caster pads.

4" underclearance. IN STOCK.





optional casters.

3527401-V 3527301-V

Collapsible Wire Containers with Zinc-Plated Finish

Optional casters sold separately. Specify: (01) container only, (02) container with lid.

•				•							
								CONT	AINER	CONTAINE	R WITH LID
Overall	Cap.	Cap.	Inside	Collapsed	Drop	Mesh	Mesh	Stock		Stock	
WxLxH	Lbs.	Cu. Ft.	Height	Height	Gate Side	Size	Gauge	Number	\$	Number	\$
32x20x21"	1500	5.2	15.88"	61/2"	32"	1 <sup>7</sup> / <sub>8</sub> x1"	5	3527301-V	96.90	_	_
32x20x21"	1500	5.2	15.88"	61/2"	32"	1x1"	5	3527401-V	116.00	_	_
40x32x33 <sup>1</sup> / <sub>2</sub> "	4000	19.8	28.19"	81/4"	40"	2"	3	3527501-V	178.00	3527502-V	207.00
48x40x35"	4000	30.8	29.78"	81/4"	48"	2"	3	3527601-V	239.00	3527602-V	278.00
48x40x39 <sup>1</sup> / <sub>2</sub> "	4000	38.3	34.14"	81/4"	48"	2"	3	3527701-V	255.00	3527702-V	299.00

3527800-V Optional 4x2" phenolic casters. \$ ..........69.60





transporting heavy, dense loads. Reusable. Sanitary and Overall Cap. Cap. Inside Stock Cu. Ft. Height Number washable. Low-profile design eliminates wasted interior storage WxLxH Lbs. 48x45x12 2300 5.5 5.2" 4742700-S 368.00 space. Steel runner on base. Four-way fork access. Color: blue. 48x45x19' 2300 13 12.2 4774500-S 453.00 Made in USA. SELECTED MODELS IN STOCK. Others FACTORY QUICK SHIP.

#### Call for more options!





Folds flat within its own footprint for space-saving storage.

#### **MBUCKHORN** Maximizer Collapsible Bulk Container

- Injection-molded polypropylene and polyethylene
- Recyclable 4-way forklift access Stackable Ideal for manufacturing, durable foods, and packaging products, the Maximizer container features a unique collapsible design that allows one person to guickly set up or break down. Integrated sidewalls, lid, and pallet base fold flat in seconds. Special interlocking system does not require special tools, staples, or nails to assemble. Dual drop-down doors offer ergonomic access to stored contents.

Complete unit includes sidewalls. pallet base and lid.







4674729-U with (2) 4644200-U snap-in

cardholders

Moisture-resistant plastic material withstands outdoor use. Made in USA. IN STOCK.									
Overall	Cap.	Cap.	Inside	Collapsed	Access	Stock			
WxLxH	Lbs.	Cu. Ft.	Height	Height	Door Side	Number	\$		
48x40x42.6"	800	35	36"	11"	On 48" sides	7896500-S	337.00		



Optional snap-in card holder.







**ORBIS** 

#### **Medium-Duty Collapsible Bulk Containers**

Large, easy-to-use snap lock latches ease container collapse. Molded area on all sides accepts optional snap-in card holders. Blue bulk containers have been approved to meet FDA standards. Made in USA. SELECTED MODELS IN STOCK. Others FACTORY OUICK SHIP.

Overall	Cap.	Cap.	Inside	Collapsed	Access	BL	UE	BLACK	
WxLxH	Lbs.	Cu. Ft.	Height	Height	Door Side	Stock No.	\$	Stock No.	\$
32x30x25"	2000	8.1	18.1"	13.1"	On 32" sides	4674118-U	371.00	4674129-U	319.00
48x45x25"	1500	19.3	18.1"	13"	On 48" sides	4674518-U	510.00	4674529-U	435.00
48x45x34"	1500	29	27.1"	13"	_	_	_	4674600-U	445.00
48x45x34"	1500	29	27.1"	13"	On 48" sides	4674718-U	538.00	4674729-U	441.00
48x40x50"	1500	43.4	43.7	17.7"	On 48" sides	_	_	3712229-T	445.00

#### **Accessories For Bulk Containers**

4644200-U Snap-In Cardholder. 4.8x8.5". For 4x8.3" cards. \$	.02
4657600-U Structural Foam Lid. Fits 32x30" containers. \$	.00
4657700-U Structural Foam Lid. Fits 48x45" containers. \$	.00

#### **Call for more Bulk Containers and Tilt Trucks**



**BAYHEAD** Haul-All Tilt Trucks



WESCO **Box Trucks** 



**RUBBERMAID** Structural Foam Tilt Trucks



**BAYHEAD** Low-Profile Mobile Hoppers

# ON THE MOVE

# **HIGH QUALITY PALLET TRUCKS & PALLETS**





## Relius

#### 5500-Lb. Capacity Pallet Trucks

• 5-vear warranty

Economical pallet truck does all the work of the higher-priced models. Spring-loaded handle has 3-position raise, lower, neutral fingertip control. Green powder coat finish with gray handle and pump. *IN STOCK*.

Fork Width,	Fork Length,	Stock	
Overall	Overall	Number	\$
20.5"	48"	6091504-S	301.00
27"	48"	6091508-S	317.00





#### **BIG JOE Basic Series Fully Powered Pallet Trucks**

Nationwide Service Network

• 3000- and 4500-lb. capacities • 3" and 3.25" lowered heights • Three-year warranty

Increase productivity and reduce operator fatigue with this fully powered pallet truck with both motorized travel and lift functions. Ergonomically designed tiller offers dual right- and left-hand controls for travel, lift, and lower functions. Other features include: key switch, horn, battery discharge indicator, reversing switch, hour meter and emergency disconnect. FACTORY QUICK SHIP.

#### WPT45 Pallet Truck

4500-lb. capacity pallet truck moves up to 60 pallets per battery charge. Powered by a 24-volt AC electrical drive system with Curtis controller and 105AH AGM maintenance-free battery pack and 120V AC charger. 6.75" wide forks.

Г	Fork Width,	Fork Length,	Fork Height,	Fork Height,	Travel Speed	Travel Speed No	Stock	
	Overall	Overall	Lowered	Raised	Loaded (mph)	Load (mph)	Number	\$
	27"	45.5"	3.25"	8.25"	2.86	3.66	7864900-S	4885.00

#### E30 Pallet Truck

3000-lb. cap. pallet truck is perfect for confined areas and narrow aisles, compact truck offers exceptional maneuverability. Features a compact power head with high torque 24-volt DC electrical drive system. 65 AH battery pack and 110V AC charger allows truck to move up to 40 pallets per charge. 6" wide forks.

Fork Width,	Fork Length,	Fork Height,	Fork Height,	Travel Speed	Travel Speed	Stock	
Overall	Overall	owered	Raised	Loaded (mph)	No Load (mph)	Number	\$
27"	45"	3"	7.5"	2	2.15	7683800-S	3342.00



#### Premium Scale Pallet Truck

• 4400-lb. capacity • 3.3" lowered height

Reliable scale features keyboard calibration and functional set-up with automatic zero capabilities. Fingertip lever controls raise, lower and neutral operations. Weighs in pounds or kilograms. Weighing accuracy of +/-1%. Large LCD display uses standard AA battery pack of 4, no charger needed. Polyurethane wheels—(2) 7" steering and (2) 2.7" load wheels. *IN STOCK*.

Weighing	Fork Height,	Fork Width,	Fork Length,	Stock	
Increment	Raised	Overall	Overall	Number	\$
1 lb./0.5 kg	8"	22"	46"	5797404-T	2075.00
1 lb./0.5 kg	8"	271/2"	46"	5797408-T	2100.00

# • Polyethylene structural foam • Recyclable • Stackable • Rackable

Double-deck, open-grid design is ideal for the food service industry. Available with 1/2" interrupted lip on the top deck. Four-way fork entry. Made in USA. SELECTED MODELS IN STOCK.

лade in USA. <i>SELEC</i>	TED MODELS IN STOC	IK.			
Overall		Floor Cap.	Fork Cap.	Stock	
WxLxH	Description	Lbs.	Lbs.	Number	\$
48x40x6.6"	Blue	20000	5000	4421000-V*	241.00
48x40x6.6"	Blue with Lip	20000	5000	4421100-V*	241.00
48x40x6.6"	Black	20000	5000	4421300-V	239.00
48y40y6 6"	Black with Lin	20000	5000	4421400-V	239.00

<sup>\*100%</sup> virgin material with colorants/pigments that have been approved to meet FDA standards.





### **ORBIS** Double-Deck Pallet

- 100% post-industrial recycled structural foam

Double-deck design permits greater stability and support of heavy loads. Compatible with a broad range of conveyor systems and automated material handling equipment. Four-way fork entry. Not rackable. Made in USA. *IN STOCK*.

Overall	Floor	Fork	Stock		\$
WxLxH	Cap. Lbs.	Cap. Lbs.	Number	\$	(20+)
48x40x5.8"	30000	3500	4453400-T	150.00	143.00



## **ORBIS** Injection Molded Pallets

- 100% post-industrial recycled injection-molded polyethylene
- Recyclable
   Nestable

Flow-through design is easy to steam clean. Choose either flat top model or pallet with 1" intermittent lip. Four-way fork entry. Weather-resistant. Pallets are ISPM 15 exempt. Sold in lots of 5, priced each. Color: black. Made in USA. *IN STOCK*.

Туре	Overall WxLxH	Floor Cap.	Fork Cap.	Stock	\$	\$
		Lbs.	Lbs.	Number	(5+)	(30+)
Flat	48x40x5.5"	11000	2300	4498400-T	41.00	39.00
With lip	48x40x5.5"	11000	2300	4498900-T	45.20	43.00



#### Call for these Warehouse Products and MORE!



RUBBERMAID Brute
Containers



VESTIL Pallet Truck Foot Guard



RUBBERMAID Premium Universal Shelf Carts



WESCO Adjustable-Width Pallet Trucks




VESTIL
All-Terrain Pallet Truck



# **SMALL STORAGE AREA**







	Inner Bin				
	Capacity				
Overall	42893	Ctn.	Stock		\$
WxDxH	42894	Qty.	Number	\$	(4+ Ctn.)
	4	4"H BINS.			
Specify co	olor: (02) red, (09) ye	ellow, (12) g	green, (18) bli	ue, (22) ivory.	
23/4x115/8x4"	3/0	36	42731-S	1.62	1.54
41/8x115/8x4"	6/2	36	42732-S	1.64	1.56
65/8x115/8x4"	9/4	30	42733-S	2.02	1.92
83/8x115/8x4"	12/4	20	42734-S	2.94	2.80
11 <sup>1</sup> / <sub>8</sub> x11 <sup>5</sup> / <sub>8</sub> x4"	18/6	8	42739-S	4.26	4.05
41/8x177/8x4"	9/3	20	42740-S	2.49	2.37
65/8x177/8x4"	15/6	20	42741-S	3.26	3.10
83/8x177/8x4"	19/6	10	42742-S	3.93	3.74
11 <sup>1</sup> / <sub>8</sub> x17 <sup>7</sup> / <sub>8</sub> x4"	29/8	8	42743-S	6.90	6.60
41/8x235/8x4"	13/4	16	42762-S	3.92	3.73
65/8x235/8x4"	12/8	8	42764-S	4.49	4.27
83/8x235/8x4"	24/8	6	42771-S	8.70	8.30
111/8x235/8x4"	35/16	6	42772-S	8.80	8.40
	(	5"H BINS.			
	Specify color: (02)	red, (09) ye	ellow, (18) blu	ie.	
41/8x115/8x6"	6/2	36	49708-S	2.66	2.53
65/8x115/8x6"	9/4	30	49709-S	4.04	3.84
83/8x115/8x6"	12/4	20	53747-S	4.90	4.66
41/8x177/8x6"	9/3	20	49722-S	3.79	3.61
65/8x177/8x6"	15/6	20	49723-S	5.10	4.85
8 <sup>3</sup> / <sub>8</sub> x17 <sup>7</sup> / <sub>8</sub> x6"	19/6	10	53748-S	7.40	7.10
41/8x235/8x6"	13/4	16	53756-S	7.90	7.60
65/8x235/8x6"	12/8	8	53768-S	10.80	10.30





#### **Shelf Bins**

- Quick access & easy organization of small parts
- Polypropylene
   Nestable

Line standard 12", 18", or 24"D shelving with durable shelf bins. Other features include reinforced side ribs and slotted label holder. Dividers and bin cups sold separately. Order bins in quantities specified, priced each. Made in USA. *IN STOCK*.

Dividers. Sold in quantities of 50 only. Color: black.

Fits Bin	Stock No.	\$	\$ (4+)					
DIVIDERS FOR 4"H BINS								
41/8"W	4278300-S	23.20	22.10					
65/8"W	4278400-S	4278400-S 27.00						
8³/ <sub>8</sub> "W	4279300-S	43.40	41.30					
11¹/ <sub>8</sub> "W	4279400-S	63.70	60.60					
	DIVIDERS FOR 6	"H BINS						
41/8"W	3200300-V	53.00	50.40					
65/8"W	3200400-V	57.70	54.90					
8³/ <sub>8</sub> "W	3200500-V	135.00	129.00					
11¹/ <sub>8</sub> "W	3200600-V	157.00	150.00					

Inner Bins. Sold in carton quantities of 48 only.

Overall	YELLOW	BLUE	\$	\$
WxDxH	Stock No.	Stock No.	Ctn.	Ctn. (4+)
31/4x13/4x3"	4289309-S	4289318-S	19.80	18.90
51/4x23/4x3"	4289409-S	4289418-S	34.10	32.40



# SHIPS SAME DAY! helf above. pecified, een,

## MAKBO-MILS Small Parts Shelf Bins

- Keeps small parts neatly organized
- Industrial-grade polymer
   Nestable

Fit on 12", 18", and 24" deep shelving. Rear lip suspends bin from shelf above. Dividers and bin cups sold separately. Order in carton quantities specified, priced each. Made in USA. Specify color: (02) red, (09) yellow, (12) green, (18) blue, (54) stone. IN STOCK. (08) terra cotta, (13) hunter green, (23) sandstone also available in select sizes.

Overall	Inner	Ctn.	(02), (09), (12), (18), (30)	(08), (13), (23)		\$	Stock	\$
WxDxH	Bin Capacity	Qty.	Stock Number	Stock Number	\$	(4+ Ctn.)	Number	Pkg.
			BINS		•		DIVIDERS (	okg./24)
23/4x115/8x4"	3	24	44068-T	_	1.32	1.26	_	_
41/8x115/8x4"	5	24	44072-5	44072-T	1.52	1.45	4407100-T	14.10
65/8x115/8x4"	9	12	44069-T	44069-T	2.32	2.21	4407000-T	15.10
83/8x115/8x4"	11	12	44090-T	_	2.49	2.37	4410400-T	34.10
111/8x115/8x4"	15	12	44101-T	_	3.64	3.46	4404300-T	42.40
41/8x177/8x4"	8	12	44080-T	44080-T	2.01	1.91	4407100-T	14.10
65/8x177/8x4"	15	12	44081-T	44081-T	2.86	2.72	4407000-T	15.10
8 <sup>3</sup> / <sub>8</sub> x17 <sup>7</sup> / <sub>8</sub> x4"	18	12	44092-T	_	3.88	3.69	4410400-T	34.10
111/8x177/8x4"	25	12	44111-T	_	6.60	6.30	4404300-T	42.40
41/8x235/8x4"	11	12	44095-T	44095-T	3.88	3.69	4407100-T	14.10
65/8x235/8x4"	21	6	44096-T	44096-T	5.80	5.60	4407000-T	15.10
83/8x235/8x4"	25	6	44124-T	_	7.70	7.40	4410400-T	34.10
111/8x235/8x4"	35	6	44126-T	_	8.50	8.10	4404300-T	42.40

#### #AKRO-MILS

#### Super-Size AkroBins®

- Easily store and move bulky items
- Industrial-grade polymer
- Stackable

Reinforced sides, extra-large front label area, and molded-in rear carrying handle. Not recommended for hanging systems. Solid steel dolly holds 500 lbs. and includes (4) 2" bolted-on polyolefin swivel casters. Gray powder coat finish. Order bins in carton quantities specified, priced each. Made in USA. SELECTED MODELS IN STOCK.



	BINS								
Overall	Ctn.	RED	YELLOW	BLUE		\$	Stock		
WxDxH	Qty.	Stock No.	Stock No.	Stock No.	\$	(4+ Ctns.)	Number	\$	
11x23 <sup>7</sup> / <sub>8</sub> x7"	4	3699202-V	3699209-V	3699218-V	21.70	20.70	_	_	
11x23 <sup>7</sup> / <sub>8</sub> x10"	4	3699302-V	3699309-V	3699318-V	31.40	29.90	_	_	
11x29 <sup>7</sup> / <sub>8</sub> x10"	4	3699602-V	3699609-V	3699618-V	36.30	34.50		_	
12³/ <sub>8</sub> x20x6"	4	4262802-U	_	4262818-U	20.90	19.90	4261300-U	65.60	
12³/ <sub>8</sub> x20x8"	3	4263102-U	4263109-U	4263118-U	23.20	22.10	4261300-U	65.60	
12³/ <sub>8</sub> x20x12"	2	4263202-U	4263209-U	4263218-U	28.40	27.00	4261300-U	65.60	
16 <sup>1</sup> / <sub>2</sub> x23 <sup>7</sup> / <sub>8</sub> x11"	1	_	_	3699418-V	42.70	40.60	_	_	
16 <sup>1</sup> / <sub>2</sub> x29 <sup>7</sup> / <sub>8</sub> x11"	1	_	3699709-V	3699718-V	50.70	48.20		_	
18³/ <sub>8</sub> x20x12"	1	4263302-U	4263309-U	4263318-U	34.10	32.40	4261300-U	65.60	
18 <sup>1</sup> / <sub>4</sub> x23 <sup>7</sup> / <sub>8</sub> x12"	1	3699502-V	_	3699518-V	45.10	42.90	_	_	
18 <sup>3</sup> / <sub>8</sub> x29 <sup>1</sup> / <sub>4</sub> x12"	1	4263402-U	4263409-U	4263418-U	48.70	46.30	4266700-U	75.50	

Ships same day for 1-3 day delivery

# **KEEP PARTS WITHIN REACH**

# **CONVENIENT & DURABLE BINS, BIN RACKS**





#### #AKRO-MILS AkroBins'



- Optimize and organize your storage space
- Industrial-grade polymer
   Stackable

Guaranteed not to break! Feature reinforcing ribs and include rear hanger lip for racking. Waterproof and resistant to oil and chemicals. Sold in carton quantites, priced each. Made in USA. Specify color: (02) red, (09) yellow, (12) green, (18) blue, (54) stone. IN STOCK.

	Overall	Ctn.	Stock		\$
Key	WxDxH	Qty.	Number	\$	(4+)
Α	16 <sup>1</sup> / <sub>2</sub> x14 <sup>3</sup> / <sub>4</sub> x7"	6	52023-U	16.40	15.60
В	81/4x143/4x7"	12	52028-U	11.90	11.40
В	81/4x103/4x7"	6	52029-U	8.50	8.10
С	11x10 <sup>7</sup> / <sub>8</sub> x5"	6	52030-U	9.20	8.80
D	5 <sup>1</sup> / <sub>2</sub> x10 <sup>7</sup> / <sub>8</sub> x5"	12	52031-U	5.10	4.85
Е	41/8x73/8x3"	24	52032-U	2.11	2.01
E	4¹/ <sub>8</sub> x5³/ <sub>8</sub> x3"	24	52060-U	1.30	1.24

#### **Louvered Panel Systems**



Choose floor, bench or wall-mount style AKRO-MILS° panels. Louvers securely support bins. 16-ga. steel panels are reinforced with horizontal ribs. Durable gray powder coat finish. Made in USA. IN STOCK.



#### F. Bench Rack

- · 120-lb. capacity
- Bins hang on one side Includes RELIUS SOLUTIONS bins. Specify bin color: (02) red, (09) yellow, (18)

52629-S	Bench rack only. 27 <sup>1</sup> / <sub>2</sub> "Wx8"Dx21"H \$52.30
14195-T	Bench rack only. 36"Wx8"Dx21"H. \$ <b>96.00</b>

Overall WxDxH	Bin Qty.	Bin WxDxH	Stock Number	\$
27 <sup>1</sup> / <sub>2</sub> x8x21"	24	41/8x53/8x3"	52852-S	69.10
27 <sup>1</sup> / <sub>2</sub> x8x21"	24	41/8x73/8x3"	52853-S	77.40
27 <sup>1</sup> / <sub>2</sub> x8x21"	12	5 <sup>1</sup> / <sub>2</sub> x10 <sup>7</sup> / <sub>8</sub> x5"	52854-S	87.80



#### G. Wall-Mount **Panel**

- · 160-lb. capacity
- · Bins hang on one side

1/4" thick louvered steel panel. Bins sold separately.

Overall	BEIGE	GRAY	
WxH	Stock No.	Stock No.	\$
18x19"	3699922-T	3699927-T	24.00
35³/ <sub>4</sub> x19"	4468922-T	4468927-T	32.90

QUANTITY OF SAME SIZE BINS THAT FIT PANELS OR RACKS					
Combined		52028-U			52032-U
Panel Size	52023-U	52029-U	52030-U	52031-U	52060-U
(G) 1 Panel, 18x19"	2	4	3	9	16
(G) 1 Panel, 35 <sup>3</sup> / <sub>4</sub> x19"	4	8	9	18	32
(H) 1 Rack, 18x61"	6	12	14	28	48
(H) 1 Rack, 36x61"	12	24	28	54	96



• 350- and 500-lb. capacities · Bins hang on one side Bins sold separately

bills sold separately.								
Overall WxH	Cap. Lbs.	Stock Number	\$					
18x61"	350	5189400-S	249.00					
36x61"	500	5189500-S	359.00					

#### CALL TO ORDER ADDITIONAL RACKS WITH INDUSTRIAL-GRADE POLYMER BINS



Call to order additional industrial-grade polymer bin racks



# Benchtop rack

#### **Pick Racks**

· Single- and double-sided models available

Steel racks come complete with removable polypropylene shelf bins. Bins sit on angled shelves for easier access. Specify bin color: (02) red, (09) yellow, (12) green, (18) blue, (22) ivory. IN STOCK.

	Overall	Bin	Bin	Stock	
Description	WxDxH	Qty.	WxDxH	Number	\$
Double-sided rack	36x24x64"	80	65/8x115/8x4"	52438-U	746.00
Single-sided rack	36x12x60"	40	65/8x115/8x4"	52434-U	377.00
Benchtop rack	36x12 <sup>1</sup> / <sub>2</sub> x23"	15	65/8x115/8x4"	52416-U	157.00

IN STOCK.


Mobile Kit for Double-Sided Rack. (4) 3" poly swivel casters, 2 with brake.

Ś





mobile kit.



	GRAY	BLUE	GREEN	Cap.	Overall
\$	Stock No.	Stock No.	Stock No.	Cu. Ft.	LxWxH
58.50	5400127-T	5400118-T	5400112-T	2.3	48x15x7 <sup>1</sup> / <sub>2</sub> "
64.20	5400227-T	5400218-T	5400212-T	3.5	48x15x11"
111.00	5401527-T	5401518-T	5401512-T	3.5	48x22 <sup>1</sup> / <sub>2</sub> x7 <sup>1</sup> / <sub>4</sub> "



## rivets for quick assembly.

Shelves attach with double

#### **Gravity Flow** Shelving

- Shelf capacity: 500 lbs., capacity based on evenly distributed loads
- Unassembled—no hardware needed May be placed side-by-side or frontto-back to create a large storage system. Shelves feature 2" side shelf flanges and 1/2" front lip to retain contents. Heavy-duty shelf supports attach with double rivets—need only a rubber mallet to install in minutes. Includes shelves and front-to-back supports at top and bottom. Gray baked enamel finish. Made in USA. IN STOCK.



	Shelf	Slanted	Flat	STARTE	STARTER UNITS		N UNITS
Overall	Cap.	Shelf	Shelf	Stock		Stock	
WxDxH	Lbs.	Qty.	Qty.	No.	\$	No.	\$
36x18x84"	500	5	1	5772900-S	208.00	5773300-S	203.00
36x24x84"	500	5	1	5773000-S	231.00	5773400-S	227.00
48x18x84"	500	5	1	5773100-S	238.00	5773500-S	233.00
48x24x84"	500	5	1	5773200-S	272.00	5776900-S	267.00

#### **Call for more Small Storage and Tool Storage products!**



**AKRO-MILS** Akro-Grid Dividable Containers



ROUSSEAU Standard-Width Drawer Cabinets



STRONGHOLD Ultra-Capacity **Combination Cabinets** 



WATERLOO 3-Drawer Project Center

# **PROTECT & ORGANIZE**

## WITH VERSATILE BIN & STORAGE CABINETS





## Relius

#### Ultra Deep-Door Security Bin Cabinets

- 14-gauge steel
- All-welded
- Padlock hasp with single-point lock

High-density storage cabinets feature 4"D pocket doors, adjustable leveling feet, and a high-security hasp. Unbreakable polypropylene bins are guaranteed for life. Cabinet holds: (48) 5<sup>3</sup>/<sub>8</sub>"Lx4<sup>1</sup>/<sub>8</sub>"Wx3"H, (48) 7<sup>3</sup>/<sub>8</sub>"Lx4<sup>1</sup>/<sub>8</sub>"Wx3"H, (12)14<sup>3</sup>/<sub>4</sub>"Lx8<sup>1</sup>/<sub>4</sub>"Wx7"H, (18) 10<sup>7</sup>/<sub>8</sub>"Lx5<sup>1</sup>/<sub>2</sub>"Wx5"H, and (6) 14<sup>3</sup>/<sub>4</sub>"Lx16<sup>1</sup>/<sub>2</sub>"Wx7"H bins. Gray enamel finish. Made in USA. *IN STOCK*.

	Overall	Stock	
Description	WxDxH	Number	\$
Cabinet with 132 Yellow Bins.	36x24x72"	8500127-T	1445.00
Cabinet with 132 Blue Bins.	36x24x72"	8505227-T	1445.00
Cabinet with bin slots only.	36x24x72"	8520027-T	967.00





HIGH-SECURITY HASP! Specially designed hardened steel hasp keeps the entire lock out of the reach of bolt cutters and other cutting devices.



#### **CALL FOR MORE DESIGN CONFIGURATIONS.**



#### Rellus solutions

#### **Deep-Door Security Cabinets**

- · 800-lb. capacity per shelf
- 16-gauge steel
- · All-welded
- Padlock hasp with single-point lock

"Universal," all-in-one, premium-series cabinets store all your tools and supplies. High-security padlock hasp prevents cutting devices from reaching lock. 30'/2"Wx16'/a"Dx4"H, 75-lb. capacity drawers have 100% full-extension ball-bearing glides. Drawers may be divided into (16) 4x7'/2" compartments with removable dividers provided. Removable Akro-Bins\* hang from louvered panels. Made in USA. *IN STOCK*.

#### **Four-Drawer Cabinet with 118 Bins**

Includes the following bins: (96) 5³/s"Lx4¹/s"Wx3"H; (18) 10³/s"Lx5¹/z"Wx5"H; (4) 14³/4"Lx8¹/4"Wx7"H.

Overall WxDxH	Stock No.	\$
36x24x72"	8414200-V	3381.00



#### **Storage Cabinets**

- 225-lb. capacity per shelf
- 16-22-gauge cabinet; 20-gauge steel shelves
- Unassembled and set-up
- Three-point lock

Welded frames prevent doors from sagging, while the concealed hinges offer a clean look. Other features include adjustable shelves (2" centers), chrome handles, and enclosed bases. Tough powder coat finish. Made in USA. SELECTED MODELS IN STOCK.

#### Extra Shelves

Specify color: (23) tan, (27) gray, (29) black.

41968-S	36"Wx18"D. \$	23.50
41969-S	36"Wx24"D. \$	28.10
52958-S*	48"Wx18"D. \$	38.00
52716-S*	48"Wx24"D. \$	45.50

<sup>\*</sup>Not available in black.



Overall	Shelf	TAN	GRAY	BLACK		TAN	GRAY	BLACK	
WxDxH	Openings	Stock No.	Stock No.	Stock No.	\$	Stock No.	Stock No.	Stock No.	\$
			UNASSEMBLED SET-UP						
36x18x42"	3	4197623-S	4197627-S	4197629-S	226.00	_	_	_	_
36x24x42"	3	4197723-S	4197727-S	4197729-S	251.00	_	_	_	_
36x18x78"	5	4196623-S	4196627-S	4196629-S	229.00	4195023-S	4195027-S	4195029-S	277.00
36x24x78"	5	4196723-S	4196727-S	4196729-S	276.00	4195123-S	4195127-S	4195129-S	308.00
48x18x78"	5	5281823-S	5281827-S	_	326.00	_	_	_	_
48x24x78"	5	5271323-5	5271327-5	_	350.00	_	_	_	_



#### **Wall-Hung Cabinets**

- Up to 180-lb. capacity per shelf, capacities based on evenly distributed loads
- 22-gauge steel
- 3 shelf openings Set up
- Single-point lock (single-door cabinets); three-point lock (double-door cabinets)

Keep floor space clear and eliminate clutter on your desktop. Include adjustable shelves perfect for spray cans, first aid supplies, cleaners, or other light-duty supplies. Key lock handles secure stored items. Some assembly required for handle. Durable finish. Made in USA. *IN STOCK*.

Overall	Shelf	Door	PUTTY	DARK GRAY	
WxDxH	Cap. Lbs.	Qty.	Stock No.	Stock No.	\$
18x12x26"	85	1	4787521-S	4787528-S	201.00
30x12x30"	150	2	4787021-S	4787028-S	257.00



#### Call for these products and MORE!



Wardrobe Cabinets



PARENT METAL Heavy-Duty Visual Cabinets



TENNSCO Sliding Door Storage Cabinets



Additional SANDUSKY LEE Wall-Hung Cabinets

# **CONFIGURE TO YOUR UNIQUE NEEDS**

# **CUSTOMIZABLE STORAGE SHELVING**





Oversized welded foot plate provides additional stability.



Shelves are reinforced with full-length welded box channels.



Extra Ultra-Capacity Shelf Clips with 2-point suspension, Locking feature reinforces corners to reduce lateral

EXCLUSIVE

movement. Once the clip and shelf are in place, the corner becomes completely closed. 3023300-S S ......

# Relius Reinforced Shelving

- Heavy-Industrial: 14-aguae steel uprights: 20-aguae steel shelves
- Shelves connect to posts via ultra-capacity shelf clips with wedge-type grips
- Shelf capacity: up to 1300 lbs., capacities based on evenly distributed loads

Shelves feature welded tubular box on front and rear edges as well as lapped and welded corners for maximum strength. Full-length 20-gauge welded box channels mounted on undersides of shelves greatly increases capacity and strength. Posts are punched on 1" centers and include 14-gauge welded foot plates, each with one mounting hole. Begin with starter units and use add-ons as needed to complete rows. Made in USA, IN STOCK.

Overall	Shelf	Shelf	STARTER UNITS	
WxDxH	Cap. Lbs.	Qty.	Stock No.	\$
36x12x85"	1200	5	3003100-T	166.00
36x18x85"	1250	5	3003200-T	195.00
36x24x85"	1300	5	3003300-T	225.00
48x12x85"	780	5	3003400-T	197.00
48x18x85"	800	5	3003500-T	227.00
48x24x85"	900	5	3003600-T	259.00

#### CALL FOR ADD-ONS AND EXTRA SHELVES.







14-ga. box-formed post cuts assembly time when connecting two or more units. Punched on 1" centers.

Open Starter includes: (2) angle posts, (2) front box posts, (2) pairs of side braces, (1) pair of back braces, (5) shelves with clips



Open Add-On includes: (1) front box post, (2) rear angle posts, (1) pair of side cross braces, (1) pair of back cross braces, (5) shelves with clips



20-gauge box shelf with lapped and welded corners provides greater strength for maximum load capacity.

# (ed/al) Premium Shelving

- Heavy-Industrial: 14-gauge steel uprights; 20-gauge steel shelves
- Shelves connect to posts via shelf clips with wedge-type grips
- Shelf capacity: up to 1100 lbs., capacities based on evenly distributed loads with a 1.45 safety factor Common front box posts cut assembly time when connecting two or more units. Shelves feature welded tubular box on front and rear edges as well as lapped and welded corners for extra strength. Posts are punched on 1" centers. Begin with starter units and use add-ons as needed to complete rows. Made in USA. IN STOCK.

Overall	Shelf Cap.	Shelf	STARTER UNITS		ADD-ON UNITS		EXTRA SHELVES	
WxDxH	Lbs.	Qty.	Stock No.	\$	Stock No.	\$	Stock No.	\$
36x12x85"	1000	5	5230000-T	141.00	5206100-T	110.00	5126900-T	13.40
36x18x85"	1050	5	5230400-T	146.00	5229400-T	125.00	5127100-T	15.90
36x24x85"	1100	5	5231000-T	170.00	5247600-T	147.00	5127200-T	19.90
48x12x85"	650	5	5231400-T	148.00	5249000-T	131.00	5127300-T	16.20
48x18x85"	675	5	5232300-T	170.00	5250600-T	147.00	5127900-T	20.20
48x24x85"	750	5	5232700-T	202.00	5253100-T	177.00	5128500-T	26.90

**CALL FOR CLOSED-STYLE SHELVING.** 

Move heavy file boxes with a RELIUS SOLUTIONS Polyethylene Dolly, call for information.







End Post (starter units)

#### tennsco

#### **Record Storage**

- 5/8" particleboard decking
- Holds up to 80 file boxes
- Shelf capacity: up to 2250 lbs., shelf capacities based on evenly distributed loads

Shelves attach to posts via a boltless double-rivet connection. Shelves adjust in 11/2" increments. 14-gauge steel uprights. File boxes sold separately. Color: sand. Made in USA. FACTORY QUICK SHIP.

File Boxes. IN STOCK.

3955400-W 12"Wx15"Dx10<sup>1</sup>/<sub>4</sub>"H. 10/pkg.

\$ Pkg. ......63.90

3965500-W 12<sup>1</sup>/<sub>4</sub>"Wx24<sup>1</sup>/<sub>2</sub>"Dx10<sup>1</sup>/<sub>4</sub>"H. 6/pkg.

\$ Pkg. .....69.60

3964800-U shown with (40) 3955400-W boxes.

	Shelf	Shelf	STAF	RTER	ADD	-ON
Overall	Cap.	Qty.	Stock		Stock	
WxDxH	Lbs.	Qty.	Number	\$	Number	\$
42x15x60"	2250	3	3963000-U	141.00	3963100-U	132.00
42x24x60"	2250	3	3963200-U	165.00	3963300-U	156.00
42x30x60"	2250	3	3963400-U	177.00	3963500-U	168.00
69x15x60"	1800	3	3963600-U	190.00	3963700-U	187.00
69x24x60"	1800	3	3963800-U	259.00	3963900-U	248.00
69x30x60"	1800	3	3964000-U	262.00	3964100-U	255.00

	Shelf		STAF	RTER	ADD-ON		
Overall	Cap.	Shelf	Stock		Stock		
WxDxH	Lbs.	Qty.	Number	\$	Number	\$	
42x15x84"	2250	4	3964200-U	186.00	3964300-U	180.00	
42x24x84"	2250	4	3964400-U	216.00	3964500-U	209.00	
42x30x84"	2250	4	3964600-U	232.00	3964700-U	227.00	
69x15x84"	1800	4	3964800-U	255.00	3964900-U	247.00	
69x24x84"	1800	4	3965000-U	343.00	3965100-U	332.00	
69x30x84"	1800	4	3965200-U	353.00	3965300-U	338.00	

#### Call for these shelving options and MORE!



Shelving - Closed Style



RELIUS SOLUTIONS
Double-Rivet Storage Shelving



QUANTUM Double-Rivet Shelving with Hulk Bins



HALLOWELL Rivetwell Double-Rivet Shelving



RELIUS SOLUTIONS Reinforced Shelving and Add-on Units

# LIGHTWEIGHT WIRE, HEAVY-DUTY SUPPORT

**CLEAN, VENTILATED & FIRE SAFE WIRE SHELVING!** 




## Wire Gravity Flow Shelving

- Shelf capacity: 600 lbs., capacity based on evenly distributed loads
- Unassembled—no hardware needed

For continuous replenishment of stock items or assembly parts. 35° slope on slanted shelves. Chrome 1" dia. wire posts with adjustable level glides. Shelf collar slides over sleeves. Create your own custom gravity-flow shelving by adding extra shelves or dividers. *IN STOCK*.

		COMPLETE U	INITS			EXTRA SHELVES	
Overall	Shelf	Slanted	Flat	Stock		Stock	
WxDxH	Cap. Lbs.	Shelf Qty.	Shelf Qty.	Number	\$	Number	\$
36x18x72"	600	4	1	6034500-T	221.00	6034900-T	48.90
48x18x72"	600	4	1	6034600-T	272.00	6035000-T	63.90
60x18x72"	600	4	1	6034700-T	371.00	6035100-T	87.00
72x18x72"	600	4	1	6034800-T	440.00	6035200-T	108.00
36x24x72"	600	4	1	5688400-U	296.00	6035300-T	66.50
48x24x72"	600	4	1	5688500-U	377.00	6035400-T	105.00
60x24x72"	600	4	1	5688600-U	446.00	6035500-T	116.00
72x24x72"	600	4	1	5688700-U	537.00	6035600-T	139.00



61/4"H Shelf Dividers

Chrome.

Slant shelves feature a generous lip to keep

contents in place.

Fits			
Shelf	Overall	Stock	Ś
Depth	Width	Number	Ş.
18"	141/4"	6035800-T	11.60
24"	17 <sup>7</sup> /8"	6035900-T	13.10

ADDITIONAL COMPONENTS AVAILABLE, CALL FOR INFORMATION.



Post Sleeves Snap into place. Pkg. of 4. 5681600-T \$ Pkg. .......2.85



**Post Clamps**Join shelving units together for maximum strength.

5681700-W \$......3.81



**High-Capacity S-Hooks**Provides connection
between starter and add-on
shelves. Use two per shelf.

5877700-T \$......1.89

## Relius

#### Wire Shelving

- Shelves slide over split sleeves along grooved 1" dia. posts
- 2-piece post on 63", 72" or 86"H posts
- Up to 48"W shelf capacity: 800 lbs; over 48"W shelf capacity: 600 lbs.; capacities based on evenly distributed loads
- Chrome finish

Shelves adjust at 1" increments. Optional clamps join shelving together to form rows. NSF certified. *IN STOCK*.



one 36"Wx24"Dx72"H shelving unit with optional shelf dividers and back and side ledges and one 48"Wx24"Dx72"H shelving unit.

#### ADDITIONAL COMPONENTS AVAILABLE, CALL FOR INFORMATION.

Overall	Shelf	Shelf	COMPLE	TE UNITS
WxDxH	Cap. Lbs.	Qty.	Stock No.	\$
24x18x72"	800	4	6042900-S	126.00
36x18x72"	800	4	5679900-V	131.00
48x18x72"	800	4	5680000-U	163.00
60x18x72"	600	4	6043000-S	212.00
72x18x72"	600	4	6043100-S	244.00
24x24x72"	800	4	6043200-S	212.00
36x24x72"	800	4	6043300-S	166.00
48x24x72"	800	4	5680100-U	200.00
60x24x72"	600	4	5680200-U	235.00
72x24x72"	600	4	5680300-U	268.00

Overall	Shelf	Shelf	COMPLETE UNITS	
WxDxH	Cap. Lbs.	Qty.	Stock No.	\$
24x18x86"	800	4	6043400-S	132.00
36x18x86"	800	4	6043500-S	128.00
48x18x86"	800	4	6043600-S	151.00
60x18x86"	600	4	6043700-S	217.00
72x18x86"	600	4	6043800-S	250.00
24x24x86"	800	4	6043900-S	218.00
36x24x86"	800	4	6044000-S	172.00
48x24x86"	800	4	6044100-S	186.00
60x24x86"	600	4	6044200-S	371.00
72x24x86"	600	4	5680400-U	289.00

#### Call for Wire Shelving options!



RELIUS SOLUTIONS
Shelves for Wire Shelving



RELIUS SOLUTIONS
Shelf Dividers for Wire Shelving




RELIUS SOLUTIONS
PVC Shelf Liners

# **SECURE STORAGE AREA**







How to Order: (1) Sketch a rough floor plan of the area to be enclosed. (2) Note the overall measurements. (3) Contact us with your design.

#### **CALL FOR INFORMATION ABOUT CUSTOM WIRE GUARDS**



# HUSKY Complete Bolted Wire Enclosures

- Gray enamel finish
- 10-gauge, 11/2" diamond wire
- Bolted assembly

Steel channel frame. Each room has 5' sliding door with cylinder lock. 3" sweep space under all panels and doors. Each order includes: basic bolt-together hardware, floor shoes, and top capping channel. Security rooms with ceilings come with ceiling angle in place of top capping channel. FACTORY QUICK SHIP.

			ROOM WITH	OUT CEILING			SECURITY ROOM WITH CEILING					
Overall	2 SII	2 SIDES 3 SIDE		DES	4 SIDES		2 SIDES		3 SIDES		4 SIDES	
WxDxH	Stock No.	\$	Stock No.	\$	Stock No.	\$	Stock No.	\$	Stock No.	\$	Stock No.	\$
10x10x8'	4739100-V	1155.00	4740100-V	1540.00	4741100-V	1937.00	4742100-V	1700.00	4743100-V	2060.00	4744100-V	2427.00
20x10x8'	4739200-V	1573.00	4740200-V	1954.00	4741200-V	2777.00	4742200-V	2556.00	4743200-V	2900.00	4744200-V	3419.00
20x15x8'	4739300-V	1824.00	4740300-V	2440.00	4741300-V	3269.00	4766400-V	3609.00	4766600-V	4091.00	4766700-V	4749.00
20x20x8'	4754300-V	2100.00	4754400-V	2839.00	4754500-V	3689.00	4742400-V	4293.00	4743400-V	4932.00	4744400-V	5584.00
30x20x8'	4739500-V	2479.00	4740500-V	3223.00	4741500-V	4477.00	4742500-V	5773.00	4743500-V	6572.00	4744500-V	7523.00
10x10x10'	4754900-V	1364.00	4757200-V	1836.00	4758000-V	2328.00	4742600-V	1830.00	4743600-V	2322.00	4744600-V	2756.00
20x15x10'	4758300-V	2171.00	4758500-V	2982.00	4758700-V	4009.00	4742800-V	3907.00	4743800-V	4572.00	4744800-V	5372.00
20x20x10'	4739900-V	2417.00	4740900-V	3305.00	4741900-V	4361.00	4742900-V	4611.00	4743900-V	5479.00	4744900-V	6304.00

All orders are packaged in wooden crates, as shown, for easy handling and no freight damage.







- Polyurethane finish
- 8-gauge fluted welded mesh
- EZ-clip (hook) and chalice-bolt assembly
  Easy to install, modify and move. Fully
  modular system features 2.5" square posts
  and 2" square mesh fluted wire panels.
  Includes 4' swing door with installed keyed
  lock and all hardware necessary to build a
  2-, 3-, or 4-sided enclosure. Ships fully
  crated. Call us for more options such as
  enclosures up to 30'H, unsupported spans
  up to 30'W, doors, locks, hatches, panel
  windows, and 3- or 4-way connections.
  Made in USA.



Overall	2 SII	DES	3 SI	DES	4 SIDES		
WxDxH	Stock No.	\$	Stock No.	\$	Stock No.	\$	
8x8x8'	7687600-V	1088.00	7688400-V	1433.00	7689200-V	1878.00	
12x8x8'	7687700-V	1304.00	7688500-V	1645.00	7689300-V	2321.00	
10x10x8'	7687800-V	1288.00	7688600-V	1669.00	7689400-V	2021.00	
12x10x8'	7687900-V	1331.00	7688700-V	1713.00	7689500-V	2382.00	
12x12x8'	7688000-V	1505.00	7688800-V	2054.00	7689600-V	2733.00	
16x12x8'	7688100-V	1574.00	7688900-V	2135.00	7689700-V	2880.00	
16x16x8'	7688200-V	1709.00	7689000-V	2383.00	7689800-V	3129.00	
20x20x8'	7688300-V	1880.00	7689100-V	2622.00	7689900-V	3496.00	

# Relius Folding Steel Security Gates

Fold flat to the side. Can be recessed or surface mounted, brackets included. <sup>3</sup>/<sub>4</sub>" steel channel construction. Lift and turn locking mechanism accepts a padlock with up to a <sup>1</sup>/<sub>2</sub>" dia. shaft. Color: gray. Made in USA. *SELECTED MODELS IN STOCK*.

#### **Pivoting Double Gates**

Drop pin at center stabilizes closed doors. Rolls on 2" steel swivel casters. Made in USA.

Expanded	Retracted	Stock	
Width	WxH	Number	\$
8'	6.9"x6.5'	5472000-U	326.00
8'	6.9"x8'	5472200-U	403.00
10'	8.4"x6.5'	5472400-U	393.00
10'	8.4"x8'	5472600-U	476.00
12'	10.6"x6.5'	5472800-U	450.00
12'	10.6"x8'	5473100-U	571.00
14'	11.4"x6.5'	5473300-U	528.00
14'	11.4"x8'	5473600-U	638.00
16'	12.1"x6.5'	5473800-U	597.00
16'	12.1"x8'	5474100-U	738.00



ADDITIONAL GATE AND DOOR CONFIGURATIONS AVAILABLE, CALL FOR DETAILS.

Ships same day for 1-3 day delivery

# **SAFETY FIRST**

## **SAFELY STORE HAZARDOUS MATERIALS & VALUABLES**







#### EAGLE

#### Flammable Liquids Safety Cabinets

- Flush-mount handle with 3-point lock
- · 350-lb. shelf capacity
- Trilingual "Flammable Keep Fire Away" label

Double-wall, 18-gauge welded steel construction with 11/2" air space. Other features include: dual 2" capped vents, ground wire connection, adjustable shelves, and leakproof 2" base sill. Units with self-closing doors close automatically at 160°F via a melting link (meets Uniform Fire Code, UFC). Made in USA. SELECTED MODELS IN STOCK.

4677800-S Extra Shelf. Fits 30-, 45-, and 90-gal. safety cabinets. For 90-gal. cabinet, order two shelves. \$ ........................55.3

4677900-S Extra Shelf. Fits 60-gal. safety cabinet. \$......107.00

**Double-Wall Safety Cabinets.** Rated for type I and II containers up to 5 gallons in size. Made in USA.

Overall	Cap.	Door	Shelf	Can	RED		YELLO	W			
WxDxH	Gal.	Qty.	Qty.	Qty.	Stock No.	\$	Stock No.	\$			
			MA	NUAL-CLO	SING DOORS						
43x18x44"	30	2	1	_	4676702-S	687.00	4676709-S	687.00			
43x18x65"	45	2	2	_	4676802-S	828.00	4676809-S	832.00			
31x31x65"	60	2	2	_	4676902-S	992.00	4676909-S	996.00			
43x34x65"	90	2	2	_	4681702-S	1317.00	4681709-S	1332.00			
MANUAL-CLOSING DOORS. Cabinets include Type 1, 5-gallon safety cans.											
43x18x44"	30	2	1	6	_	_	7678300-T	1055.00			
43x18x65"	45	2	2	9	_	_	7678400-T	1229.00			
31 <sup>1</sup> / <sub>4</sub> x31 <sup>1</sup> / <sub>4</sub> x65"	60	2	2	12		_	7678500-T	1568.00			
			S	ELF-CLOSI	NG DOORS						
43x18x44"	30	2	1	_	4678402-S	775.00	4678409-S	775.00			
43x18x65"	45	2	2	_	4678502-S	966.00	4678509-S	966.00			
31x31x65"	60	2	2	_	4678802-S	1114.00	4678809-S	1114.00			
43x34x65"	90	2	2	_	4682402-S	1410.00	4682409-S	1410.00			
			SELF	CLOSING :	SLIDING DOOR						
43x18x44"	30	1	1	_	4676402-S	765.00	4676409-S	770.00			
43x18x65"	45	1	2	_	4676502-S	948.00	4676509-S	952.00			

Eagle quality cabinets comply with OSHA standard 1910.106, are designed to meet NFPA Standards 29 and 30, and most have been tested by Factory Mutual Research and/or Underwriters Laboratories. Please note: California and portions of other localities may require self-closing safety cabinet doors. Please check your local codes before ordering.





Doors open 180° on welded leaf hinges with brass pins.



3-point locking mechanism with malleable cast iron zinc plated handle.



SHELF CAPACITY

## **ed/al** Vault Cabinets

- Up to 1800-lb. capacity per shelf
- 14-gauge steel All-welded
- Padlock handle with three-point lock

Offers superior strength and durability. Shelves adjust on 2" centers. Doors open 180° on 9-ga. welded leaf hinges with brass pins. Bolt holes in legs allow cabinet to be secured to floor. Malleable cast iron zinc plated handle accepts <sup>7</sup>/16" dia. padlock (not included). Powder coat gray finish. Made in USA. *IN STOCK*.

	Overall	Shelf	Shelf	Stock	
	WxDxH	Openings	Cap. Lbs.	Number	\$
	36x24x78"	5	1800	4135300-T	825.00
Г	48x24x78"	5	1600	4135700-T	974.00
	60x24x78"	5	1500	4135800-T	1211.00

# Storage Lockers

- 13-gauge steel frame/sides; 12-gauge steel shelves
- All-welded
- Padlock hasp

Expanded metal has 3/.x11/2" diamond-shaped openings. Doors open 270° back to the sides. 31/2" underclearance. Choose cabinet without shelves, with welded shelves or with adjustable shelves. One-shelf cabinet with welded shelves has 34" above and below; two-shelf cabinet with welded shelves has 221/." between shelves. Made in USA.

ſ	Overall	WITHOLIT	WITHOUT SHELVES		SHELF	TWO SI	HELVES	ONE ADJ. SHELE		TWO ADJ. SHELVES	
			JIILLVLJ	0.112.01.122.		1110 51122125		011271031011221			
ı	WxDxH	Stock No.	\$	Stock No.	\$	Stock No.	\$	Stock No.	\$	Stock No.	\$
	48x24x78"	5739601-V	877.00	5739602-V	915.00	5739603-V	1000.00	5739604-U	1036.00	5739605-U	1135.00
	60x24x78"	5741201-V	1004.00	5741202-V	1052.00	5741203-V	1118.00	5741204-T	1183.00	5741205-V	1362.00
	48x30x78"	5759401-V	956.00	5759402-V	996.00	5759403-V	1129.00	5759404-T	1130.00	5759405-U	1306.00
	60x30x78"	5759701-V	1063.00	5759702-V	1135.00	5759703-V	1266.00	5759704-T	1271.00	5759705-V	1445.00
	60x36x78"	5758701-V	1151.00	5758702-V	1242.00	5758703-V	1408.00	_	_	_	_
	72x36x78"	5758801-V	1183.00	5758802-V	1318.00	5758803-V	1472.00	_	_	_	_



## Relius

#### **Cylinder Storage Cabinets**

- 13-gauge steel or 14-gauge aluminum
- Holds 4–20 cylinders

Protect cylinders behind tamperproof doors.
Doors include padlock hasp (lock not included).
Choose steel or heavy .081 non-sparking
aluminum construction. Steel cabinets are
yellow. Meet NFPA 58 and OSHA sec. 1910.110
design standards. Made in USA. SELECTED
MODELS IN STOCK.







Cylinder	Overall	STEEL UNA	SSEMBLED	STEEL S	SET-UP	Overall	ALUMINU	M SET-UP			
Capacity	WxDxH	Stock No.	\$	Stock No.	\$	WxDxH	Stock No.	\$			
		A. HORIZONTAI	_ CABINETS. Cyl	inder capacity i	s based on ma	x. 14" dia. cylino	ders.				
4	33x38x37"	7663701-U	793.00	7663702-U	804.00	30x32x33 <sup>1</sup> / <sub>2</sub> "	4609700-T	746.00			
6	_	_	_	_	_	30x32x49 <sup>1</sup> / <sub>2</sub> "	4610000-T	890.00			
8	33x38x70"	7663801-U	1198.00	7663802-U	1176.00	30x32x65"	4611200-T	1045.00			
12	_	_	_	_	_	60x32x49 <sup>1</sup> / <sub>2</sub> "	4611500-T	1603.00			
16	65x38x70"	7664001-U	2028.00	7664002-U	1957.00	60x32x65"	4611600-T	2005.00			
	B. UPRIGHT CABINETS										
5–10	33x37x72"	2" — —		7663600-T*	1087.00	30x32x65"	4611900-T*	960.00			
10-20	60x38x72"	7663400-U*	1754.00	7663500-T*	1699.00	60x32x65"	4612000-T*	1708.00			
8	30x32x69"	_	_	7670900-U*	1026.00	_	_	_			
12	60x32x69"	_	_	7671000-U*	1631.00	_	_	_			
			C. C	OMBINATION CA	ABINETS						
8–10	60x31x68"	7699100-U	1994.00	_	_	60x32x65"	4614400-T	1831.00			
			D. l	P STORAGE CA	BINETS						
4	30x32x36"	_	_	7670600-U*	813.00	30x32x33 <sup>1</sup> / <sub>2</sub> "	L4162-S*	738.00			
8	30x32x69"	_	_	7670700-U*	1152.00	30x32x65"	L4163-S*	1099.00			
16	60x32x69"	_	_	7670800-U*	1530.00	60x32x65"	L4164-S*	1886.00			



NOTE: \*Also meet CSA B149.2 standards.

#### **Call for these Pallet Rack Enclosures and Safety products**



FOLDING GUARD Pallet Rack Enclosures



NASHVILLE WIRE Wire Security Enclosures



NMC Lock-Out Tags



**EAGLE** Drum Cabinets

# **MOBILIZE YOUR SUPPLIES**

# **KEEP MATERIALS SECURE & MOBILE WITH SECURITY TRUCKS**







qwikSLOT™ Shelves. Easily adjustable and removable without dismantling the entire unit. Shelves are supported on clips that snap into posts at 1" intervals.

qwikSLOT" Shelves. 300-lb. capacity per shelf.

4785800-T	36"Wx24"D.\$	75.20
4785900-T	48"Wx24"D.\$	99.90
4788400-T	60"Wx24"D. \$	110.00

Visible Contents Security

# METRO METRO qwikSLOT Security Trucks

- Steel wire
- 800-1200-lb. capacity
- 5" polyurethane casters
- Patented '/-turn padlock hasp

Features easy-to-adjust qwikSLOT shelves. Totally enclosed design and locking doors make this truck the perfect solution for reducing theft. Open-wire construction makes it easy to monitor inventory. Order shelves separately. Ships unassembled, Made in USA.

#### Standard-Duty Trucks. 800-lb. capacity.

Overall	Stock	
WxDxH	Number	\$
40 <sup>3</sup> / <sub>4</sub> x27 <sup>1</sup> / <sub>4</sub> x68 <sup>1</sup> / <sub>2</sub> "	4785200-T	1330.00
523/4x271/4x681/2"	4785300-T	1498.00
65x27 <sup>1</sup> / <sub>4</sub> x68 <sup>1</sup> / <sub>2</sub> "	4785400-T	1690.00

#### **Heavy-Duty Trucks**

Wire cage is mounted on an aluminum dolly with wraparound bumper for extra strength and durability. 1200-lb. capacity.

, ,	,	
Overall	Stock	
WxDxH	Number	\$
38 <sup>1</sup> / <sub>2</sub> x28 <sup>1</sup> / <sub>16</sub> x67 <sup>7</sup> / <sub>8</sub> "	4785500-T	1581.00
50 <sup>1</sup> / <sub>2</sub> x28 <sup>1</sup> / <sub>16</sub> x67 <sup>7</sup> / <sub>8</sub> "	4785600-T	1852.00
63 <sup>1</sup> / <sub>8</sub> x28 <sup>1</sup> / <sub>16</sub> x67 <sup>7</sup> / <sub>8</sub> "	4785700-T	1956.00



• Welded push handle
Solid steel sides add security and increased durability. User-friendly
features include side drop gate and double-hinged cover that fold
down and back. Padlock hasp (lock not included). Interior height: 36".
Rolls on 2 swivel, 2 rigid casters. Color: blue. German Engineered.
Made in USA.

Overall	Stock	
WxDxH	Number	\$
24x48x47"	7037300-U	766.00
30x60x47"	7037400-U	892.00



49168-S shown with (02) one fixed shelf.

Trucks

• Mesh sides with 12-gauge steel frame

• 2000-lb. capacity

• 6" polyurethane casters

Offers security, ventilation and visibility. Heavy-gauge reinforced deck. Double doors

open 270° and include a padlock hasp. 46'/₂" interior height. Rolls on non-marking

wheels—2 swivel, 2 rigid. Made in USA. Specify: (01) without shelf, (02) with one fixed

shelf, (03) with two fixed shelves, (04) with one adjustable shelf on 3'/₂" centers.

SELECTED MODELS WITH (02) ONE FIXED SHELF ARE IN STOCK.

		(01)	(02)		(03)		(04)
		WITHOUT	10	NE	TV	VO	ONE
		SHELF	FIX	ED	FIX	ED	ADJUSTABLE
Overall	Stock		Shelf		Shelf		
WxDxH	Number	\$	Clearance	\$	Clearance	\$	\$
48x24x56"	49167-S	750.00	211/2"	735.00	14"	835.00	852.00
48x32x56"	49168-S	780.00	211/2"	803.00	14"	890.00	907.00
60x32x56"	49169-S	863.00	211/2"	890.00	14"	977.00	994.00
60x36x56"	49170-S	898.00	211/2"	986.00	14"	1119.00	_
72x36x56"	49171-S	936.00	211/2"	1034.00	14"	1197.00	_

## Wire Security Trucks

- Steel wire 2000-lb. capacity
- Multiple caster choices available
- Hardened steel padlock hasp

All-welded 2x2" steel grid panels make this one of the strongest trucks on the market. Provides total security and see-through visibility. Use the plastic shelf clips to attach shelves anywhere on the grid panels (4 shelf clips included with each shelf). Doors include four heavy-duty greasable hinges, 250-lb, capacity shelves are available in 14-gauge steel or 3/4" layered wood. Two swivel with Total Lock brakes two rigid casters. Painted finish, Padlock not included, Made in USA, SELECTED MODELS IN STOCK.



7705812 shown with optional wood shelf and 8" black mold-on rubber casters.



Shown with optional accessories:

and louvered panel insert 59738(18).

7706118 shown with 8" black mold-on rubber

casters. steel shelf 59634(18), hitch system 59742(18), fork pockets 59890(18), rubber mat 2837200.

STYLES

#### **Optional Shelves**

Made in USA. For steel shelves, specify color: (02) red. (12) green. (18) blue, (28) dk. gray.

Overall	WOOD		WOOD STEEL	
WxD	Stock No.	\$	Stock No.	\$
60x30"	5996600-T	98.10	59635-T	88.80
48x24"	5969600-T	90.30	59634-T	73.50

#### **Optional Panel Inserts** Made in USA. Specify

color: (02) red, (12) areen, (18) blue, (28) dk. gray.

PEGBOARD	LOUVERED

	PEGBOARD		LOUVERED	
Size	Stock No. \$		Stock No.	\$
23 <sup>1</sup> / <sub>2</sub> x19"	59737-T	44.70	59738-T	35.70

#### Choose from 3 caster types

A. 5" polyurethane

B. 8" black mold-on rubber

C. 8" gray non-marking rubber



#### Overall RFD GREEN BLUF DARK GRAY Cap. WxDxH Lbs. Stock No. Stock No. Stock No. Stock No. A. 5" POLYURETHANE 2000 1406.00 60x30x60 7705602-U 7705612-U 7705618-U 7705628-U 7705912-U 48x30x60 2000 7705902-U 7705918-U 7705928-U 1266.00 7706202-U 7706212-U 7706218-U 48x24x60" 2000 7706228-U 1078.00 B. 8" BLACK MOLD-ON RUBBER 60v30v60 2000 7705802-U 7705812-U 7705818-U 7705828-11 1406 00 48x30x60' 2000 7706112-U 7706118-U 7706128-U 1335.00 7706102-U 48x24x60" 2000 7706402-U 7706412-U 7706418-U 7706428-U 1076.00 C. 8" GRAY NON-MARKING RUBBER 60x30x60' 2000 7705702-U 7705712-U 7705718-U 7705728-U 1419.00 48x30x60' 2000 7706002-U 7706012-U 7706018-U 7706028-U 1278.00 48x24x60" 2000 7706302-U 7706312-U 7706318-U 7706328-U 1089.00

Accessories. Specify color: (02) red, (12) green, (18) blue, (28) dk. gray.

59742-T	Hitch System. Includes tow bar and hitch. \$	142.00
59890-T	Fork Pockets. Sold in packages of 4. \$ Pkg	102.00
5973900-T	Sixth-Wheel Swivel Caster Package, Sold in packages of 2.	\$ Pkg 60.70

2837200-U Optional rubber mat.

2836800-U Optional rubber mat.

48x30".\$.... 39.00

48x24". \$......29.00

2837300-U Optional rubber mat. 60x30".\$..... 81.00



## **Collapsible Security Truck**

- · Wire mesh walls with steel frame
- 2000-lb, capacity
- 6" mold-on rubber casters

When folded, truck is only 6" deep letting you store it practically anywhere. Center shelf folds down to create two  $32^{1}/_{2}$ " areas or remains in the up position to give you a full  $66^{1}/_{2}$ " of storage. Door locking latch and padlock hasp (padlock not included). All swivel casters, 2 with brakes. Stores folded. Color: gray enamel. IN STOCK.

5234601-S 44"Wx27"Dx761/2"H.\$ .1045.00



Folds down to 6" deep for convenient storage.





### Call for these products and MORE!



**Computer Workstations** 



Wire Truck Covers



SANDUSKY LEE Mobile Visibility Cabinets




**DURHAM Clear-View** Cabinets



FIREKING Fire-Resisting File Cabinets

# EQUIPMENT STORAGE AREA





#### Hallowell



#### Modular Storage Lockers

• 13- to 14-gauge steel frame/sides; 16-gauge steel shelves

Unassembled
 Padlock hasp

16-gauge, '/2" expanded metal. Doors open 180° and have welded padlock hasps. Double-tier design includes non-removable reinforced center shelf. Pre-punched holes on panels allow easy installation. Basic hardware included. Platinum zinc powder coat finish. Made in USA. FACTORY QUICK SHIP.

Overall	STARTER		ADD	O-ON	
WxDxH	Stock No.	\$	Stock No.	\$	
	SINGL	E-TIER LOCKE	RS		
36x36x90"	5823800-S	354.00	5824400-S	267.00	
36x48x90"	5823900-S	416.00	5824500-S	306.00	
36x60x90"	5824000-S	476.00	5824600-S	344.00	
48x36x90"	5824100-S	416.00	5824700-S	306.00	
48x48x90"	5824200-S	488.00	5824800-S	360.00	
48x60x90"	5824300-S	563.00	5824900-S	411.00	
	DOUBLE-TIER LOCKERS				
36x36x90"	5825000-S	428.00	5825600-S	354.00	
36x48x90"	5825100-S	497.00	5825700-S	402.00	
36x60x90"	5825200-S	570.00	5825800-S	451.00	
48x36x90"	5825300-S	497.00	5825900-S	396.00	
48x48x90"	5825400-S	585.00	5826000-S	467.00	
48x60x90"	5825500-S	673.00	5826100-S	538.00	

#### **Optional Tops**

-	-	
Overall	Stock	
WxD	Number	\$
36x36"	5826200-S	43.80
36x48"	5826300-S	46.40
36x60"	5826400-S	48.70
48x36"	5826500-S	55.20
48x48"	5826600-S	60.30
48x60"	5826700-S	65.50

#### **Optional Backs**

Overall	Stock	
WxH	Number	\$
36x90"	5826800-S	97.00
48x90"	5826900-S	118.00

## **WAREHOUSE PRODUCTS | EQUIPMENT STORAGE AREA**



All panels and doors are crated to prevent damage during shipping.



(6) posts, swing door, and interlock switch/actuator.





#### **Perimeter Guards**

#### EZ Wire Perimeter Guards

- 10-ga., 2" woven wire mesh panels
- EZ-clip (hook) and pin assembly

Patented hook fastener slips into 21/2" sq., 14-ga. tube post. Universal posts include lags and plastic end caps. Swing door with padlock hasp in handle, padlock not included. 12" sweep space. Meets ANSI requirements. Made in USA.

#### **Posts**

Size	Stock No.	\$
21/2"sq. x6'H	4826100-S	86.30

#### **Panels**

Overall Ht.	Width	Stock No.	\$	\$ (6+)
60"	12"	4825000-S	61.50	58.50
60"	24"	4825100-S	67.30	64.00
60"	36"	4825200-S	95.90	91.20
60"	48"	4825300-S	128.00	122.00
60"	60"	4825400-S	151.00	144.00
60"	72"	4825500-S	174.00	166.00
60"	84"	4825600-S	194.00	185.00
60"	96"	4825700-S	212.00	202.00
60"	108"	4825800-S	227.00	216.00
60"	120"	4825900-S	237.00	226.00

4826000-S	Swing door. \$	246.00
7844200-T	Interlock switch. \$	333.00
7844100-T	Actuator, \$	85.90

#### Matrix Guard Machinery and Robotic Guards

• 8-ga., 2" square fluted welded mesh

Visible in photo:

(3) 7922500-V panels,

(1) 7222900-V panel,

(2) 7923200-V corner posts, (2) 7923000-V line posts.

• EZ-clip (hook) and chalice bolt assembly

Chalice bolt panel fastener attaches to 21/2" sq., 14-ga. tube post. Posts include lags and plastic end caps. 6" sweep space meets robotic equipment requirements. Swing door with padlock hasp in handle, padlock not included. Made in USA. FACTORY QUICK SHIP.

#### Posts

Description	Size	Stock No.	\$
Line Post. 21/2"sq.x72"H.	21/2"sq.x72"H	7923000-V	79.40
Door Post. 21/2"sq.x72"H.	21/2"sq.x72"H	7923100-V	96.30
Adjustable Corner Post. 21/2"sq.x72"H.	21/2"sq.x72"H	7923200-V	117.00

#### **Panels**

Overall Ht.	Width	Stock No.	\$
66"	10"	7922200-V	55.50
66"	22"	7922300-V	70.50
66"	34"	7922400-V	84.60
66"	46"	7922500-V	95.30
66"	58"	7922600-V	118.00
66"	70"	7922700-V	131.00
66"	82"	7922800-V	142.00
66"	94"	7922900-V	155.00

3'H panel

7923300-V Swing Door. 48"Wx66"H.. \$ ..

5' hinged door

.301.20

5'H panel



#### Infinitely Adjustable Perimeter Guard System

• 8-ga. 11/2x11/2" wire mesh panels

Unique pin and bracket panel system lets you configure guards in any design, including circles and octagons. Panels may be installed at any angle from 0-180°. 2" sq., 14-ga. tube post with 1/4" thick base. Hinged door is furnished with a keyed cylinder lock for security. Powder coated steel. Ships unassembled. Meets OSHA, EPA, and ANSI requirements.

#### **Panels**

Overall	Overall	Stock	
Height	Width	Number	\$
36"	60"	7808600-S	105.00
36"	96"	7808700-S	144.00
48"	60"	7808800-S	123.00
48"	96"	7809200-S	166.00
60"	60"	7809300-S	141.00
60"	96"	7809400-S	191.00
72"	60"	7809500-S	153.00
96"	60"	7809600-S	191.00

#### **Posts**

	Overall	Stock	
Description	Height	Number	\$
In-Line Post	72"	7810000-S	102.00
Corner Post	72"	7810100-S	101.00
In-Line Post	96"	7810200-S	114.00
Corner Post	96"	7810300-S	111.00
7810400-S 60"Hx48"W Hinge	ed Door. \$		487.00

7810400-S 60"Hx48"W Hinged Door. \$......

8'H panel

# **PROTECT & PREVENT**

# SAFEGUARD AGAINST DAMAGE & PREVENT THEFT





### Two-Rib Steel Protective Railing Systems

- 11-ga. steel
- Unassembled components
- · Mounting hardware included

Absorbs the impact of a 13,000-lb. load at 4 mph. Rolled top edge. Columns: 5" sq, <sup>3</sup>/<sub>16</sub>" thick. Baseplate: 12" sq, <sup>3</sup>/<sub>1</sub>" thick. Lift-out rails slip into specially designed "saddle", which is bolted to post to retain structural integrity. Install with concrete anchors. High-visibility yellow enamel finish. Made in USA. *IN STOCK*.

Overall	STANDAR	D RAILS	LIFT-OUT	RAILS
Length	Stock No.	\$	Stock No.	\$
10'	4228000-T	283.00	4231100-T	427.00
9'	7291400-T	276.00	_	_
8'	4228100-T	235.00	4231500-T	414.00
7'	7291500-T	228.00	_	_
6'	4228200-T	204.00	4232000-T	374.00
5'	7291600-T	201.00	_	_
4'	4228300-T	172.00	4232100-T	356.00
3'	7291700-T	158.00	_	_
2'	7291800-T	145.00	_	_

Overall		STANDARD POSTS			LIFT-OUT POSTS		
Height	Description	Stock No.	\$	\$ (3+)	Stock No.	\$	\$ (3+)
18"	Single Post	4226000-S	233.00	222.00	4249600-S	249.00	237.00
44"	Double Post	4226100-S	345.00	328.00	4249700-S	371.00	353.00
44"	Triple Post	4268100-S	442.00	420.00	_	_	_

Self-Closing Gate. Designed to replace a 4' double rail section. Spring-loaded gate closes via a latching mechanism. May be attached on either the left or right hand side.





# **Vertil** Quick-Assembly High-Security Storage Sheds

• 330 or 699 cubic feet of storage • Unassembled

Assembles in 30 minutes or less in 12 simple steps. Galvanized steel construction. 45"Wx74"H doorway features hinged solid door with padlock hasp (lock not included). Includes wooden floor and rain gutters. Requires only a firm, level surface—no additional foundation needed. Made in USA.

Overall	Door	Cap.	Stock	
WxDxH	Opening WxH	Cu. Ft.	Number	\$
110x73x85"	45x74"	330	2902100-S	2802.00
110x150x85"	45x74"	699	2902200-S	5199.00

MORE SHEDS ARE AVAILABLE, CALL FOR DETAILS





#### **Low-Profile Column Protectors**

Low-profile unit offers the same impact resistance as taller column protectors at a lower cost. Stress- and crack-resistant polyethylene material. Bumper should fit snugly around upright. Fasteners included. Made in USA. SELECTED MODELS IN STOCK.

	Fits Column	Overall	Stock	
Key	Size	WxH	Number	\$
	UV-PROTECTED POLYETHYLENE.			
		Color: yellow.		
D	12x12"	24x24"	4252201-T	176.00
D	10x10"	24x24"	4252202-T	176.00
D	8x8"	24x24"	4252203-T	176.00
D	6x6"	24x24"	4252204-T	176.00

#### **Poly Column Protectors**

Stress- and crack-resistant guards wrap around uprights creating a lightweight barrier. Bumper should fit snugly around upright. Stackable. Fasteners included. Made in USA. SELECTED MODELS IN STOCK.

	Fits Column	Overall	Stock	
Key	Size	WxH	Number	\$
	UV-PRC	TECTED POLYETHYL	ENE.	
		Color: yellow.		
Α	12x12"	24x42"	4200901-V	268.00
Α	10x10"	24x42"	4200902-V	268.00
Α	8x8"	24x42"	4200903-V	268.00
Α	6х6"	24x42"	4200904-V	268.00
Α	8x10"	24x42"	4200905-V	268.00
Α	9" dia.	24x42"	4200906-V	268.00
Α	14x14"	30x42³/₄"	4217707-V	549.00
Α	16x16"	30x42³/₄"	4217708-V	549.00
Α	18x18"	30x42³/₄"	4217709-V	549.00
В	3x3"	12x42"	4222201-S	173.00
В	4x4"	12x42"	4222202-S	173.00
В	5x5"	12x42"	4222203-S	173.00
В	6x6"	12x42"	4222204-S	173.00
	UV-PRC	TECTED POLYETHYL	ENE.	
	Color: orange. In	cludes two glow-in-t	he-dark strips.	
С	12x12"	26x42"	4225101-S	542.00
C	10x10"	26x42"	4225102-S	542.00
С	8x8"	26x42"	4225103-S	542.00
C	6x6"	26x42"	4225104-S	542.00
C	8x10"	26x42"	4225105-S	542.00
C	9" dia.	26x42"	4225106-S	542.00
С	14x14"	30x42³/₄"	4236007-S	769.00
С	16x16"	30x42³/₄"	4236008-S	769.00
С	18x18"	30x42³/₄"	4236009-S	769.00

#### CONTACT US!

ALL PRICES WILL BE DISCOUNTED EVEN MORE!
Call DICK JONES SALES 800-441-9955 or
E-mail DickJones@DickJonesSales.com



· Includes flip lid

See-through polypropylene construction permits easy visual identification of contents. Partially filled containers will not collapse while stacked. Designed to optimize space on pallets and in trucks, trailers, and warehouses. Attached lid, with solid metal hinge pin, closes tightly. High-strength injection-molded polyolefin construction offers maximum product protection from impact, moisture, chemicals, vermin, etc. Appropriate for lean manufacturing. Made in USA. *IN STOCK*.

Overall LxWxH	Cap. Cu. Ft.	Stock Number	Reg. \$	SALE \$
21 <sup>4</sup> / <sub>5</sub> x15 <sup>1</sup> / <sub>5</sub> x9 <sup>4</sup> / <sub>5</sub> "	1.4	6100500-T	<b>¾</b> 4.00	22.00
21 <sup>4</sup> / <sub>5</sub> x15 <sup>1</sup> / <sub>5</sub> x12 <sup>9</sup> / <sub>10</sub> "	1.8	6100600-T	36.10	23.90
26 <sup>5</sup> /16X16 <sup>15</sup> /16X12 <sup>1</sup> /8"	3.2	6100700-T	47.90	32.00