

CONVEX MIRRORS

Phone 800-441-9955

Email dickjones@dickjonessales.com

Brossard Klear-Vu® – Circular or Roundtangular Mirrors



For general wide-angle viewing

- 160°+ actual viewing angle.
- For indoor or outdoor use.
- Equipped with adjustable swivel and mounting bracket for infinite adjustment.
- Recommended mounting height: 8 to 10 feet.
- Choose a mirror with the lens and backing materials best suited to your application.



Excellent for low ceilings

Convex Hardboard Backed

Weatherproof painted hardboard backing with heavy extruded rubber rims.

Acrylic-Hardboard Backed

Model	Dia.	Lbs.
P-080	8"	3
P-120	12"	4
P-180	18"	7
P-260	26"	13
P-300	30"	16
P-360	36"	19

Convex Steel Backed

Heavy-duty, 20-gauge, baked enamel spun steel back, sealed with a rubber gasket.

Acrylic-Steel Backed

Model	Dia.	Lbs.
P-080MR	8"	3
P-120MR	12"	5
P-180MR	18"	8
P-260MR	26"	17
P-300MR	30"	21
P-360MR	36"	28

Roundtangular

Heavy-duty, 20-gauge, galvanized steel backing or painted hardboard backing.


Acrylic-Hardboard Backed

Model	Size	Lbs.
P1218	12" x 18"	5
P1826	18" x 26"	9
P2030	20" x 30"	11
P2436	24" x 36"	15

Acrylic-Steel Backed

Model	Size	Lbs.
P-1218MR	12" x 18"	8
P-1826MR	18" x 26"	16
P-2030MR	20" x 30"	20
P-2436MR	24" x 36"	26

Brossard Econo-Lite® Acrylic – Circular or Roundtangular Lens



For general wide-angle viewing

- 160°+ actual viewing angle.
- Lens only with adjustable swivel and mounting bracket for infinite adjustment.
- For indoor use only.
- Recommended mounting height: 8 to 10 feet.
- Choose a round or roundtangular mirror to meet your application requirements.

Round Lens

Model	Dia.	Lbs.
R12	12"	4
R18	18"	6
R26	26"	7
R30	30"	9
R36	36"	12

Roundtangular Lens

Model	Size	Lbs.
R1218	12" x 18"	6
R1826	18" x 26"	7
R2030	20" x 30"	9
R2436	24" x 36"	12

Order from Dick Jones Sales Inc.:

Phone 800-441-9955 Fax 800-253-4036 E-mail dickjones@dickjonessales.com

DOME MIRRORS


Brossard All-Vu® Acrylic Dome Mirrors

- Use Brossard dome mirrors:
 - to prevent accidents at blind corners, intersections, entrances and exits;
 - to monitor assembly lines and production machinery;
 - as a deterrent to pilferage and vandalism.
- Choose a mirror with the dome configuration and backing material best suited to your application. Steel-backed mirrors are recommended for outdoor use.

Full Dome – 360° View



4-way intersections or large-area panoramic viewing—ceiling mount



Hardboard Backed Dome

Durable hardboard back; extruded rubber rim; complete with mounting hardware.

Model	Dia.	Lbs.
AV12F	12"	6
AV18F	18"	7
AV26F	26"	15
AV32F*	32"	24
AV36F*	36"	26
AV48F*	48"	45

Steel Backed Dome

20-gauge galvanized steel back; extruded rubber rim; complete with mounting hardware.

Model	Dia.	Lbs.
AV18FS	18"	10
AV26FS	26"	18
AV32FS*	32"	26
AV36FS*	36"	32

Dome Only – No Backing


Furnished with mounting holes drilled in flange.

Model	Dia.	Lbs.
AV12FL	12"	5
AV18FL	18"	7
AV26FL	26"	15
AV32FL*	32"	20
AV36FL*	36"	28
AV48FL*	48"	40

Half Dome – 180°+ View



3-way "T" intersections – wall or ceiling mount



Hardboard Backed Dome

Durable hardboard back; extruded rubber rim; complete with mounting hardware.

Model	Dia.	Lbs.
AV12H	12"	3
AV18H	18"	4
AV26H	26"	7
AV32H	32"	15
AV36H	36"	20

Steel Backed Dome

20-gauge galvanized steel back; extruded rubber rim; complete with mounting hardware.

Model	Dia.	Lbs.
AV18HS	18"	5
AV26HS	26"	10
AV32HS	32"	15
AV36HS	36"	18

Dome Only – No Backing

Furnished with mounting holes drilled in flange.

Model	Dia.	Lbs.
AV12HL	12"	3
AV18HL	18"	4
AV26HL	26"	7
AV32HL	32"	15
AV36HL	36"	20

Quarter Dome – 90°+ View



2-way "L" intersections – corner, wall or ceiling mount



Hardboard Backed Dome

Durable hardboard back; extruded rubber rim; complete with mounting hardware.

Model	Dia.	Lbs.
AV12Q	12"	3
AV18Q	18"	4
AV26Q	26"	6
AV32Q	32"	8
AV36Q	36"	12

Steel Backed Dome

20-gauge galvanized steel back; extruded rubber rim; complete with mounting hardware.

Model	Dia.	Lbs.
AV18QS	18"	5
AV26QS	26"	8
AV32QS	32"	10
AV36QS	36"	12

Dome Only – No Backing


Furnished with mounting holes drilled in flange.

Model	Dia.	Lbs.
AV12QL	12"	3
AV18QL	18"	3
AV26QL	26"	6
AV32QL	32"	8
AV36QL	36"	12


*Exceeds UPS size limits; Must be shipped common carrier.

FLAT MIRRORS

Brossard Klear-Vu® – Flat Mirrors – Stainless Steel Framed – Swivel Mount



For one to one reflection



Swivel mount back view

- True one-to-one, non-diminishing reflection.
- Equipped with adjustable swivel and mounting bracket.
- For indoor or outdoor use.
- Galvanized steel backs and stainless steel frames.

Framed Acrylic

Lightweight models provide high quality image with shatter-proof lens.

Model	Size*	Lbs.
A-1212MR	12" x 12"	6
A-1216MR	12" x 16"	7
A-1624MR	16" x 24"	14
A-2436MR	24" x 36"	35

*Additional sizes available; consult mfg.

Framed Glass

Double-strength glass lens provides the highest quality reflection.

Model	Size*	Lbs.
918MR	9" x 18"	8
1212MR	12" x 12"	8
1216MR	12" x 16"	10
1624MR	16" x 24"	18
2436MR	24" x 36"	37


*Tempered and laminated glass available; consult mfg.

Framed Stainless Steel


Unbreakable lens ideal for harsh environments and heavy-duty applications.

Model	Size*	Lbs.
M-1014MR	10" x 14"	8
M-1212MR	12" x 12"	7
M-1216MR	12" x 16"	9
M-1418MR	14" x 18"	11
M-1624MR	16" x 24"	16
M-2030MR	20" x 30"	24

Brossard Klear-Vu® – Flat Mirrors – Stainless Steel Framed – Flush Mount



For a one-to-one reflection



Keyhole back view

- Locking keyhole slots provide safety against theft or vandalism.
- Complete with galvanized steel backs and stainless steel frames.
- Mounts directly on wall – can be hung vertically or horizontally.
- Unframed acrylic mirror lens only available upon request

Acrylic Mirror

Lightweight models provide high quality image with shatter-proof lens.

Model	Size*	Lbs.
A1212WM	12" x 12"	6
A1014WM	10" x 14"	6
A1216WM	12" x 16"	7
A1418WM	14" x 18"	12
A1624WM	16" x 24"	14
A2030WM	20" x 30"	20
A2436WM	24" x 36"	35

*Additional sizes available; consult mfg.

Glass Mirror

Double-strength glass lens provides the highest quality reflection.

Model	Size*	Lbs.
G1212WM	12" x 12"	8
G1014WM	10" x 14"	8
G1216WM	12" x 16"	10
G1418WM	14" x 18"	13
G1624WM	16" x 24"	18
G2030WM	20" x 30"	23
G2436WM	24" x 36"	37

*Tempered and laminated glass available; consult mfg.

Stainless Steel Mirror

Unbreakable lens ideal for harsh environments and heavy-duty applications.

Model	Size*	Lbs.
M1212WM	12" x 12"	8
M1014WM	10" x 14"	8
M1216WM	12" x 16"	8
M1418WM	14" x 18"	11
M1624WM	16" x 24"	18
M2030WM	20" x 30"	24
M2436WM	24" x 36"	37

INSPECTION MIRRORS

Brossard Round Convex or Flat Mirror

Excellent for security when needed to look under or around vehicles, machines, equipment and hard-to-see areas. Available from lightweight hand-held to complete with caster wheels and light.

- 6 styles from which to choose.
- Available in Round Convex or Flat Acrylic Mirror.
- Equipped with adjustable swivel for infinite adjustment.
- Has a heavy-duty extruded rubber rim to help prevent damaging objects when maneuvering.
- Available with tripod ballbearing caster wheels, allowing full range of motion with effortless maneuvering.
- Light-weight with a 51" handle.
- Low 3.5" ground clearance.
- Available with flashlight, batteries and mounting bracket.
- For indoor or outdoor use.

Hand Held

Lightweight hand held models with round convex or flat mirror.

Model	Size*	Lbs.
P-120IM	12"	10
P-120FIM	12"	10

With Wheels

Lightweight models with with caster wheels and round convex or flat mirror.

Model	Size*	Lbs.
P-120IMW	12"	11
P-120FIMW	12"	11

With Wheels and Light

Lightweight models with with caster wheels, light and round convex or flat mirror.

Model	Size*	Lbs.
P-120IMLW	12"	11
P-120FIMLW	12"	11

