


Product Showcase Infographic



Pair Gates: The Go-To for Heavy-Duty Security

IEP Heavy-Duty Pair Folding Security Gates secure docks and receiving doors, entryways, garage and service entrances, hallways and aisles without sacrificing visibility or air circulation. Gates up to 24' wide are always stocked in our Chicago warehouse. Larger sizes are also available with quick turnaround. Pair Folding Security Gates are ideal for openings greater than 12 feet (for smaller openings, use one of our Single Folding Gates). Pair Folding Security Gates can be installed virtually anywhere and any way you need them, including inside or outside door jambs, between posts or bollards, attached to pallet racks, between walls, and even in windows! IEP's Heavy-Duty Folding Security Gates pivot 180 Degrees on their mountings — so they move completely out of the way, leaving the opening completely clear of obstructions.

TAKE A 15% DISCOUNT FROM THESE FACTORY PRICES



PAIR GATE SPECS

U-Channel Webbing: 3/8" x 3/4" 14-Gauge Steel

Frame: 1-1/2" x 1-1/2" 12-Gauge Vertical Angle Iron, Zinc Plated

Caster: 2" Solid Steel, Welded to Frame, Zinc Plated

Hasp: 3/16" Hasp, Welded to Frame

Drop & Support Pins: 5/8" Diameter, Welded to Frame, Zinc Plated

U-Bracket: 3/16" Steel, Welded to Frame at Top and Bottom

Standard Mounting Bracket: 2-1/2" x 7" Steel "L" Bracket, Zinc Plated

Rivets: 3/16" x 1/2" Steel, Zinc Plated

Product Code	In-Use Width	In-Use Height	Stacked Height	Stacked Width	Weight (LBS)	Price
PFG865	6' - 8'	6'	6' 6"	11" ea	96	\$420
PFG870	6' - 8'	6' 6"	7'	11" ea	104	\$458
PFG875	6' - 8'	7'	7' 6"	11" ea	110	\$466
PFG880	6' - 8'	7' 6"	8'	11" ea	112	\$496
PFG885	6' - 8'	8'	8' 6"	11" ea	130	\$509
PFG1065	8' - 10'	6'	6' 6"	11" ea	104	\$445
PFG1070	8' - 10'	6' 6"	7'	11" ea	110	\$471
PFG1075	8' - 10'	7'	7' 6"	11" ea	120	\$496
PFG1080	8' - 10'	7' 6"	8'	11" ea	132	\$522
PFG1085	8' - 10'	8'	8' 6"	11" ea	148	\$547
PFG1265	10' - 12'	6'	6' 6"	11" ea	112	\$477
PFG1270	10' - 12'	6' 6"	7'	11" ea	116	\$509
PFG1275	10' - 12'	7'	7' 6"	11" ea	122	\$534
PFG1280	10' - 12'	7' 6"	8'	11" ea	152	\$585
PFG1285	10' - 12'	8'	8' 6"	11" ea	158	\$611
HAS CENTER WEB DROP PIN						
PFG1465	12' - 14'	6'	6' 6"	11" ea	128	\$547
PFG1470	12' - 14'	6' 6"	7'	11" ea	138	\$572
PFG1475	12' - 14'	7'	7' 6"	11" ea	140	\$604
PFG1480	12' - 14'	7' 6"	8'	15" ea	164	\$636
PFG1485	12' - 14'	8'	8' 6"	15" ea	196	\$668
PFG1665	14' - 16'	6'	6' 6"	15" ea	140	\$623
PFG1670	14' - 16'	6' 6"	7'	15" ea	164	\$649
PFG1675	14' - 16'	7'	7' 6"	15" ea	166	\$687
PFG1680	14' - 16'	7' 6"	8'	15" ea	180	\$738
PFG1685	14' - 16'	8'	8' 6"	15" ea	196	\$801
PFG1865	16' - 18'	6'	6' 6"	15" ea	160	\$738
PFG1870	16' - 18'	6' 6"	7'	15" ea	170	\$776
PFG1875	16' - 18'	7'	7' 6"	15" ea	180	\$840
PFG1880	16' - 18'	7' 6"	8'	15" ea	186	\$878
PFG1885	16' - 18'	8'	8' 6"	15" ea	190	\$929
PFG2065	18' - 20'	6'	6' 6"	15" ea	178	\$840
PFG2070	18' - 20'	6' 6"	7'	15" ea	180	\$878
PFG2075	18' - 20'	7'	7' 6"	15" ea	185	\$954
PFG2080	18' - 20'	7' 6"	8'	15" ea	192	\$1,005
PFG2085	18' - 20'	8'	8' 6"	15" ea	197	\$1,081
HAS OUTRIGGER WITH AXLES						
PFG2270	20' - 22'	6' 6"	7'	22" ea	210	\$1,399
PFG2280	20' - 22'	7' 6"	8'	22" ea	220	\$1,526
PFG2470	22' - 24'	6' 6"	7'	22" ea	230	\$1,590
PFG2480	22' - 24'	7' 6"	8'	22" ea	240	\$1,654

Single Standard Gates: Simple Heavy-Duty Security

IEP Heavy-Duty Single Folding Gates are designed to secure dock, receiving, garage and service doorways, hallways and entrances up to 12' wide without sacrificing visibility or air circulation (for larger openings use a Pair Folding Gate). Our Galvanized Steel Folding Gates pivot 180 Degrees on their mountings, moving completely out of the opening and leaving it completely clear of obstructions. Illinois Engineered Products Folding Gates can be installed virtually anywhere and any way you need them, including but not limited to inside door jambs, outside door jambs, between posts or bollards, attached to pallet racks, walls and even on windows! Install in less than 30 minutes!

**BEST
SELLER!**

TAKE A 15% DISCOUNT FROM THESE FACTORY PRICES



SINGLE GATE SPECS

- U-Channel Webbing:** 3/8" x 3/4" 14-Gauge Steel
- Frame:** 1-1/2" x 1-1/2" 12-Gauge Vertical Angle Iron, Zinc Plated
- Caster:** 2" Solid Steel, Welded to Frame, Zinc Plated
- Hasp:** 3/16" Hasp, Welded to Frame
- Locking Bar:** 1-1/2" x 1-1/2" 12-Gauge Angle Iron, Zinc Plated
- Drop & Support Pins:** 5/8" Diameter, Welded to Frame, Zinc Plated
- U-Bracket:** 3/16" Steel, Welded to Frame at Top and Bottom
- Standard Mounting Bracket:** 2-1/2" x 7" Steel "L" Bracket, Zinc Plated
- Rivets:** 3/16" x 1/2" Steel, Zinc Plated


Product Code	In-Use Width	In-Use Height	Stacked Height	Stacked Width	Weight (LBS)	Price
SSG465	3' - 4'	6'	6' 6"	11" ea	58	\$242
SSG470	3' - 4'	6' 6"	7'	11" ea	61	\$267
SSG475	3' - 4'	7'	7' 6"	11" ea	64	\$293
SSG480	3' - 4'	7' 6"	8'	11" ea	67	\$318
SSG485	3' - 4'	8'	8' 6"	11" ea	70	\$331
SSG565	4' - 5'	6'	6' 6"	11" ea	61	\$254
SSG570	4' - 5'	6' 6"	7'	11" ea	62	\$280
SSG575	4' - 5'	7'	7' 6"	11" ea	65	\$305
SSG580	4' - 5'	7' 6"	8'	11" ea	67	\$331
SSG585	4' - 5'	8'	8' 6"	11" ea	69	\$343
SSG665	5' - 6'	6'	6' 6"	11" ea	64	\$280
SSG670	5' - 6'	6' 6"	7'	11" ea	66	\$305
SSG675	5' - 6'	7'	7' 6"	11" ea	68	\$331
SSG680	5' - 6'	7' 6"	8'	11" ea	70	\$356
SSG685	5' - 6'	8'	8' 6"	11" ea	72	\$369
HAS CENTER WEB DROP PIN						
SSG765	6' - 7'	6'	6' 6"	11" ea	69	\$305
SSG770	6' - 7'	6' 6"	7'	11" ea	71	\$331
SSG775	6' - 7'	7'	7' 6"	11" ea	73	\$356
SSG780	6' - 7'	7' 6"	8'	11" ea	75	\$382
SSG785	6' - 7'	8'	8' 6"	11" ea	77	\$394
SSG865	7' - 8'	6'	6' 6"	11" ea	74	\$343
SSG870	7' - 8'	6' 6"	7'	11" ea	77	\$369
SSG875	7' - 8'	7'	7' 6"	11" ea	80	\$394
SSG880	7' - 8'	7' 6"	8'	11" ea	83	\$420
SSG885	7' - 8'	8'	8' 6"	11" ea	87	\$445
SSG965	8' - 9'	6'	6' 6"	15" ea	80	\$420
SSG970	8' - 9'	6' 6"	7'	15" ea	85	\$445
SSG975	8' - 9'	7'	7' 6"	15" ea	87	\$471
SSG980	8' - 9'	7' 6"	8'	15" ea	89	\$496
SSG985	8' - 9'	8'	8' 6"	15" ea	94	\$522
SSG1065	9' - 10'	6'	6' 6"	15" ea	88	\$432
SSG1070	9' - 10'	6' 6"	7'	15" ea	91	\$458
SSG1075	9' - 10'	7'	7' 6"	15" ea	92	\$483
SSG1080	9' - 10'	7' 6"	8'	15" ea	94	\$509
SSG1085	9' - 10'	8'	8' 6"	15" ea	97	\$534
SSG1170	10' - 11'	6' 6"	7'	15" ea	100	\$534
SSG1180	10' - 11'	7' 6"	8'	15" ea	110	\$598
HAS OUTRIGGER WITH AXLES						
SSG1270	11' - 12'	6' 6"	7'	22" ea	120	\$560
SSG1280	11' - 12'	7' 6"	8'	22" ea	130	\$611

Portable Gates: Security On-Demand

Portable Access Control Gates

A quick and easy way to seal off any area and still allow multiple entry points, Portable Gates are perfect for temporary access control. IEP Portable Security Gates can be used virtually anywhere and any way you need them, including closing off hallways, elevator banks, offices, factories or warehouses. Also available in Aluminum.

TAKE A 15% DISCOUNT FROM THESE FACTORY PRICES



Product Code	In-Use Width	In-Use Height	Stacked Height	Stacked Width	Weight (LBS)	Price
XL1265	up to 12'	6'	6' 6"	27"	135	\$903
XL665	adds up to 6'	6'	6' 6"	11"	64	\$522
XL1265AL	up to 12'	6'	6' 6"	27"	75	\$3,612
XL665AL	adds up to 6'	6'	6' 6"	11"	32	\$2,086

PORTABLE ACCESS CONTROL GATE SPECS

U-Channel Webbing: 3/8" x 3/4" 14-Gauge Steel

Frame: 1-1/2" x 1-1/2" 12-Gauge Vertical Angle Iron, Zinc Plated

Axle: 28" Wide with 2 Casters, 3" Diameter with Brakes, 12-Gauge

Hasp: 3/16" Hasp, Welded to Frame

Locking Bar: 12-Gauge & 3/16" Angle Iron, Zinc Plated

Support Bars: 3/4" Round Tubing, Galvanized


Transport Strap: 11-Gauge U-Channel, Welded to Axle

Rivets: 3/16" x 1/2" Steel, Zinc Plated

Portable Barrier Gates

Barrier Gates allow quick and easy portable access control. Made from galvanized steel then powder coated in safety colors for high visibility, IEP's free-standing Barrier Gates seal off hazardous areas and protect against accidents. Ideal for temporary access control, Barrier Gates prevent access to any area temporarily for maintenance, repair work, inventory, or any reason – while still allowing multiple entry points. Also available in Aluminum.

TAKE A 15% DISCOUNT FROM THESE FACTORY PRICES



Product Code	In-Use Width	In-Use Height	Stacked Height	Stacked Width	Weight (LBS)	Price
XL1240	up to 12'	41"	47"	27"	90	\$496
XL640	adds up to 6'	41"	47"	11"	40	\$254
XL1240AL	up to 12'	41"	47"	27"	90	\$1,984
XL640AL	adds up to 6'	41"	47"	11"	40	\$1,018

BARRIER GATE SPECS

U-Channel Webbing: 3/8" x 3/4" 14-Gauge Galvanized Steel, Powder Coated

Frame: 1-1/2" x 1-1/2" 12-Gauge Vertical Angle Iron, Powder Coated

Axle: 14" Wide with 2 Locking Rubber 3" Diameter Casters, 12-Gauge Channel, Powder Coated (3 Axles per Gate)

Hasp: 3/16" Hasp, Welded to Frame

Locking Bar: 12-Gauge & 3/16" Angle Iron, Zinc Plated

Rivets: 3/16" x 1/2" Steel, Zinc Plated

Straps: 1" Long x 1-1/2" Wide, 14-Gauge CRS, Powder Coated

Finish: Galvanized, Powder Coated Yellow and Black

Portable Gates: Security On-Demand

Portable Aisle Gates

Designed for maintenance or any type of temporary access control, IEP Aisle Gates are a Heavy-Duty lightweight solution for warehouse, school and retail settings. When not in use, these aisle gates fold down to be easily transportable by hand or small vehicle. Also available in Aluminum.

TAKE A 15% DISCOUNT FROM THESE FACTORY PRICES



Product Code	In-Use Width	In-Use Height	Stacked Height	Stacked Width	Weight (LBS)
Aisle Gate	7'	40"	40"	7"	12
Aisle Gate-AL	7'	40"	40"	7"	6

Price
\$216
\$865

AISLE GATE SPECS

U-Channel Webbing: 3/8" x 3/4" 14-Gauge Steel


Frame: 1-1/2" x 1-1/2" 12-Gauge Vertical Angle Iron, Powder Coated

Feet: 14" Wide, 14-Gauge, Powder Coated

Handle/Locking Pin: 5/8" Diameter, "L" Shaped Pin, Can be Used to Attach Gates to Each Other or as Handle

Rivets: 3/16" x 1/2" Steel, Zinc Plated

Finish: Galvanized, Powder Coated OSHA Safety Yellow



Heavy-Duty

Pedestrian Door Gate: Heavy-Duty Protection for Doorways

Door Gates are perfect for securing high-traffic hallways or entryways up to four (4) feet wide, in any type of business or industry. These gates pivot on hinges, so they open in or out, just like a door, but also provide the enhanced air circulation and visibility of a folding gate. IEP Door Gates can be mounted on the left or right side to open on either side of the doorway. When not in use, Door Gates collapse to pivot completely out of the way, providing safe door openings that are 100% clear of obstructions.

TAKE A 15% DISCOUNT FROM THESE FACTORY PRICES



DOOR GATE SPECS

U-Channel Webbing: 3/8" x 3/4" 14-Gauge Steel

Frame: 1-1/2" x 1-1/2" 12-Gauge Vertical Angle Iron, Zinc Plated


Hasp: 3/16" Hasp, Welded to Frame

Locking Bar: 12-Gauge & 3/16" Angle Iron, Zinc Plated

Hinge Bar: 1-1/2" x 1-1/2" 12-Gauge Angle Iron, Zinc Plated

Rivets: 3/16" x 1/2" Steel, Zinc Plated

Product Code	In-Use Width	In-Use Height	Stacked Height	Stacked Width	Weight (LBS)	Price
D31	48"	25"	31"	7" ea	16	\$134
D33	48"	27"	33"	7" ea	18	\$137
D37	48"	31"	37"	7" ea	20	\$141
D40	48"	34"	40"	7" ea	22	\$144
D43	48"	37"	43"	7" ea	23	\$148
D46	48"	40"	46"	7" ea	24	\$153
D49	48"	43"	49"	7" ea	25	\$156
D51	48"	45"	51"	7" ea	26	\$160
D59	48"	53"	59"	7" ea	28	\$163
D61	48"	55"	61"	7" ea	32	\$167
D63	48"	57"	63"	7" ea	34	\$172
D66	48"	60"	66"	7" ea	35	\$175
D71	48"	65"	71"	7" ea	45	\$179
D73	48"	67"	73"	7" ea	46	\$182
D76	48"	70"	76"	7" ea	47	\$187
D79	48"	73"	79"	7" ea	49	\$191
D81	48"	75"	81"	7" ea	50	\$194
D83	48"	77"	83"	7" ea	52	\$198



Secure Storage Solutions

SAF-T-GAS™ Cabinet

The Saf-T-Gas Cabinet from Illinois Engineered Products features an open mesh design that allows for quick visual inspection of stored tanks, whether vertical, horizontal or both. The Saf-T-Gas Cabinet has five alternative designs for vertical and/or horizontal gas tanks, plus a hasp for a padlock. Protect gas cylinder tanks from unauthorized access and prevent dangerous buildup of flammable gases with IEP's cabinet, which complies with OSHA and NFPA requirements. The cabinet is powder coated safety yellow with a welded construction, which means no assembly is required!

TAKE A 15% DISCOUNT FROM THESE FACTORY PRICES



Product Code	Cylinder Capacity	Depth	Width	Height	Weight (LBS)	Price
SAF-T-GAS-8	8 Horizontal	33-1/2"	30"	65"	175	\$935
SAF-T-GAS-16	16 Horizontal	33-1/2"	60"	65"	325	\$1,566
SAF-T-GAS-9	9 Vertical	33-1/2"	30"	65"	125	\$670
SAF-T-GAS-18	18 Vertical	33-1/2"	60"	65"	245	\$1,230
SAF-T-GAS-CB	8 Hor + 9 Ver	33-1/2"	60"	65"	285	\$1,485

SAF-T-GAS CABINET SPECS

U-Channel Webbing: 3/4" Diamond Expanded 14-Gauge Steel

Frame: 1-1/2" x 1-1/2" 14-Gauge Angle


Top: 14-Gauge Steel

Hasp: 3/16" Hasp, Welded to Frame

Assembly: Cabinet Ships Fully Assembled with Safety Signage Included; Optional: Ship Unassembled Upon Request

Compliance: OSHA 1910 and NFPA 58 Requirements

Finish: Galvanized Steel, Powder Coated Safety Yellow



VUE™ Locker

The VUE Locker features an open diamond mesh design that allows quick visual inspection of stored goods. The tough, baked-on powder coated finish provides a durable surface that holds up in the harshest industrial settings. Our powder coating process is environmentally friendly and virtually pollution-free! The locker is a welded construction with no assembly required!

TAKE A 15% DISCOUNT FROM THESE FACTORY PRICES



Product Code	Depth	Width	Height	Weight (LBS)	Price
VUE-LOCKER	19-1/2"	18"	6'	162	\$631

VUE LOCKER SPECS

Finish: Steel, Powder Coated Grey

Webbing: 3/4" Diamond Expanded 14-Gauge Steel

Frame: 14-Gauge Steel 1-1/2" x 1-1/2" Angle

Top and Back: 14-Gauge Steel 1-1/2" x 1-1/2" Angle

Shelving: Five (5) Shelves in 14-Gauge Steel

Hasp: 3/16" Hasp, Welded to Frame

Assembly: Locker Ships Fully Assembled; Optional: Ship Unassembled Upon Request

Medium-Duty

ECO™ Gates: Securing Spaces, Budgets & the Environment

When your customer demands a low-cost alternative to the traditional best-selling heavy-duty folding security gates: go ECO. Both economical and eco-friendly, IEP's ECO Gates feature a redesigned wider steel, reducing waste during its manufacturing process. By using 25% less steel, we can keep utilizing American-made materials that you can afford, plus have less impact on the environment with reduced energy usage and utilizing 100% recycled materials. Because when it comes to the kind of strength you need in a security gate, nothing beats steel made in the U.S.A. Available in Pair or Single styles, the IEP ECO Gate is a cost-friendly medium-duty security alternative to keep spaces safe.

TAKE A 15% DISCOUNT FROM THESE FACTORY PRICES



Product Code	In-Use Width	In-Use Height	Stacked Height	Stacked Width	Weight (LBS)	Price
PECO865	6' - 8'	6'	6' 6"	11" ea	69	\$370
PECO1065	8' - 10'	6'	6' 6"	11" ea	77	\$392
PECO1075	8' - 10'	7'	7' 6"	11" ea	100	\$437
PECO1265	10' - 12'	6'	6' 6"	11" ea	85	\$420
PECO1475	12' - 14'	7'	7' 6"	11" ea	122	\$532
PECO1665	14' - 16'	6'	6' 6"	11" ea	102	\$549

ECO GATE SPECS

U-Channel Webbing: 3/8" x 3/4" 16-Gauge Steel (0.625" thick) Galvanized

Frame: 1-1/2" x 1-1/2" 12-Gauge Angle Iron, Powder Coated Grey

Caster: 2" Metal, Welded to Frame, Powder Coated Grey

Hasp: 3/16" Hasp, Welded to Frame

Drop & Support Pins: 5/8" Diameter, Welded to Frame, Powder Coated Grey

U-Bracket: 3/16" Steel, Welded to Frame at Top

Locking Bar: 1-1/2" x 1-1/2" 12-Gauge Angle Iron, Powder Coated Grey (for Single Gate Models)

Standard Mounting Bracket: 2-1/2" x 7" Steel "L" Bracket

Rivets: 3/16" x 1/2" Steel, Zinc Plated



Made From 100% Recycled Materials!

Accessories and Hardware

TAKE A 15% DISCOUNT FROM THESE FACTORY PRICES



6\"/>

Extends gate alternately 6\"/>

Price SSG \$25.50 PFG \$51.00



RUBBER CASTERS

Non-marking 2\"/>

Price SSG \$19.00 PFG \$38.00



H BRACKET

Mounts overhead in center of pair gates, joining both halves of gate to provide additional security and rigidity.


Price \$76.00



LOCKING RUBBER CASTERS

Non-marking 3\"/>

Price \$19.00 ea



GATE HANDLE

IEP folding gates are easy to pull apart or push together, but if you prefer, we can weld a handle onto your custom product.

Price SSG \$54.00 PFG \$95.00



STEEL CASTERS

Heavy-Duty 2\"/>

Price \$11.80 ea



PADLOCK

For your convenience, IEP sells heavy duty padlocks for your product application. Padlocks also recommended for optional web center drop pins. Standard is keyed-alike (KA). Keyed-different (KD) and Master also available.

Price \$42.00



DROP PIN

IEP's web center lockable Drop Pins provide additional security and gate stability in wide openings. Pair Gates larger than 14\"/>


Price \$53.00



SCHOOL STRAP

Allows Single or Pair Gates to be locked in retracted position.

Price SSG \$64.00 PFG \$127.00



P8 POST

The 2\"/>


Price \$127.00



CYLINDER LOCK

Built-in locking mechanism that defeats any forced entry attempts to pry the gate in any direction; installed during the manufacturing process. The 360 degree turn of key throws/retracts the counterbalanced bolt. Designed to defeat any hacksaw attack, the laminated stainless steel core and the hook shape inside the lock repels pry-bar attempts to spread the gate from its jamb or track.

Price \$424.00



LOCKING BARS

Lock gates securely to wall. 12\"/>

Price \$32.00 ea (12\"/>

Price \$104.00 ea (48\"/>

Customize Your Security

Matching Existing Color Schemes in Your Facility is a Breeze with IEP


Our famous galvanized steel finish is standard for Single, Pair, Door and Portable Access Control Gates. A yellow/black powder coat finish is standard for Barrier Gates and yellow powder coat finish for Aisle Gates. *But any gate can be customized!* Powder Coat finishes are available for all products with additional lead time. Contact us for your color consultation to satisfy your personalized palette. Below is a collection of our standard powder coat colors that approximate the appearance of actual coating. Upgrade to enhance your options.




Tower Gray



Slate Gray



Black



Walnut Brown



Deck Red



Pastel Blue



Almond



White



Rain Forest



Safety Blue



Safety Red



Safety Yellow

