

STANDARD PRODUCT LINE CATALOG



Table of Contents



Industrial Rolling Ladders

4



Parts/Accessories

14



Mobile Work Platforms

17



Fixed Ladders

20



Stationary Platforms

25



Stairways

28



Storage

29



Security

30



Custom Fabrication

34



EGA Products - Designed with access in mind.

With more than 360 standard models to choose from, EGA offers 10 full ladder lines to meet your retail, warehousing and manufacturing application needs. Whether it's a dock ladder or an industrial truck ladder, every product in the EGA line is designed for optimum performance and safety at an affordable price. Whatever the application, our experts can provide the right ladder solution.

All EGA products - ladders, storage racks, carts, dollies and partitions - are made entirely in the U.S. to ensure you receive the highest quality product for years of dependable service.

Standard Features

- Choose from steel or stainless construction.
- Select from Grip Strut®, EZY tread, or Anti-Slip vinyl treads for step and platform surfaces.
- Select from a variety of step widths to fit your application.
- Steel reinforced rubber feet, foot/bumper pads and super durable casters utilized.
- Floor locking systems designed and tailored for each specific style.
- Models that ship knocked-down, factory-erect (set-up), or fold-away.
- All ladders meet or exceed OSHA/ANSI standards with Cal-OSHA ladders available.
- Ability to add double or triple top steps, and fold down tray to most models.

EZY Tread®

- Choose for standard duty or cleaner areas.
- Perforated tread design formed from a solid steel sheet.
- Eliminates sagging problems and front edge wear which are common with most expanded metal treads
- Available in steel models only.
- Self cleaning, sure footed, and economical.

Grip Strut®

- A must when oily or wet surfaces can be underfoot.
- A serrated tooth surface formed from a solid steel sheet.
- Acclaimed by all ladder manufacturers.
- Steel construction.
- Aggressive, strong, sure footed and self cleaning.

Rubber Surface Treads

- Best choice if a solid tread surface is desired.
- Soft, resilient surface that will last.
- Slip-resistant textured surface for sure footing.

Floor Locking Systems

- Spring-loaded casters retract automatically under individual's weight. Durable steel reinforced rubber tips grip floor and secure ladder when in use. Steel inserts in tips provide strength and lengthen rubber tip life (A & B).
- EZY-Lock actually is a carriage providing mobility in transport, stability when in use. Minimum of moving parts assures long service life. Four casters located on the corners of the carriage/ladder provide mobile stability to the ladder. The first ladder step disengages carriage which puts ladder firmly on floor before being used. Step on one of two convenient foot pedals and the ladder is again mobile. No other ladder has a system with these safety orientated features (C & D).

How to Select the Right Ladder for You (We Have 100's!)

1. Select platform height based on operations to be performed. Maximum convenient working height is generally 5' 0" above top platform.
2. Select as wide a ladder as space permits. Take into account whether people must pass ladder in aisle and where ladder must rest when not in use.
3. Consider limitations on ladder dimensions imposed by doorways, overhead obstructions, corners that ladder must turn, etc.
4. Consider some of our special "optional" features to insure the complete effectiveness of your EGA ladder.
5. For unusual conditions not illustrated in this brochure, we can provide custom engineering.

How to Order

1. Select the model that best fits your application and performance requirements (see Select the Right Ladder above).
2. Review accessories and options to complete the effectiveness of your EGA Ladder. Include items on order.
3. When available, specify KD (knocked-down) if desired. Models ordered without KD option will be supplied as all-welded SU set-up.

Usage Tips for Ladders

1. Proper selection
2. Inspect before each use.
3. Follow USE suggestions.
4. If assembly required, follow instructions.
5. Follow maintenance guidelines.


EXAMPLE:

WORKING HEIGHT = 160"

— MINUS 60" (5' 0")

= EQUALS PLATFORM HEIGHT = 100"

**SINCE 10" = 1 TREAD HEIGHT
NUMBER OF STEPS = 10**





Industrial Rolling Ladders

Round Tube



Industrial-grade ROLL-EZY ladders are constructed of durable, welded steel and are suited to a wide variety of stockroom, warehouse, maintenance and shop floor applications. These ladders are available standard with your choice of EZY tread. Grip Strut® or Anti-Slip Vinyl surface tread. Ideal for general industrial use, stock picking, and maintenance needs.



Features

1. 450 lbs. (1 person) capacity.
2. Rigid 1" diameter steel tubular frame designed for strength and security
3. Standard widths available for most models are 16", 24" and 30".
4. Steps are 7" deep with the top step 9½" deep.
5. 3" spring-loaded casters provide portability while rubber tips hold ladder in place during use (1-7 steps standard).
6. EZY-Lock provides mobility and holds ladder in place during use (8-16 steps standard). Also standard on 6020H, 7020H plus 6 and 7 steps with deep top step.



EZY Tread®

Grip Strut®



# of Steps	Top Step Height	Step Width	Overall W x L x H	Wt. Lbs.	EGA #	Price	EGA #	Price	Lead Time Days
1	12"	16"	20x16x12	13	B1220SU+	\$121	G1220SU+	\$145	5
1	12"	24"	27x16x12	16	B1226SU+	\$127	G1226SU+	\$155	5
2	20"	16"	21x19x20	22	B2020SU+	\$138	G2020SU+	\$167	5
2	20"	24"	27x19x20	26	B2026SU+	\$153	G2026SU+	\$183	5
2	20"	16"	21x19x44	29	B2020HSU	\$166	G2020HSU	\$201	5
2	20"	24"	27x19x44	34	B2026HSU	\$177	G2026HSU	\$220	5
3	30"	16"	21x27x30	33	B3020SU+	\$172	G3020SU+	\$212	5
3	30"	24"	29x27x30	39	B3026SU	\$189	G3026SU	\$228	5
3	30"	16"	21x28x54	41	B3020HSU	\$193	G3020HSU	\$233	5
3	30"	24"	29x27x54	48	B3026HSU	\$216	G3026HSU	\$263	5
4	40"	16"	21x36x40	42	B4020SU	\$196	G4020SU	\$244	5
4	40"	24"	29x36x40	51	B4026SU	\$226	G4026SU	\$274	5
4	40"	30"	33x36x40	58	B4032SU	\$338	G4032SU	\$389	5
4	40"	16"	21x33x70	51	B4020HSU	\$228	G4020HSU	\$276	5
4	40"	24"	29x33x70	64	B4026HSU	\$250	G4026HSU	\$331	5
4	40"	30"	33x33x70	73	B4032HSU	\$406	G4032HSU	\$479	5
5	50"	16"	21x40x80	64	B5020HSU	\$265	G5020HSU	\$321	5
5	50"	24"	29x40x80	76	B5026HSU	\$314	G5026HSU	\$399	5
5	50"	30"	33x40x80	84	B5032HSU	\$448	G5032HSU	\$518	5
6	60"	16"	23x44x90	80	B6020HSU	\$353	G6020HSU	\$422	5
6	60"	24"	29x47x90	82	B6026HSU	\$397	G6026HSU	\$482	5
6	60"	30"	33x47x90	102	B6032HSU	\$514	G6032HSU	\$590	5
7	70"	16"	24x52x100	89	B7020HSU	\$392	G7020HSU	\$461	5
7	70"	24"	29x54x100	104	B7026HSU	\$430	G7026HSU	\$524	5
7	70"	30"	33x54x100	116	B7032HSU	\$560	G7032HSU	\$655	5
8	80"	24"	33x56x112	154	B8026HSU	\$546	G8026HSU	\$680	5
8	80"	30"	38x56x112	174	B8032HSU	\$690	G8032HSU	\$792	5
9	90"	24"	33x63x122	179	B9026HSU	\$622	G9026HSU	\$728	5
9	90"	30"	38x63x122	193	B9032HSU	\$722	G9032HSU	\$849	5
10	100"	24"	33x69x132	207	B10026HSU	\$680	G10026HSU	\$810	5
10	100"	30"	38x69x132	222	B10032HSU	\$816	G10032HSU	\$960	5
11	110"	24"	33x75x142	228	B11026HSU	\$713	G11026HSU	\$833	5
11	110"	30"	38x75x142	245	B11032HSU	\$889	G11032HSU	\$1,035	5
12	120"	24"	33x82x157	241	B12026HSU	\$774	G12026HSU	\$972	5
12	120"	30"	38x82x157	259	B12032HSU	\$1,018	G12032HSU	\$1,136	5



(+) UPS Shippable - Add \$8.50 WI only.

Shipping Info

Starting Zip
53005 or 28115

Industrial Rolling Ladders

Round Tube

					EZY Tread®		Grip Strut®			
Knocked Down										
# of Steps	Top Step Height	Step Width	Overall W x L x H	Wt. Lbs.	EGA #	Price	EGA #	Price	Lead Time Days	
5	50"	16"	21x40x80	64	B5020HKD	\$299	G5020HKD	\$364	5	
5	50"	24"	29x40x80	76	B5026HKD	\$355	G5026HKD	\$422	5	
5	50"	30"	33x40x80	84	B5032HKD	\$472	G5032HKD	\$547	5	
6	60"	16"	23x44x90	80	B6020HKD	\$394	G6020HKD	\$470	5	
6	60"	24"	29x47x90	91	B6026HKD	\$440	G6026HKD	\$507	5	
6	60"	30"	33x47x90	102	B6032HKD	\$540	G6032HKD	\$622	5	
7	70"	16"	24x52x100	89	B7020HKD	\$436	G7020HKD	\$514	5	
7	70"	24"	29x54x100	104	B7026HKD	\$468	G7026HKD	\$570	5	
7	70"	30"	33x54x100	116	B7032HKD	\$590	G7032HKD	\$691	5	
8	80"	24"	33x56x112	154	B8026HKD	\$605	G8026HKD	\$716	5	
8	80"	30"	38x56x112	174	B8032HKD	\$724	G8032HKD	\$835	5	
9	90"	24"	33x63x122	179	B9026HKD	\$645	G9026HKD	\$770	5	
9	90"	30"	38x63x122	193	B9032HKD	\$762	G9032HKD	\$892	5	
10	100"	24"	33x69x132	207	B10026HKD	\$714	G10026HKD	\$856	5	
10	100"	30"	38x69x132	222	B10032HKD	\$859	G10032HKD	\$1,009	5	
11	110"	24"	33x75x142	228	B11026HKD	\$770	G11026HKD	\$899	5	
11	110"	30"	38x75x142	215	B11032HKD	\$938	G11032HKD	\$1,088	5	
12	120"	24"	33x82x157	241	B12026HKD	\$835	G12026HKD	\$987	5	
12	120"	30"	38x82x157	287	B12032HKD	\$1,025	G12032HKD	\$1,198	5	
13	130"	24"	34x88x167	259	B13026HKD	\$1,042	G13026HKD	\$1,276	10	
13	130"	30"	39x88x167	298	B13032HKD	\$1,200	G13032HKD	\$1,412	10	
14	140"	24"	37x94x177	299	B14026HKD	\$1,155	G14026HKD	\$1,379	10	
14	140"	30"	39x94x177	311	B14032HKD	\$1,364	G14032HKD	\$1,628	10	
15	150"	24"	39x104x187	345	B15026HKD	\$1,219	G15026HKD	\$1,454	10	
15	150"	30"	39x104x187	359	B15032HKD	\$1,525	G15032HKD	\$1,811	10	
16	160"	24"	41x113x197	394	B16026HKD	\$1,251	G16026HKD	\$1,560	10	
16	160"	30"	41x113x197	406	B16032HKD	\$1,671	G16032HKD	\$1,993	10	

*NOTE: EZY Lock bottom step begins at 8 step ladders and above.
Also, 7 step, 20" wide; and double and triple top step 6 and 7 step ladders, all ladders with chain gate options. Call for correct pricing.



Casters

1 to 7 steps	3" ball bearing swivel
8 to 16 steps	4" ball bearing swivel and 4" rigid on rear



Industrial Rolling Ladders

Square Tube

These ladders roll with ease, yet lock securely in place while in use. They are ideal for a wide variety of warehouse, stockroom, maintenance and shop floor applications. Rugged square tube construction is 40% stronger than round tubing and welded sub assemblies for extra strength. 450lb capacity. Rigid 1" square tubing. 2 – 4 Steps have spring-loaded 3" casters which provide mobility while rubber-tipped legs add traction while in use. 5 – 16 Steps have an Ezy-Lock that features 4" casters which are released putting ladder legs firmly on the floor when pressure is applied to bottom step. 16", 24", & 30" wide steps. Steps are 7" deep with a deeper 14" top step. Perforated or Grip Strut tread for slip-resistant footing. Meets OSHA standards.



2-7 Step Safety Ladders

	# of Steps	Top Step Height	Step Width	Hand Rails	Overall W x L x H	Wt. Lbs.	EZY Tread®		Grip Strut®		Lead Time Days
							EGA #	Price	EGA #	Price	
17" Wide Tread	2	20	17	N	22x25x20	28	L001	\$149	L010	\$183	5
	2	20	17	Y	22x25x56	31	L002	\$179	L011	\$218	5
	3	30	17	N	22x34x30	34	L003	\$186	L012	\$230	5
	3	30	17	Y	22x34x66	38	L004	\$209	L013	\$254	5
	4	40	17	N	22x44x40	50	L005	\$215	L014	\$266	5
	4	40	17	Y	22x44x76	55	L006	\$249	L015	\$301	5
	5	50	17	Y	24x43x86	65	L007	\$322	L016	\$395	5
	6	60	17	Y	25x50x96	78	L008	\$425	L017	\$510	5
	7	70	17	Y	27x57x106	88	L009	\$470	L018	\$559	5

	# of Steps	Top Step Height	Step Width	Hand Rails	Overall W x L x H	Wt. Lbs.	EZY Tread®		Grip Strut®		Lead Time Days
							EGA #	Price	EGA #	Price	
24" Wide Tread	2	20	24	N	28x25x20	30	L019	\$166	L028	\$197	5
	2	20	24	Y	28x25x56	33	L020	\$193	L029	\$240	5
	3	30	24	N	28x34x30	37	L021	\$205	L030	\$249	5
	3	30	24	Y	28x34x66	41	L022	\$234	L031	\$285	5
	4	40	24	N	28x44x40	55	L023	\$245	L032	\$298	5
	4	40	24	Y	28x44x76	60	L024	\$270	L033	\$361	5
	5	50	24	Y	31x43x86	72	L025	\$386	L034	\$458	5
	6	60	24	Y	32x50x96	84	L026	\$475	L035	\$548	5
	7	70	24	Y	33x57x106	100	L027	\$506	L036	\$618	5

	# of Steps	Top Step Height	Step Width	Hand Rails	Overall W x L x H	Wt. Lbs.	EZY Tread®		Grip Strut®		Lead Time Days
							EGA #	Price	EGA #	Price	
30" Wide Tread	2	20	30	N	34x25x20	30	L037	\$276	L046	\$319	5
	2	20	30	Y	34x25x56	33	L038	\$303	L047	\$348	5
	3	30	30	N	34x34x30	38	L039	\$317	L048	\$364	5
	3	30	30	Y	34x34x66	43	L040	\$333	L049	\$383	5
	4	40	30	N	34x44x40	63	L041	\$367	L050	\$424	5
	4	40	30	Y	34x44x76	68	L042	\$441	L051	\$521	5
	5	50	30	Y	37x43x86	82	L043	\$513	L052	\$591	5
	6	60	30	Y	38x50x96	96	L044	\$584	L053	\$673	5
	7	70	30	Y	39x57x106	114	L045	\$639	L054	\$746	5





Industrial Rolling Ladders

Square Tube



EZY Tread®

Grip Strut®



8-16 Step

24" Wide Tread	# of Steps	Top Step Height	Step Width	Hand Rails	Overall W x L x H	Wt. Lbs.	EGA #	Price	EGA #	Price	Lead Time Days
	8	80	24	Y	32x63x117	112	L055	\$655	L064	\$776	5
	9	90	24	Y	33x70x127	124	L056	\$674	L065	\$791	5
	10	100	24	Y	34x76x137	136	L057	\$739	L066	\$880	5
	11	110	24	Y	36X83X147	148	L058	\$774	L067	\$905	5
	12	120	24	Y	37X90X157	160	L059	\$842	L068	\$1,058	5
	13	130	24	Y	38x96x167	175	L060	\$1,132	L069	\$1,387	5
	14	140	24	Y	39x103x177	190	L061	\$1,256	L070	\$1,498	5
	15	150	24	Y	40x109x187	210	L062	\$1,323	L071	\$1,582	5
	16	160	24	Y	41x116x197	235	L063	\$1,359	L072	\$1,695	5

30" Wide Tread	# of Steps	Top Step Height	Step Width	Hand Rails	Overall W x L x H	Wt. Lbs.	EGA #	Price	EGA #	Price	Lead Time Days
	8	80	30	Y	38x63x117	128	L073	\$749	L082	\$861	5
	9	90	30	Y	39x70x127	142	L074	\$785	L083	\$923	5
	10	100	30	Y	40x76x137	156	L075	\$887	L084	\$1,041	5
	11	110	30	Y	41x83x147	170	L076	\$967	L085	\$1,124	5
	12	120	30	Y	42x90x157	184	L077	\$1,058	L086	\$1,236	5
	13	130	30	Y	43x96x167	201	L078	\$1,305	L087	\$1,536	5
	14	140	30	Y	45x103x177	218	L079	\$1,482	L088	\$1,769	5
	15	150	30	Y	46x109x187	240	L080	\$1,657	L089	\$1,969	5
	16	160	30	Y	47x116x197	246	L081	\$1,815	L090	\$2,166	5

*NOTE: EZY Lock bottom step standard on 5 step ladders and above. Also, 7-step 20" wide and double- and triple-top step 6- and 7-step ladders. All ladders with chain gate options. Call for correct pricing.

Shipping Info

Starting Zip
53005



EZY Climb

Unlike other steeper industrial warehouse ladders, the safety angle is designed with a more gradual incline for the feel and comfort of a stairway. Incorporating a deeper run, it allows workers to easily carry stock items while ascending/descending more quickly. 450 lbs capacity. Rigid 1" square tubing. 2 - 4 steps: Spring loaded 3" casters provide mobility while rubber tipped legs adds traction while in use. 5 - 10 steps: Ezy-Locks features 4" casters, which are released putting ladder legs firmly on the floor when pressure is applied to bottom step. 17", 24" & 30" wide steps available. Steps are 7" deep with a deeper 14" top step. Perforated or Grip Strut Tread for slip-resistant footing. Meets OSHA standards.



*NOTE: EZY Lock bottom step standard on 5-step ladders and above. Also, 7-step 20" wide and double- and triple-top step 6- and 7-step ladders. All ladders with chain gate options. Call for correct pricing.


Shipping Info

Starting Zip
53005

EZY Angle Safety Ladders

EZY Tread®

Grip Strut®



	# of Steps	Top Step Height	Step Width	Hand Rails	Overall W x L x H	Wt. Lbs.	EGA #	Price	EGA #	Price	Lead Time Days
17" Wide Tread	2	20	17	N	22x25x20	25	Z001	\$165	Z010	\$200	5
	2	20	17	Y	22x25x44	36	Z002	\$197	Z011	\$240	5
	3	30	17	N	22x34x30	38	Z003	\$205	Z012	\$252	5
	3	30	17	Y	22x34x54	40	Z004	\$230	Z013	\$279	5
	4	40	17	N	22x44x40	42	Z005	\$237	Z014	\$293	5
	4	40	17	Y	22x44x64	60	Z006	\$274	Z015	\$331	5
	5	50	17	Y	22x54x86	71	Z007	\$317	Z016	\$383	5
	6	60	17	Y	23x63x96	86	Z008	\$424	Z017	\$506	5
	7	70	17	Y	24x72x106	95	Z009	\$468	Z018	\$552	5

24" Wide Tread	2	20	24	N	25x28x20	29	Z019	\$183	Z028	\$218	5
	2	20	24	Y	25x28x44	38	Z020	\$212	Z029	\$263	5
	3	30	24	N	28x34x30	40	Z021	\$226	Z030	\$274	5
	3	30	24	Y	28x34x54	42	Z022	\$257	Z031	\$314	5
	4	40	24	N	28x44x40	44	Z023	\$270	Z032	\$328	5
	4	40	24	Y	28x44x64	62	Z024	\$297	Z033	\$397	5
	5	50	24	Y	29x54x86	76	Z025	\$374	Z034	\$477	5
	6	60	24	Y	30x63x96	90	Z026	\$474	Z035	\$576	5
	7	70	24	Y	30x72x106	102	Z027	\$516	Z036	\$626	5

30" Wide Tread	2	20	30	N	32x34x20	31	Z037	\$305	Z046	\$351	5
	2	20	30	Y	32x34x44	40	Z038	\$332	Z047	\$382	5
	3	30	30	N	34x34x30	42	Z039	\$350	Z048	\$400	5
	3	30	30	Y	34x34x54	44	Z040	\$367	Z049	\$422	5
	4	40	30	N	34x44x40	41	Z041	\$404	Z050	\$466	5
	4	40	30	Y	34x44x64	69	Z042	\$486	Z051	\$573	5
	5	50	30	Y	34x54x86	84	Z043	\$536	Z052	\$620	5
	6	60	30	Y	35x63x96	96	Z044	\$614	Z053	\$706	5
	7	70	30	Y	37x72x106	110	Z045	\$672	Z054	\$782	5

24-30" Wide Tread	8	80	24	Y	32X81X116	120	Z055	\$663	Z058	\$828	5
	9	90	24	Y	33X91X126	135	Z056	\$757	Z059	\$887	5
	10	100	24	Y	34X100X136	150	Z057	\$828	Z060	\$987	5
	8	80	30	Y	38X81X116	130	Z061	\$839	Z064	\$965	5
	9	90	30	Y	39X91X126	140	Z062	\$879	Z065	\$1,034	5
	10	100	30	Y	40X100X136	160	Z063	\$993	Z066	\$1,166	5



Steel Step Stools

Platform is 16" W x 14" D. 350lb capacity. Rigid 1" square tubing. Perforated or Solid tread covered with nonslip adhesive rubber for slip-resistant footing. Meets OSHA standards.

Shipping Info

Starting Zip
28115

Top Step WxD	Overall WxD	Step Height	Weight	EZY-Tread		Anti-slip Vinyl		Lead Times Days
				EGA #	Price	EGA #	Price	
16x14	18.5x16.5	10 1/2"	16	PSS	\$73	RSS	\$84	5

Office Ladders



Built with 100% square tube framework for a clean look, Office Ladders come in four standard colors to match your office decor. 450lb capacity. Rigid 1" square tubing. Spring-loaded 3" casters provide mobility while rubber-tipped legs add traction

while in use. 16" and 24" wide steps available. Steps are 7" deep with a deeper 14" top step. Solid treads coated with anti-slip vinyl. Meets OSHA standards. Available colors: blue, gray, black, beige.



Anti-Slip Vinyl




Shipping Info

Starting Zip
53005

# Of Steps	Top Step Height	Step Width	Hand Rails	Overall W x L x H	Wt. Lbs.	EGA #	BL=Black A=Almond B=Blue G=Gray	Lead Times Days
1	10	16	N	22x20x10	21	F001	\$226	5
2	20	16	N	22x23x20	29	F002	\$244	5
2	20	16	Y	22x23x44	37	F003	\$279	5
3	30	16	N	22x27x30	37	F004	\$309	5
3	30	16	Y	22x29x54	45	F005	\$326	5
4	40	16	N	22x35x40	51	F006	\$378	5
4	40	16	Y	22x36x64	61	F007	\$394	5
5	50	16	Y	23x50x80	77	F008	\$461	5
6	60	24	Y	32x57x90	82	F009	\$549	5



360° Rotating Rolling Ladders Square Tube



EGA 360 degree rotating rolling ladders are the perfect solution for tight warehouse aisles. These ladders can spind on their own axis while still being able to track in a straight line. Unique 4 wheel, double Ezy-lock design. 2-1/2" pads on each ladder leg for secure feel in the climbing position. Rugged 1" square tube construction with comfortable 1" round tube hand rails. Available in 60 degree incline angle for a more compact foot print or ezy-angle 50 degree incline. Meets OSHA standards. Weight capacity is 450 lbs.



Shipping Info

Starting Zip
53005

60 Degree Incline 360 Degree Rotating Ladder

EZY Tread®

Grip Strut®



	# of Steps	Top Step Height	Step Width	Hand Rails	Overall W x L x H	Wt. Lbs.	EGA #	Price	EGA #	Price	Lead Time Days
24" Wide Tread	7	70	24	Y	31x57x106	183	K001	\$669	K101	\$725	10
	8	80	24	Y	33x63x116	198	K002	\$754	K102	\$895	10
	9	90	24	Y	34x70x126	212	K003	\$773	K103	\$915	10
	10	100	24	Y	35x76x136	227	K004	\$848	K104	\$1,011	10
	11	110	24	Y	36x83x146	269	K005	\$906	K105	\$1,122	10
	12	120	24	Y	37x90x162	284	K006	\$1,021	K106	\$1,189	10
	13	130	24	Y	38x96x172	299	K007	\$1,250	K107	\$1,487	10
	14	140	24	Y	39x103x182	313	K008	\$1,282	K108	\$1,507	10
	15	150	24	Y	40x109x192	328	K009	\$1,344	K109	\$1,587	10
	16	160	24	Y	42x116x202	342	K010	\$1,377	K110	\$1,631	10

	# of Steps	Top Step Height	Step Width	Hand Rails	Overall W x L x H	Wt. Lbs.	EGA #	Price	EGA #	Price	Lead Time Days
30" Wide Tread	7	70	30	Y	37x57x106	198	K011	\$722	K111	\$839	10
	8	80	30	Y	38x63x116	218	K012	\$800	K112	\$1,018	10
	9	90	30	Y	39x70x126	234	K013	\$860	K113	\$1,024	10
	10	100	30	Y	40x76x136	246	K014	\$922	K114	\$1,154	10
	11	110	30	Y	41x83x146	291	K015	\$999	K115	\$1,194	10
	12	120	30	Y	42x90x162	307	K016	\$1,088	K116	\$1,304	10
	13	130	30	Y	43x96x172	324	K017	\$1,375	K117	\$1,626	10
	14	140	30	Y	44x103x182	340	K018	\$1,429	K118	\$1,690	10
	15	150	30	Y	46x109x192	356	K019	\$1,575	K119	\$1,870	10
	16	160	30	Y	47x116x202	372	K020	\$1,711	K120	\$2,030	10

50 Degree Incline 360 Degree Rotating Ladder

EZY Tread®

Grip Strut®



	# of Steps	Top Step Height	Step Width	Hand Rails	Overall W x L x H	Wt. Lbs.	EGA #	Price	EGA #	Price	Lead Time Days
24" Wide Tread	7	70	24	Y	31x73x106	154	K201	\$762	K301	\$843	10
	8	80	24	Y	33x82x116	177	K202	\$827	K302	\$1,063	10
	9	90	24	Y	34x91x126	193	K203	\$867	K303	\$1,093	10
	10	100	24	Y	35x100x136	209	K204	\$948	K304	\$1,214	10
	11	110	24	Y	36x109x146	225	K205	\$970	K305	\$1,242	10
	12	120	24	Y	37x118x162	241	K206	\$1,125	K306	\$1,367	10


	# of Steps	Top Step Height	Step Width	Hand Rails	Overall W x L x H	Wt. Lbs.	EGA #	Price	EGA #	Price	Lead Time Days
30" Wide Tread	7	70	30	Y	37x73x106	172	K211	\$845	K311	\$1,042	10
	8	80	30	Y	38x82x116	194	K212	\$958	K312	\$1,207	10
	9	90	30	Y	39x91x126	212	K213	\$987	K313	\$1,272	10
	10	100	30	Y	40x100x136	230	K214	\$1,074	K314	\$1,282	10
	11	110	30	Y	41x109x146	248	K215	\$1,174	K315	\$1,453	10
	12	120	30	Y	42x118x162	266	K216	\$1,282	K316	\$1,513	10



Multi-directional Rolling Ladders

Square Tube

EGA multi-directional rolling ladders have four swivel casters which allows precision steering - enabling easier positioning of ladder in tight areas. Double Ezy-Lock mechanism easily lifts ladder to the rolling position. Stepping on the bottom step secures ladder to floor with large 2-1/2" diameter pads on each leg. 50 degree incline safety angle on stair makes ascending/descending more comfortable and with less effort. Tough 1" square tube construction with ergonomic round tube handrails. Weight capacity is 450lbs. Meets OSHA standards




J013

50 Degree Incline Multi-Directional Rolling Ladder

EZY Tread®

Grip Strut®



	# of Steps	Top Step Height	Step Width	Hand Rails	Overall W x L x H	Wt. Lbs.	EGA #	Price	EGA #	Price	Lead Time Days
17" WT	5	50	17	Y	24x54x86	120	J001	\$613	J101	\$734	10
	6	60	17	Y	24x64x96	134	J002	\$675	J102	\$779	10
	7	70	17	Y	24x73x106	148	J003	\$704	J103	\$837	10

24" Wide Tread	5	50	24	Y	31x54x86	133	J011	\$669	J111	\$757	10
	6	60	24	Y	32x64x96	149	J012	\$681	J112	\$794	10
	7	70	24	Y	33x73x106	165	J013	\$722	J113	\$855	10
	8	80	24	Y	35x82x116	188	J014	\$912	J114	\$1,011	10
	9	90	24	Y	36x91x126	204	J015	\$969	J115	\$1,067	10
	10	100	24	Y	37x100x136	220	J016	\$1,067	J116	\$1,146	10
	11	110	24	Y	38x109x146	236	J017	\$1,091	J117	\$1,291	10
	12	120	24	Y	39x119x162	252	J018	\$1,269	J118	\$1,500	10

30" Wide Tread	5	50	30	Y	31x54x86	148	J021	\$692	J121	\$779	10
	6	60	30	Y	38x64x116	166	J022	\$727	J122	\$825	10
	7	70	30	Y	39x73x106	183	J023	\$767	J123	\$878	10
	8	80	30	Y	40x82x116	205	J024	\$946	J124	\$1,112	10
	9	90	30	Y	41x91x126	223	J025	\$1,011	J125	\$1,180	10
	10	100	30	Y	42x100x136	241	J026	\$1,109	J126	\$1,366	10
	11	111	30	Y	44x109x146	259	J027	\$1,152	J127	\$1,396	10
	12	120	30	Y	45x119x162	277	J028	\$1,218	J128	\$1,552	10

Shipping Info

Starting Zip
53005



Industrial Truck Ladder

Finally, a ladder that provides secure, safer access to semi-trailers when docking bays are full or unavailable. Ideal for retail and stand alone facilities, this ladder offers the "trailer jumpers" a safer alternative. The Industrial Truck Ladder has a 55-degree angle and provides a deeper run which allows workers to ascend/descend more quickly. Rugged, 10-inch semi-pneumatic wheels enable easy transport over rough surfaces - just lift the front bumpers and go.

Features

- 450 lbs. (1 person) capacity.
- Rigid 1" diameter all welded steel tubular frame.
- 10" rear wheels roll easily over the toughest surfaces (e.g., bar grating).
- 2 1/2 " heavy duty rubber bumpers/pads on front legs holds ladder secure during use.
- Steps are 36" W x 7" D.
- Top step is 36" W x 19" D.
- Top step height of 47 1/2" allows access to standard semi-trailers.
- Grip Strut® tread provides sure footing and self cleaning on steps.
- Safety chain at both the top and bottom of ladder for added safety.



Plus

- Ladder can be moved in no time with a simple lift and go.
- All-welded construction for the toughest industrial use.
- Meets OSHA standards.
- Gray enamel finish standard.

Contact National Distributor Email dickjones@dickjonesales.com Phone 800-441-9955 Fax 800-253-4036

Stockpicking Ladders

This versatile ladder can be used as a combination ladder as well as a carrying cart/stock-picker. It allows multiple items to be pulled from stock at the same time, reducing your response times. 450lb capacity. Rigid 1" square tubing. Ezy-Lock features 4" casters which are released putting ladder legs firmly on the floor when pressure is applied to bottom step. 24" wide steps. Steps are 7" deep with a deeper 21" top step. Perforated or Grip Strut tread for slip-resistant footing. Shelves are 23" x 25". Meets OSHA standards.

						EZY Tread®		Grip Strut®		
										
# of Steps	Top Step Height	Step Width	Hand Rails	Overall W x L x H	Wt. Lbs.	EGA #	Price	EGA #	Price	Lead Time Days
6	60	24	Y	30x70x97	175	P001	\$699	P007	\$758	14
7	70	24	Y	31x79x107	185	P002	\$776	P008	\$829	14
8	80	24	Y	32x88x117	195	P003	\$844	P009	\$952	14
9	90	24	Y	33x98x127	205	P004	\$888	P010	\$1,029	14
10	100	24	Y	34x107x137	210	P005	\$919	P011	\$1,079	14
11	110	24	Y	36x116x147	230	P006	\$959	P012	\$1,135	14



Grip Strut®



# of Steps	Hand Rails	Top Step Height	OA Height	Base WxL	Wt. Lbs.	Grip Strut® Model	Price	Lead Time Days
5	Y	47-1/2	72-1/2	45x51	135	TG4838H	\$681	10

Shipping Info

Starting Zip
53005
28115



P003

Shipping Info

Starting Zip
53005

Contact National Distributor Email dickjones@dickjonesales.com Phone 800-441-9955 Fax 800-253-4036

Mechanics / Maintenance Ladders

Ideal for a variety of applications around the production or shop floor. A 21" deep top platform with a detachable chain at rear allows full access to work areas. Plus convenient handles at ladder front allow instant mobility. Perfect for the worker on the go. Rigid 1" square tubing. 4" casters provide mobility and rubber-tipped legs add traction while in use. 24" wide steps. Steps are 7" deep with a deeper 21" step at top. Perforated or Grip Strut tread for slip-resistant footing. Meets OSHA standards. 450lb weight capacity.

# of Steps	Top Step Height	Step Width	Hand Rails	Overall W x L x H	Wt. Lbs.	EZY Tread®		Grip Strut®		Lead Time Days
						EGA #	Price	EGA #	Price	
4	40	24	Y	28x49x70	63	M001	\$469	M005	\$525	10
5	50	24	Y	29x55x80	78	M002	\$535	M006	\$597	10
6	60	24	Y	30x62x90	88	M003	\$575	M007	\$644	10
7	70	24	Y	31x69x100	107	M004	\$648	M008	\$725	10



Shipping Info

Starting Zip
53005/28115

Folding Ladders

Designed to fold into a convenient, compact package for storage and transport with just 4 screws and still perform in the toughest industrial situations. The ladder tilts on large, 10" diameter wheels to pass underneath overhead obstacles or through doorways. 16" wide steps. Steps are 7" deep with a deeper 14" top step. Perforated or Grip Strut tread for slip-resistant footing. Meets OSHA standards. 450lb weight capacity.

# of Steps	Top Step Height	Step Width	Hand Rails	Overall W x L x H	Wt. Lbs.	EZY Tread®		Grip Strut®		Lead Time Days
						EGA #	Price	EGA #	Price	
5	50	16	Y	28x46x80	90	S001	\$395	S009	\$428	10
6	60	16	Y	29x53x90	110	S002	\$448	S010	\$490	10
7	70	16	Y	30x59x100	125	S003	\$524	S011	\$570	10
8	80	16	Y	31x66x110	135	S004	\$594	S012	\$646	10
9	90	16	Y	32x72x120	140	S005	\$645	S013	\$701	10
10	100	16	Y	33x79x130	160	S006	\$711	S014	\$773	10
11	110	16	Y	34x86x140	185	S007	\$791	S015	\$859	10
12	120	16	Y	36x92x150	205	S008	\$858	S016	\$934	10








Shipping Info


Starting Zip
53005



Ladder Replacement Casters Kits

EGA #	Price	Description	Kits
CK2S	\$46	Replacement 2" caster, rubber tips, Silver springs & hardware (set of 4/older models 12/95 & earlier	
CK2Y	\$46	Replacement 2" caster, rubber tips, Yellow springs & hardware (set of 4/older models 12/95 & earlier	
CK2B	\$46	Replacement 2" caster, rubber tips, Black springs & hardware (set of 4/older models 12/95 & earlier	
CK2U	\$46	Replacement 2" caster, rubber tips, Uncoated springs & hardware (set of 4/older models 12/95 & earlier	
CK3Y-R (round tube) CK3Y-S (square tube)	\$56	Replacement 3" casters, rubber tips, Yellow springs & hardware	 (round tube)  (square tube)
CK3S-R (round tube) CK3S-S (square tube)	\$56	Replacement 3" casters, rubber tips, Silver springs & hardware	 (round tube)  (square tube)
CK3B-R (round tube) CK3B-S (square tube)	\$56	Replacement 3" casters, rubber tips, Black springs & hardware	 (round tube)  (square tube)
CK3U-R (round tube) CK3U-S (square tube)	\$56	Replacement 3" casters, rubber tips, Uncoated springs & hardware	 (round tube)  (square tube)
CK4M-P	\$69	Replacement 4" casters (set of 4, 2, plate and 2 rigid fork casters)	
CK4M-S	\$69	Replacement 4" casters (set of 4, 2, stem and 2 rigid fork casters)	
CK4D	\$69	Replacement 4" casters (set of 4 swivel plate casters), with 2 1/2" bumpers (set of 4) & hdwe.	

Work Platform Caster Kit

EGA #	Price	Description	Kits
CK4WP	\$46	Work Platform 4" casters (set of 2 rigid)	

Ladder Replacement Parts

EGA #	Price	Description	Parts
Y-SPRING	\$11	Replacement Yellow springs (set of 4)	
S-SPRING	\$11	Replacement Silver springs (set of 4)	
B-SPRING	\$11	Replacement Black springs (set of 4)	
U-SPRING	\$11	Replacement Uncoated springs (set of 4)	
RSCKTS	\$26	Replacement sockets (set of 4 stem casters)	
RUBTS-R	\$8	Replacement rubber tips (set of 4 round tips)	
RUBTS-S	\$8	Replacement rubber tips (set of 4 square tips)	
RUBPD	\$19	Replacement rubber pads 2 1/2" diameter (pair with hardware)	
R10	\$83	Replacement 10" wheels (pair)	
ELS	\$7	EZY-Lock Spring (each)	
W4	\$29	Replacement 4" wheels (no rigs) & hardware	
BS	\$62	Bottom step assembly	
NMRUBPD	\$30	Non-Marking Pads (Pair)	




Accessories

EZY Tread®

Grip Strut®



	EGA #	Description / Dim A	EZY Tread®		Grip Strut®	
			# of Step	Price	# of Step	Price
Round Tube	DTS	Double top step (19" deep)	1-7	\$144	1-7	\$173
			8-11	\$174	8-11	\$208
			12-16	\$205	12-16	\$243
	TTS	Triple top step (29" deep)	1-7	\$208	1-7	\$251
			8-11	\$251	8-11	\$296
			12-16	\$305	12-16	\$363
Square Tube	21TS	Top Step (21" Deep)	1-7	\$144	1-7	\$173
			8-11	\$174	8-11	\$208
			12-16	\$205	12-16	\$243
	28TS	Top Step (28" deep)	1-7	\$208	1-7	\$251
			8-11	\$251	8-11	\$296
			12-16	\$305	12-16	\$363
	35TS	Top Step (35" deep)	1-7	\$272	1-7	\$315
			8-11	\$315	8-11	\$369
			12-16	\$369	12-16	\$432
	FDT	Fold down tray (12" deep)		\$120		
	EL	EZY-Lock (39" base length req'd)		\$145		
	RT	Rubber covered tread		\$10/Step		
	RR	Removable chain on Side * + **		\$233		
	RC	Removable chain on Rear * **		\$61		
	PT	Perimeter toe plate on top step *		\$81		
	NM	Non-marking casters **		\$81		



* Add additional 5 days to lead time

** Not available on spring loaded ladders

+ 21" TS required for square tube ladders

+ DTS required for round tube ladders



Mobile Work Platforms

Platforms provide a secure, movable work space at a variety of heights above floor level. 500lb capacity. Rigid 1" square tubing. 4" rear casters provide mobility and rubber-tipped legs add traction while in use. Steps are 7" deep. Perforated or Grip Strut tread for slip-resistant footing. Meets OSHA standards.



Shipping Info

Starting Zip
53005 or 28115


					EZY Tread®		Grip Strut®		Lead Time Days
# of Steps	Step Width	Platform W x D x H	Base W x L	Wt. Lbs.	EGA #	Price	EGA #	Price	
3	24	24x35x30	27x49	75	W025	\$446	W033	\$507	10
3	24	24x35x30	27x49	80	W025H	\$523	W033H	\$584	10
3	24	24x49x30	27x64	86	W026	\$528	W034	\$600	10
3	24	24x49x30	27x64	91	W026H	\$605	W034H	\$677	10
3	30	30x35x30	32x49	88	W027	\$499	W035	\$567	10
3	30	30x35x30	32x49	94	W027H	\$576	W035H	\$644	10
3	30	30x49x30	32x64	100	W028	\$611	W036	\$693	10
3	30	30x49x30	32x64	108	W028H	\$688	W036H	\$770	10
4	24	24x35x40	27x55	90	W029	\$529	W037	\$602	10
4	24	24x35x40	27x55	95	W029H	\$606	W037H	\$679	10
4	24	24x49x40	27x69	101	W030	\$602	W038	\$683	10
4	24	24x49x40	27x69	107	W030H	\$679	W038H	\$760	10
4	30	30x35x40	32x55	103	W031	\$579	W039	\$657	10
4	30	30x35x40	32x55	110	W031H	\$656	W039H	\$701	10
4	30	30x49x40	32x69	116	W032	\$701	W040	\$796	10
4	30	30x49x40	32x69	123	W032H	\$778	W040H	\$873	10
5	24	24x35x50	27x61	106	W041H	\$721	W045H	\$820	10
5	24	24x49x50	27x75	117	W042H	\$788	W046H	\$894	10
5	30	30x35x50	32x61	119	W043H	\$757	W047H	\$858	10
5	30	30x49x50	32x75	132	W044H	\$865	W048H	\$982	10



Dual Access Mobile Platforms

Platforms provide movable work surface accessible from either side. Rigid 1" square tubing. Each end has an Ezy-Lock that features 4" casters which are released putting ladder legs firmly on the floor when pressure is applied to bottom step Steps are 7" deep with a deeper 49" platform. Handrail on (1) side only. Grip Strut tread for slip-resistant footing. Meets OSHA standards. 800lb weight capacity.

Grip Strut®



# of Steps	Step Width	Clearance W x H	Dimension WxLxH	Wt. Lbs.	EGA #	Price	Lead Time Days
3	24	24x50x30	27x75x60	198	D001	\$1,119	10
4	24	24x50x40	27x86x70	225	D004	\$1,243	10
5	24	24x50x50	27x98x80	252	D007	\$1,505	10



Shipping Info

Starting Zip
53005



Double Entry Platforms

With access from either side, these mobile platforms are perfect for narrow aisles or congested areas. 300lb. capacity. Rigid 1" square tubing. Spring-loaded 3" casters provide mobility while rubber-tipped legs add traction while in use. Steps are 7" deep with a deeper 21" platform at top. Perforated Tread for slip-resistant footing. Meets OSHA standards.

EZY Tread®



# of Steps	Rails	Step Width	Platform W x H	Base WxLxH	Wt. Lbs.	EGA #	Price	Lead Time Days
3	N	16	16x21x30	22x46	45	E001	\$372	10
3	Y	16	16x21x30	22x46	53	E002	\$504	10
4	Y	16	16x21x40	22x57	70	E003	\$680	10
5	Y	16	16x21x50	22x69	95	E004	\$785	10

Shipping Info

Starting Zip
53005 or 28115

Crossovers

Crossover halves simply bolt together for assembly. 300lb capacity. Rigid 1" square tubing. 24" wide steps. Steps are 7" deep with a deeper 21", 28" or 35" platform at top. Perforated or Grip Strut tread for slip-resistant footing. Meets OSHA standards.

# of Steps	Step Width	Clearance W x H	WxLxH	Wt. Lbs.	EZY Tred®		Grip Strut®		Lead Time Days
					EGA #	Price	EGA #	Price	
4	24	22x37	29x76x70	84	C001	\$673	C010	\$767	10
4	24	29x37	29x84x70	89	C002	\$750	C011	\$853	10
4	24	36x37	29x91x70	96	C003	\$765	C012	\$869	10
5	24	22x47	29x88x80	145	C004	\$805	C013	\$915	10
5	24	29x47	29x95x80	151	C005	\$846	C014	\$960	10
5	24	36x47	29x102x80	160	C006	\$892	C015	\$1,014	10
6	24	22x57	29x100x90	180	C007	\$913	C016	\$1,038	10
6	24	29x57	29x107x90	186	C008	\$981	C017	\$1,114	10
6	24	36x57	29x114x90	199	C009	\$1,019	C018	\$1,159	10




Shipping Info

Starting Zip
53005 or 28115

One Piece Mini Crossovers

A great solution to navigate over low running pipes, electrical conduits or other permanent objects. Strong all welded construction made of heavy gauge rectangular tubing. Steps and platforms are made of durable grip strut. Two step models have a 60 degree incline angle. Yellow enamel finish. Weight capacity 500 lbs.


Material	# of Steps	Step Width	Clearance W x H	Dimension WxLxH	Wt. Lbs.	EGA #	Price	Lead Time Days
Steel	1	23 1/2	25x6 1/2	26 1/2 x 26 1/4 x 9 1/2	31	MC02	\$158	10
Steel	2	23 1/2	25x16	26 1/2 x 51 x 19	52	MC04	\$279	10





Fixed Dock Ladders

Built with tough, all-weld construction for years of service, Walk-Thru and Side Step ladders provide easier access to docks, platforms and mezzanines. The Walk-Thru model features a handrail extending 42" above the top rung to help guide you safely up and down. The Side Step has 4 ladder rungs at the top for easy movement up and down. Both ladders rest 6" away from mounting surface for foot clearance when climbing. 300lb capacity. Rigid 1" diameter tubing for handrails. MDS models are 19" wide rungs. MDT models are 24" wide rungs and walk-thru handrails. One-diamond Grip Strut tread for slip-resistant footing. Meets OSHA standards.



	# of Steps	Weight	Overall Length	EGA #	Price	Lead Time Days
DS Ladder	2	45	5' 6"	MDS2	\$177	5
	3	48	6' 6"	MDS3	\$195	5
	4	55	7' 6"	MDS4	\$220	5
	5	60	8' 6"	MDS5	\$240	5
	6	68	9' 6"	MDS6	\$263	5
	7	73	10' 6"	MDS7	\$276	5
	8	78	11' 6"	MDS8	\$303	5
	9	82	12' 6"	MDS9	\$321	5
	10	83	13' 6"	MDS10	\$341	5



	# of Steps	Dim. "A"	Wt. Lbs.	EGA #	Price	Lead Time Days
DT Ladder	2	1' 6"	43	MDT2	\$183	5
	3	2' 6"	46	MDT3	\$204	5
	4	3' 6"	53	MDT4	\$224	5
	5	4' 6"	58	MDT5	\$249	5
	6	5' 6"	66	MDT6	\$265	5
	7	6' 6"	71	MDT7	\$278	5
	8	7' 6"	76	MDT8	\$304	5
	9	8' 6"	80	MDT9	\$319	5
	10	9' 6"	86	MDT10	\$340	5

Shipping Info

Starting Zip
53005 or 28115


Wall-Mount Walk-Through Steel Dock Ladder

*500 lbs. rated capacity

*Meets OSHA requirements

Our highest weight capacity dock ladder. All welded 1-1/16 steel tube construction. Durable Yellow powder coated. Rungs are 24" wide. Hand rails continue 42" beyond top rung and are capped with red vinyl hand grip. 8" for toe clearance. Mounting brackets have 3/8" mounting hole. (Fastening hardware not included)

	# of Rungs	Rung Height Up To	Overall Length	Weight	EGA #	Price	Lead Time Days
Wall-Mount Walk-Through Steel Dock	3	36"	5'8"	27	MRT-3	\$145	5
	4	48"	6'8"	31	MRT-4	\$184	5
	5	60"	7'8"	36	MRT-5	\$223	5
	6	72"	8'8"	43	MRT-6	\$250	5
	7	84"	9'8"	47	MRT-7	\$284	5
	8	96"	10'8"	52	MRT-8	\$321	5
	9	108"	11'8"	56	MRT-9	\$349	5
	10	120"	12'8"	64	MRT-10	\$417	5



Two Step Wall-Mount Ladder

*Grip Strut Treads

*Meets OSHA requirements

All welded steel construction. Treads are 18" wide grip strut for traction and self-cleaning. Better for slippery or wet conditions. Four mounting holes for secure fastening to wall. Painted EGA grey enamel. Tread rise is 12". 300lb capacity.

Two Step Wall-Mount	Grip Strut®		EGA #	Price	Lead Time Days	Weight
	# of Steps	Dimensions (WxHxD)				
	2	18x24x13	WML	\$182	5	30






Fixed Vertical & Cage Ladders

Designed specifically for roof and platform access, Fixed Cage Ladders meet all known building codes. A sure way to make your facility safer. These ladders feature a Walk-Thru handrail extending 42" above the top rung to help guide you safely up and down. Cage begins 8' from ground extending to ladder top. Cage flared at bottom for easy access. 300lb capacity. 24" wide rungs. Sturdy, 1" diameter wall rungs ensure long life and durability. Meets OSHA standards

# of Rungs	Top Rung Height	Weight FC	Weight FV	EGA #	Price With Cage	EGA #	Without Cage	Cage Only	Lead Time Days
10	10'	187	124	MFC10	\$734	MFV10	\$418	\$364	20
12	12'	223	142	MFC12	\$847	MFV12	\$476	\$372	20
14	14'	261	161	MFC14	\$982	MFV14	\$536	\$516	20
16	16'	299	181	MFC16	\$1,158	MFV16	\$607	\$636	20
18	18'	338	194	MFC18	\$1,300	MFV18	\$660	\$738	20
20	20'	368	213	MFC20	\$1,386	MFV20	\$718	\$770	20
22	22'	405	-	MFC22	\$1,909	MN/A	-	\$849	20
24	24'	442	-	MFC24	\$2,041	MN/A	-	\$932	20

*Other lengths available. Call for prices.

FC22 and taller built in 2 sections.



Shipping Info

Starting Zip
53005 or 28115

* NOTE: Stand off platform required every 50'

Options	Price
Floor Mount Legs	\$69
Security panel 6'/8'	\$260/ \$502
Security gate	\$634
Grip Strut Rungs	\$9/Rung

All-Welded Access Stairways

Create strong, reliable access to elevated areas. Sturdy All-Welded stairways ship set-up and ready to go. Simply locate and secure stairway in place with convenient mounting plates at the top and bottom. Mounting plates have pre-punched holes for fasteners. Rigid 1" square tubing. 24" wide steps. Steps are 7" deep with a deeper 14" step at top. Perforated or Grip Strut tread for slip-resistant footing. Meets OSHA standards. 300lb weight capacity.

# of Steps	Total Rise	Total Run	Overall WxLxH	Weight	EZY Tred®		Grip Strut®		Lead Times Days
					EGA #	Price	EGA #	Price	
4	40	35	29x35x70	40	H001	\$272	H010	\$308	10
5	50	41	29x41x80	50	H002	\$308	H011	\$344	10
6	60	46	29x46x90	60	H003	\$364	H012	\$407	10
7	70	52	29x52x100	71	H004	\$414	H013	\$460	10
8	80	58	29x58x110	82	H005	\$493	H014	\$552	10
9	90	64	29x64x120	93	H006	\$536	H015	\$602	10
10	100	70	29x70x130	105	H007	\$572	H016	\$641	10
11	110	75	29x75x140	122	H008	\$612	H017	\$685	10
12	120	82	29x82x156	132	H009	\$652	H018	\$732	10



Shipping Info

Starting Zip
53005 or 28115



Vertical Wall Mount Ladders

All-welded construction. Ladders available in steel or stainless steel. Single diamond Grip Strut® rungs. Rungs are 16" wide spaced 12" vertically. Flat bar stock side rails. Flaired handrails available on all models that extend 42" above the top rung. Inside width of 24". All models have floor mount legs and bolt-on standoff brackets. 8' & 10' have (1) set of standoff brackets; all other models come with (2) sets. Weight capacity 300lbs.

Steel

# of Steps	Top Step Height	Weight	EGA #	Price	Lead Time Days
8	96"	65	MVMS8	\$340	5
10	120"	81	MVMS10	\$388	5
12	144"	99	MVMS12	\$451	5
14	168"	114	MVMS14	\$504	5
16	192"	129	MVMS16	\$558	5
8	96"	90	MVMS8EX	\$429	5
10	120"	106	MVMS10EX	\$474	5
12	144"	123	MVMS12EX	\$534	5
14	168"	139	MVMS14EX	\$585	5
16	192"	154	MVMS16EX	\$640	5



Stainless Steel


# of Steps	Top Step Height	Weight	EGA #	Price	Lead Time Days
8	96"	65	MVSS8	\$856	5
10	120"	81	MVSS10	\$1,034	5
12	144"	99	MVSS12	\$1,240	5
14	168"	114	MVSS14	\$1,419	5
16	192"	129	MVSS16	\$1,596	5
8	96"	90	MVSS8EX	\$1,110	5
10	120"	106	MVSS10EX	\$1,289	5
12	144"	123	MVSS12EX	\$1,496	5
14	168"	139	VSS14EX	\$1,671	5
16	192"	154	VSS16EX	\$1,849	5

Shipping Info

Starting Zip
28115


One-Step Adjustable Height Platforms

Unique platforms adjust in height by simply twisting the threaded feet for a variety of application and worker requirements. 500lb capacity. Rigid 1" square tubing. Grip Strut tread for slip-resistant footing. Meets OSHA standards.



AHW-L-2424


Grip Strut®



WxD	Adjust. Height	Max. Height	Weight	EGA #	Price	Lead Times Days
24x24	5"-8"	8	34	AHW-L-2424	\$216	5
24x36	5"-8"	8	44	AHW-L-2436	\$233	5
24x48	5"-8"	8	54	AHW-L-2448	\$279	5
24x60	5"-8"	8	64	AHW-L-2460	\$285	5
24x72	5"-8"	8	77	AHW-L-2472	\$398	5
24x96	5"-8"	8	99	AHW-L-2496	\$505	5
24x24	9"-14"	14	31	AHW-H-2424	\$231	5
24x36	9"-14"	14	41	AHW-H-2436	\$252	5
24x48	9"-14"	14	51	AHW-H-2448	\$292	5
24x60	9"-14"	14	61	AHW-H-2460	\$311	5
24x72	9"-14"	14	73	AHW-H-2472	\$409	5
24x96	9"-14"	14	95	AHW-H-2496	\$518	5

Two-Step Access Platforms

Grip Strut®



# of Steps	Step WxD	Overall WxD	Top Step Height	Weight	EGA #	Price	Lead Times Days
2	24x24	25x47	18	60	FHW24	\$507	5
2	36x24	37x47	18	80	FHW36	\$559	5
2	48x24	48x47	18	90	FHW48	\$642	5
2	60x24	61x47	18	120	FHW60	\$706	5



FHW24

Shipping Info


Starting Zip
28115

Industrial Stairways Platform



PLA3636

Grip Strut®



Length	Width	Weight	EGA #	Price	Lead Times Days
36	36	194	PLA3636	\$796	20
36	48	236	PLA3648	\$859	20
48	48	272	PLA4848	\$904	20

Shipping Info

Starting Zip
53005/28115



Custom Work Platforms

Our custom platforms allow you to choose the style, step type, height and configuration to perfectly fit your application. Select a single platform, or choose an extension unit which allows you to add 3' to the width of select platform styles. This unit can be at the same height, or function as a step-down area below existing platforms. Multiple options enable you to build a large surface area that surrounds machinery or spans the entire shop, factory or warehouse floor. 500lb capacity. Rigid 1-1/4" diameter tubing. 36" wide steps. Steps are 7" deep with a deeper 36" platform at top. Grip Strut tread for slip-resistant footing. Meets OSHA standards.



CW0-27-0-3 w/ CW7-27-3-3
Style 7 and Style 0



CW0-27-0-3
Style 0



CW1-27-3-3
Style 1



CW2-27-3-3
Style 2



CW3-27-3-3
Style 3



CW4-27-3-3
Style 4



CW5-27-3-3
Style 5



CW6-27-3-3
Style 6



CW7-27-3-3
Style 7



CW8-27-3-3
Style 8



CW9-27-3-3
Style 9

Custom Work Platforms

Dimensions - Weight - Prices

Style	# of Steps*	Dimensions (inches)						EGA#	Price	Lead Time Days	Weight
		OAW	OAL	OAH	PW	PL	PH				
0	n/a	39	39	21	35	39	21	CW0-21-0-3	\$378	5	100
0	n/a	39	39	27	35	39	27	CW0-27-0-3	\$440	5	115
0	n/a	39	39	33	35	39	33	CW0-33-0-3	\$443	5	115
0	n/a	39	39	39	35	39	39	CW0-39-0-3	\$450	5	115
0	n/a	39	39	45	35	39	45	CW0-45-0-3	\$457	5	115
1	2	39	48	21	35	39	21	CW1-21-2-3	\$585	5	120
1	2	39	86	21	35	77	21	CW1-21-2-6	\$1,045	5	187
1	3	39	57	33	35	39	33	CW1-33-3-3	\$766	5	140
1	3	39	95	33	35	77	33	CW1-33-3-6	\$1,316	5	230
2	2	39	48	60	35	39	21	CW2-21-2-3	\$761	5	150
2	2	39	86	60	35	77	21	CW2-21-2-6	\$1,382	5	235
3	2	39	57	60	35	39	21	CW3-21-2-3	\$817	5	150
3	2	39	95	60	35	77	21	CW3-21-2-6	\$1,361	5	225
4	2	39	48	60	35	39	21	CW4-21-2-3	\$693	5	145
4	2	39	86	60	35	77	21	CW4-21-2-6	\$1,234	5	225
5	3	39	57	66	35	39	27	CW5-27-3-3	\$1,032	5	185
5	3	39	95	66	35	77	27	CW5-27-3-6	\$1,762	5	285
5	3	39	57	72	35	39	33	CW5-33-3-3	\$1,051	5	185
5	3	39	95	72	35	77	33	CW5-33-3-6	\$1,812	5	290
6	3	39	75	72	35	39	33	CW6-33-3-3	\$1,298	5	207
6	3	39	113	72	35	77	33	CW6-33-3-6	\$1,957	5	290
6	4	39	93	84	35	39	45	CW6-45-4-3	\$1,713	5	245
6	4	39	131	84	35	77	45	CW6-45-4-6	\$2,382	5	335
7	3	39	57	66	35	39	27	CW7-27-3-3	\$939	5	180
7	3	39	95	66	35	77	27	CW7-27-3-6	\$1,579	5	260
7	3	39	57	72	35	39	33	CW7-33-3-3	\$1,159	5	175
7	3	39	95	72	35	77	33	CW7-33-3-6	\$1,817	5	265
7	4	39	66	84	35	39	45	CW7-45-4-3	\$1,174	5	200
7	4	39	104	84	35	77	45	CW7-45-4-6	\$1,844	5	290
8	4	39	66	78	35	39	39	CW8-39-4-3	\$1,256	5	205
8	4	39	104	78	35	77	39	CW8-39-4-6	\$2,023	5	310
8	4	39	66	84	35	39	45	CW8-45-4-3	\$1,262	5	205
8	4	39	104	84	35	77	45	CW8-45-4-6	\$2,031	5	310
9	3	39	75	72	35	39	33	CW9-33-3-3	\$1,444	5	235
9	3	39	113	72	35	77	33	CW9-33-3-6	\$2,206	5	340




Chart Key
OAW = Overall Width
OAL = Overall Length
OAH = Overall Height
PW = Platform Width
PL = Platform Length
PH = Platform Height

Shipping Info

Starting Zip
28115

* # of steps is # of risers to top of platform. # of step treads is actually one less than riser.




Industrial Stairways

OSHA Standards




Create strong, reliable access to mezzanines and elevated platforms with our Industrial Stairways. Fully assembled, all-welded construction offers more rigidity than bolt-together designs and eliminates the headaches of do-it-yourself assembly. Safely carries a 500lb moving load. Units have 10" channel stringer for strength and rigidity. 1-1/2" square tubing handrails. Stair treads are a generous 36" wide. Meets OSHA standards.

Grip Strut®



Total Rise	Total Run	# of Treads	# of Risers	Weight	EGA #	Price	Lead Times Days
42	47.5	5	6	223	IS42-36	\$960	20
49	57.0	6	7	260	IS49-36	\$1,022	20
56	66.5	7	8	309	IS56-36	\$1,091	20
63	76.0	8	9	346	IS63-36	\$1,230	20
70	85.5	9	10	382	IS70-36	\$1,320	20
77	95.0	10	11	419	IS77-36	\$1,439	20
84	104.5	11	12	468	IS84-36	\$1,547	20
91	114.0	12	13	505	IS91-36	\$1,602	20
98	123.5	13	14	541	IS98-36	\$1,667	20
105	133.0	14	15	577	IS105-36	\$1,838	20
112	142.5	15	16	626	IS112-36	\$1,856	20
119	152.0	16	17	663	IS119-36	\$1,869	20



Shipping Info

Starting Zip

53005/28115

IBC Standards

Fully assembled, all welded construction. 42" overall stair width with 11" deep treads. Closed diamond plate treads and risers. Guard rail with internal handrails along both sides of steps. Fabricated to be in compliance with IBC standards (section 1009).

Diamond Plate



Total Rise	Total Run	# of Treads	# of Risers	Weight	EGA #	Price	Lead Times Days
42	57	5	6	426	IS42-39-IBC	\$2,016	30
49	68	6	7	491	IS49-39-IBC	\$2,146	30
56	79	7	8	556	IS56-39-IBC	\$2,291	30
63	90	8	9	620	IS63-39-IBC	\$2,583	30
70	101	9	10	699	IS70-39-IBC	\$2,772	30
77	112	10	11	764	IS77-39-IBC	\$3,022	30
84	124	11	12	829	IS84-39-IBC	\$3,249	30
91	134	12	13	894	IS91-39-IBC	\$3,364	30
98	145	13	14	973	IS98-39-IBC	\$3,501	30
105	156	14	15	1037	IS105-39-IBC	\$3,860	30
112	167	15	16	1102	IS112-39-IBC	\$3,898	30
119	178	16	17	1169	IS119-39-IBC	\$3,925	30



Shipping Info

Starting Zip

53005/28115

*Other heights available. Call for prices.

*NOTE: Additional handrail available at \$28.00 per linear foot.

Pallet Rack Bay Dividers

Easily organize pallet racks. Can be installed temporarily or permanently with prepunched mounting holes. Made of 1" diameter tubing for durable performance. Painted EGA yellow. Fits any 3" rack beam.

Dimensions	Weight	EGA #	Price	Lead Times Days
42"x54"BD	13	MD54-42	\$56	10



Shipping Info

Starting Zip	53005
--------------	-------



Die Shelves for Pallet Rack Beams

Designed for standard 1-5/8" step beams, EGA's Die Shelves provide a solid sheet steel deck for increased utility of existing pallet rack locations and durability. The die shelves are available with a low to high capacity of 2,000 to 6,000 pounds. Options include waterfall edges, back stop with lip up corners, colors (standard is grey enamel finish), and custom designs available.



Shipping Info

Starting Zip	53005
--------------	-------

EGA #	Price	Depth	Width	Capacity	Lead Time	Weight
M25DS-3034-LD	\$109	30"	34"	2500lbs.	5	43
M25DS-3046-LD	\$147	30"	46"	2500lbs.	5	52
M25DS-3058-LD	\$162	30"	58"	2500lbs.	5	60
M25DS-3634-LD	\$144	36"	34"	2500lbs.	5	52
M25DS-3646-LD	\$131	36"	46"	2500lbs.	5	62
M25DS-3658-LD	\$145	36"	58"	2500lbs.	5	72
M25DS-4234-LD	\$157	42"	34"	2500lbs.	5	61
M25DS-4246-LD	\$144	42"	46"	2500lbs.	5	72
M25DS-4258-LD	\$195	42"	58"	2500lbs.	5	84
M25DS-4834-LD	\$190	48"	34"	2500lbs.	5	80
M25DS-4846-LD	\$173	48"	46"	2500lbs.	5	94
M25DS-4858-LD	\$190	48"	58"	2500lbs.	5	107

Post Protectors

Post protectors help prevent serious personal injury and damage to rack posts, shelving corners, partitions, overhead door track bases and more. Inexpensive and easy to install, post protectors are one of the least expensive ways of reducing costs related to damaged racks.

Your Column Size	A Overall Height	B Plate Width	C Plate Depth	D Column Opening	E Base Plate Opening	Weight	EGA #	Price	Lead Times Days
3"	8"	7-5/8"	6"	4"	3-3/8"	7	5208	\$30	5
3"	12"	7-5/8"	6"	4"	3-3/8"	10	5212	\$32	5
3"	18"	7-5/8"	6"	4"	3-3/8"	14	5218	\$37	5
3"	24"	7-5/8"	6"	4"	3-3/8"	19	5224	\$46	5
3"	36"	7-5/8"	6"	4"	3-3/8"	28	5236	\$58	5
4"	8"	7-5/8"	6"	5"	4-3/8"	8	6208	\$50	5
4"	12"	7-5/8"	6"	5"	4-3/8"	11	6212	\$56	5
4"	18"	7-5/8"	6"	5"	4-3/8"	16	6218	\$66	5
4"	24"	7-5/8"	6"	5"	4-3/8"	21	6224	\$74	5
4"	36"	7-5/8"	6"	5"	4-3/8"	32	6236	\$78	5

Shipping Info

Starting Zip	28115
--------------	-------

Features


- Protects materials as well as shelves and racks.
- Sizes available for both 3" and 4" diameter columns.
- Several heights to accommodate various shelf, rack and column designs.
- Fabricated from rugged 1/4" steel plate for durability.

Plus

- Low cost way to reduce expensive damage.
- Quick, simple installation.
- The original and still the best design.
- Finished in EGA safety yellow.
- Ships UPS. Shipped from factory stock approximately 5 working days. Choose from a variety of sizes developed to accommodate virtually every shelf and rack column.

Easy to install

- Simply position Post Protectors around rack posts, shelving corners, partitioning or track base. Drill proper size holes in floor. Anchor with 1/2" fasteners (not provided).





Swing Gates

Swing gates are an easy, inexpensive solution to enclosing handrail openings. Available in two sizes which are adjustable to fit almost any opening. Gate opens a full 90 degrees. Hardware for multiple mounting options included with each gate. All models are self actuated with a heavy duty stainless steel spring. Available in yellow powder coat, hot dipped galvanized or stainless steel.

Width	Finish	Fits Opening	Weight	EGA #	Price	Lead Times Days
Narrow	Yellow Powder Coat	16"-26"	36	SCG-N-Y	\$257	5
Narrow	Hot Dipped Galvanized	16"-26"	37	SCG-N-G	\$288	15
Narrow	Stainless Steel	16"-26"	36	SCG-N-S	\$582	15
Wide	Yellow Powder Coat	24"-40"	38	SCG-W-Y	\$267	5
Wide	Hot Dipped Galvanized	24"-40"	39	SCG-W-G	\$299	15
Wide	Stainless Steel	24"-40"	38	SCG-W-S	\$625	15
Extra Wide	Yellow Powder Coat	40"-48"	41	SCG-X-Y	\$256	15
Extra Wide	Hot Dipped Galvanized	40"-48"	42	SCG-X-G	\$328	15
Extra Wide	Stainless Steel	40"-48"	41	SCG-X-S	\$787	15


Shipping Info

Starting Zip
53005

SCG-W-Y



SCG-X-G



SCG-N-S



Partitions

Use EGA's mesh partitions to build enclosures without sacrificing visibility or rerouting existing air ducts, piping and lighting systems. Expanded metal mesh allows pass-through holes without unraveling. Plus, smooth expanded metal mesh won't catch clothing or cause scratches. Choose from a variety of panel, door and hardware configurations to meet your needs.

Standard Panels

Standard panel widths are 1 - 5 feet in three standard heights of 7, 8 and 10 feet. For maximum security at an affordable price, use panels 5 feet wide and 7 feet high. The large panels cost less per linear foot than any other known system and provide almost unlimited configurations for safety, security, convenience and privacy. Best of all, your crew can put them up quickly, with or without power tools.

Two types of doors

Single sliding door available in standard 3', 4', 5', and 6' widths for partitions 7', 8', and 10' high. Service window available. Single swinging door available in standard 3' and 4' widths for partitions 7', 8', and 10' high. Service window available.

Two Locking Systems

For hinged or slide gate doors. Standard is pick-proof, fully reversible multi-lock with high impact die cast aluminum case, brass cylinder, tongues and recessed knurled finger operating knob. Five pin, 1" standard cylinder secured by nut inside lock. Keys can be; door unique, keyed alike, or master keyed. Rugged padlock-type has welded hasp. Security opening accommodates various types of locks.

Industry's best shipping protection Palletized, banded, shipping unit eliminates handling damage and lost parts.

Features

- Constructed of 13-gauge expanded metal in 1 1/2" diamonds.
- Least expensive system to erect because unique fasteners permit use of power tools.
- Lower cost because corner posts are unnecessary.
- Lowest freight costs due to extremely light weight despite unusual strength.
- Palletized shipping minimizes freight damage and eliminates missing parts.
- Fully reversible: both sides of mesh are finished thanks to special perimeter design.


- No burrs: surface is brushed and blasted.
- No unraveling when pass-through cuts are made.
- EZY and true vertical alignment with adjustable floor sockets.
- Solid panel or wainscot, top or bottom, integral with panel not merely "tacked on".

Plus

- Wide range of sizes and configurations.
- Doors have mortise-type cylinder locks operated by key or optional padlock hasp.
- Changeable configurations by rearranging, adding or removing units.
- Special colors available.
- Doors keyed individually, alike or master keyed.
- Super-durable, gray enamel finish is standard.

Accessories

1. Ceiling for all enclosures provides maximum security.
2. Extension panels to increase enclosure height up to 20'. Each panel spans two bottom panels.
3. Sliding door, described at left.
4. Hinged door, described at left.
5. Slide-up service windows. Standard 3' 10" x 18" opening with optional 12' steel shelf.
6. Wainscotting. 18 gauge sheet steel, half or full panels.
7. Cutouts will not unravel thanks to our specially fabricated expanded metal.
8. Vari-panel is the most economical solution to incremental widths or non-square dimensions.






Wall Panels

How to Order

TEGA standard size wall panels in widths of 1 ft., 2 ft., 3 ft., 4 ft., and 5 ft., greatly reduce the need for special width panels. However, if required, EGA can produce special sizes for an additional charge.

1. Make a rough floor plan of the area to be enclosed.
2. Select type of partition (SG-1000, SG-2000, SG-3000).
3. Select height of partition (7', 8' and 10' standard).
4. Indicate on drawing the location and size of all doors and service windows:
 - a. show direction doors swing or slide.
 - b. show key side.
 - c. indicate whether locks are to be keyed alike, different, master keyed or padlock attachment.
5. Location of reinforcing posts (every 20' recommended for 7' and 8' high panels; every 10' for 10' high panels).
6. Color of paint if other than standard gray enamel.



Whenever possible, furnish drawings or simple sketches such as the one shown here.

Standard Wall Panel	Width	7 ft. Height			8 ft. Height			10ft. Height		
		EGA #	Price	Weight	EGA #	Price	Weight	EGA #	Price	Weight
	5'	SP75	\$181	46	SP85	\$199	51	SP105	\$234	64
	4'	SP74	\$177	37	SP84	\$190	40	SP104	\$219	51
	3'	SP73	\$159	28	SP83	\$166	30	SP103	\$193	38
	2'	SP72	\$137	18	SP82	\$140	20	SP102	\$155	27
	1'	SP71	\$112	9	SP81	\$112	10	SP101	\$119	13

Wall Panels

Identical both sides. Price includes all necessary hardware and extra-high adjustable cast aluminum floor sockets. Floor anchors supplied by installer.

Solid Panels

18-gauge metal replaces mesh. Specify solid panels when ordering wall panels or doors.

Odd Size Panel	Width	7 ft. Height			8 ft. Height			10ft. Height		
		EGA #	Price	Weight	EGA #	Price	Weight	EGA #	Price	Weight
	4'-5"	OP74	\$317	41	OP84	\$338	45	OP104	\$380	58
	3'-4"	OP73	\$294	33	OP83	\$311	35	OP103	\$343	44
	2'-3"	OP72	\$274	23	OP82	\$282	25	OP102	\$304	32
	1'-2"	OP71	\$248	13	OP81	\$253	15	OP101	\$270	19
	4"-1'	OP70	\$221	7	OP80	\$227	10	OP100	\$244	12

Any width available in 1/4" increments

Vari-panel

This adjustable panel is used when an enclosure can't be completed with a standard panel. simply slide to appropriate width and bolt together. Kit includes: top and bottom perimeter bars, two 7" wide panels (panels are 7', 8' or 10' high), bolts and washers, sheet metal screws.

Vari-Panel	Width	7 ft. Height			8 ft. Height			10ft. Height		
		EGA #	Price	Weight	EGA #	Price	Weight	EGA #	Price	Weight
	Adj. 3'-1'	VP7	\$113	9	VP8	\$117	10	VP10	\$122	13

Adjustable width panels from 3" to 1'

TYPE SG-2000


TYPE SG-3000

Bottom Wainscot: SG2000 Add \$8 per lineal foot to wall, panel or door price.

Complete Solid: SG3000 Add \$15 per lineal foot to 7' or 8' high wall, panel or door price. Add \$16 per lineal foot to 10' high wall, panel or door price.

Quick-Erect Fittings

Die formed to assure ease of assembly and flexibility in moving or re-arranging configuration.



Doors and Ceilings

Doors

Includes all necessary hardware, floorplate, and mortised tumbler lock with 2 keys. door opening 2-1/1" less than nominal door width. Standard opening height is 6' 6" for 7' high doors and 7' 3" for 8' and 10' high doors..

Hinged Door

Standard door opens out of room and has 3 butt hinges on left side when looing at door from outside. specify different arrangements if required... provided at no additional charge.

Sliding Door (Standard)

Standard door is outside room and slides to the right when looking at the door from outside. Speicify diffeent arrangements if required... provided at no additional charge. Includes separate mounted floor door guide and door frame protector.

Sliding door (Full Height Opening)

Clear open height is 6' less than overall height.

Width	7 ft. Height			8 ft. Height			10ft. Height		
	EGA #	Price	Weight	EGA #	Price	Weight	EGA #	Price	Weight
Hinged Door (With Transom)									
3'	DH73	\$563	43	DH83	\$576	45	DH103	\$603	53
4'	DH74	\$590	52	DH84	\$598	55	DH104	\$642	66
Sliding Door (Standard)									
3'	DS73	\$717	58	DS83	\$733	60	DS103	\$755	68
4'	DS74	\$744	67	DS84	\$757	70	DS104	\$788	81
5'	DS75	\$768	76	DS85	\$783	80	DS105	\$822	94
6'	DS76	\$789	85	DS86	\$812	90	DS106	\$855	106
Sliding Door (Full Height Option)									
5'	DSH75	\$966	76	DSH85	\$982	80	DSH105	\$1,021	94
6'	DSH76	\$987	85	DSH86	\$1,002	90	DSH106	\$1,052	106
8'	DSH78	\$1,230	104	DSH88	\$1,251	110	DSH108	\$1,317	132
10'	DSH710	\$1,278	122	DSH810	\$1,305	113	DSH1010	\$1,384	157

Structural Requirements

Line Post (Standard)

Required for every 20' run of 7' and 8' high partition without corners or doors. Required for every 10' run of 10' high partition without corners or doors.

Line Post (Extra Heavy)

Use for extra rigidity on walls or in heavy traffic areas.

Adjustable Corner Post

Required for corners other than 90 degrees.

Corner Hardware

CH required for each 90 degree corner in system. TH required for joining wall panels in a "T" configuration.

Ceiling or Wall Extension Panels

Provides maximum security. Odd size panel, sue larger size +\$12.

7 ft. Height			8 ft. Height			10ft. Height		
EGA #	Price	Weight	EGA #	Price	Weight	EGA #	Price	Weight
Line Post (Standard)								
LP7	\$56	14	LP8	\$61	16	LP10	\$76	20
Line Post (Extra Heavy)								
LPE7	\$72	18	LPE8	\$87	20	LPE10	\$108	25
Adjustable Corner Post (Non 90 Intersections)								
LPA7	\$68	16	LPA8	\$72	17	LPA10	\$96	21

Corner Hardware

Model	Weight Zip	Price
CH	2	\$43
TH	3	\$47

Ceiling or Wall Extension Panels

	5 ft. Wide	4 ft. Wide	3 ft. Wide	2 ft. Wide	1 ft. Wide
10 ft. High	\$333	\$270	\$205	\$135	\$67
9 ft. High	\$300	\$241	\$179	\$116	\$67
8 ft. High	\$270	\$215	\$163	\$107	\$67
7 ft. High	\$234	\$185	\$140	\$98	\$67
6 ft. High	\$205	\$163	\$116	\$78	\$67
5 ft. High	\$166	\$1	\$1	\$1	-
4 ft. High	\$135	\$112	\$1	\$1	-
3 ft. High	\$102	\$78	\$67	\$1	-
2 ft. High	\$67	\$67	\$67	\$67	-
1 ft. High	\$67	\$67	\$67	\$67	\$67

Shipping Info



Starting Zip
53005

Order Instructions

- Use Model # CE HW
- Key: H=height, W=width
- Panels can be oriented either way.
- Example: CE 105 if 10' high x 5' wide
- Panel weight is 1.3 lbs./sq. ft.
- Ceiling Truss - Use when ceiling span exceeds 10 ft.

Accessories

- **Padlock Lugs** - Deduct \$19 instead of mortised tumbler lock on all doors. Specify when ordering.
- **Keyed Alike (Multiple Doors)** - No charge.
- **Master Keyed (Multiple Doors)** - Add \$48 for each locking system.
- **Service Window Unit** - 32" opeingin in 3' and wider wall panels or doors. Add \$244 to wall panel or door price.
- **Shelf** - 8" side shelf centered on window. Add \$33 to service window.





Custom Stairways

Have a need for a custom stairway system? Our engineering team can help!


EGA's greatest asset is our expert team of engineers and fabricators with decades of experience in the material handling industry. Many of the world's most prestigious manufacturing, construction, and distribution companies have come to rely on this team for custom designed, custom fabricated stairways.

EGA designers and engineers are experts at analyzing operational systems and layouts of any application to create the optimal solution.

The results are fully integrated people-access solutions that include:

- Custom design for optimal material access—enhancing time/motion efficiencies.
- Consistent quality—each built to meet or exceed required tolerances.
- Ergonomic designs—increasing worker safety and efficiency.
- Code compliant—our engineers are up-to-date on all OSHA, ANSI and IBC requirements.

Paired with world-class customer service, you can count on EGA to be your partner in creating the optimal solution for your business need.



Custom Operations Platforms

EGA Products was commissioned by a world renowned manufacturer of tantalum and electrolytic capacitors. The challenge was to develop an exceptionally durable, elevated **Operations Platform** for their chemical wash station that would withstand heavy production schedules and multiple personnel usage. The operations platform must also be ergonomically efficient while simultaneously maintaining OSHA, ANSI, and local standards for workplace safety.

Analyzing the time/motion and proprietary requirements surrounding the chemical wash operation, EGA engineers designed an elevated platform made of heavy gauge steel with welded construction. Guard railing is placed as necessary to protect workers, but careful design attention ensures that select areas adjacent to the machinery are left open and unencumbered for ease of operation.

Other features include:

- Slip-resistant grip-strut decking and stair treads
- Customized paint scheme to complement both the company's internal and external branding

EGA Operations Platforms are available with stainless steel construction or offered in a variety of finishes, including:

- Painted enamel
- Powder coat
- Hot-dipped galvanized
- And more

Typical industrial applications:

- Chemical
- Electronic
- Manufactured goods
- Metalworking



ASRS Archive Modules

EGA Products designed and manufactured these **ASRS Archive Modules** to interface with the automatic storage & retrieval system (ASRS) inside the library of one of America's leading universities, doing so cooperatively with an internationally renowned manufacturer of logistics and materials handling solutions.

The module shelves must be precisely aligned to accommodate ASRS robotics reliably, a design element that is complicated by the requirement that the shelves be adjustable within precise parameters. This is why the manufacturer turned to EGA manufacturing expertise to build the modules with precise spacing to specified tolerances.

Besides library settings, these ASRS Archive Modules can be used in a wide range of ASRS environments where irregular objects must be accommodated, including but not limited to:

- Automotive
- Food
- Manufacturing
- Metalworking
- Shipping
- Military/government

These ASRS Archive Modules feature boltless construction. They are available with stainless steel construction or come in variety of finishes, including:

- Painted enamel
- Powder coat
- Hot-dipped galvanized
- And more

Typical industrial applications:

- Automotive
- Food
- Manufactured goods
- Metalworking
- Military/government
- Shipping



Shipping & Receiving Packaging Benches

EGA Products was commissioned by a world renowned manufacturer of agricultural and construction equipment to design and manufacture customized **Shipping & Receiving Packaging Benches** for handling small tractor parts. Along with ergonomic design and exceptional durability, these benches also need to integrate a computer keyboard and hard drive that are central to the company's barcode inventory control system.

Analyzing the time/motion requirements surrounding the company's shipping & receiving operations, EGA engineers designed a packaging bench with an exceptionally durable work surface, and ergonomically placed compartments for boxes and other packaging materials.

The design integrates an adjustable swing arm that optimally positions the computer keyboard relative to the height of the operator and also includes:

- Roll stock dispensers
- Organized storage areas
- Optimally sized compartment to accommodate the hard drive and keep out of harm's way

EGA customized Shipping & Receiving Packaging Benches are available with stainless steel construction or offered in a variety of finishes, including:

- Painted enamel
- Powder coat
- Hot-dipped galvanized
- And more

Typical industrial applications:

- Automotive
- Manufactured goods
- Shipping
- Military/government





Portable Stacking Racks

Portable Stacking Racks are known for their versatility - ours are no exception. Whether it's storage, handling, or transporting, EGA Portable Stacking Racks perform where and when they are needed. Racks not in use can be broken down for convenient, compact storage freeing up floor space normally occupied by bulky, permanent rack systems. Materials can now move through your entire production process...all on the same rack.

Stacking racks give you the best of both worlds: weight load capacities rivaling wood pallets...combined with the positive stacking and product protection only plug/post joint racks can deliver. EGA has designed portable stacking racks for a variety of applications including: textiles, wire coils, automotive parts, tires, and more. Available in open frame, wood, steel, welded wire mesh or perforated steel decks.

Features

- Standard post is 1.5" square tube on 2000 lbs. capacity units and 2.17" square tube on 4000 lbs. units.
- Standard sizes change in 6" increments (custom made to any size).
- Free up valuable floor space.
- Return more empties in less space.



- Coil racks, fixed posts, interstacking with existing units, and nestable racks.

Options

- Floor skid runners for unit conveyability.
- Fork stirrups or pockets to prevent shifting of racks on fork tines.
- Custom design? Send your RFQ.

Shipping Info

Starting Zip	53005 or 28115
--------------	----------------

Custom Engineered Returnable Racks

Caring about workers and the environment.

When this tier 1 supplier needed a transport rack for their rear-suspension assemblies, they were precise. The racks needed to be both returnable and ergonomically designed to minimize worker fatigue. Working with the supplier, EGA designed and built custom stackable racks that allow random loading at the supplier and permit easy random unloading at the automotive assembly line. And because all painted surfaces are protected by the racks during transit, hard-to-dispose-of-packaging waste was eliminated.

Why Custom Engineered Returnable Racks?

Manufacturers have had to settle for something less than the best way to store and transport their products. They've had to use packaging, pallets and racks that left their products every which way AND loose. The results have been needless waste of space, product, labor and material dollars.

EGA provides you with the better way. Our Custom Engineered Returnable Racks incorporate the features and characteristics of your products and processes into rack design that saves you space, product, labor and money.

Using EGA's Custom Engineered Returnable Racks, you change the size, shape and location of staging and inventory areas. And by leaving material on Returnable Racks, you easily move work in-process around the plant, or between plants, to better meet scheduling or seasonal needs. Then by using a design feature that allows you to fold them when not in use, you compactly store or return empty Returnable Racks to free up floor or trailer space.

Don't settle for anything less than the best way to store and transport your product. Get the material handling solution that truly meets your needs, again and again. EGA Custom Engineered Returnable Racks.



Send your custom specifications and we will return a quote within 2-3 business days.

Bulk Containers

Visualtainers

No more looking up at racks and guessing at what's inside. Visualtainers™ let you actually see your materials inventory. Critical to today's JIT production processes, Visualtainers help you keep a high volume of parts close to the production line - accessible and easy to transport. These versatile units can be stacked six high at a rated capacity of 2,000 lbs. or 4,000 lbs. Available in both standard and custom designs to meet your special applications.

Solid-Sided

Solid-Sided dunnage containers are designed to store small items or granular materials and are available in corrugated or flat steel sides in gauges seven through 16. Standard sizes are offered in height increments of two inches; floor clearance ranges from four to 12 inches. Top flanges can be turned in or out depending on the application.

Send your custom specifications and We will return standard quotes within one business day. More complex or higher quantity quotes may take 2-3 business days.

Shipping Info: Wisconsin or North Carolina

Starting Zip
53005 or 28115

VISUALTAINER



BULK CONTAINER



Visualtainers™ Information Requirements	Standard Sizes		
Load Size (O.D.) ____ "L ____ "W ____ "H	W"	L"	H"
Load Wt. ____ lbs.	32	40	24
____ 2 way ____ 4 way (Entry)	32	40	30
Gates ____ 1 ____ 2 ____ None (Locations)	32	48	30
Welded Wire: 2"x2"x4GA	36	48	24
2"x4"x4GA	40	48	24
4"x4"x4GA	40	48	30
48	48	24	
Please describe application in detail.	48	48	30
FOB EGA WI & NC		CLASS 150	