

HEAVY-DUTY FOLDING GATES



Heavy-Duty Pair Folding Gate Specifications: Galvanized finish. Heavy-duty 14 gauge steel u-channel webbing riveted back to back with zinc plated rivets. Heavy-duty 12 gauge steel 1-1/2" x 1-1/2" vertical angle frame. Solid steel casters. Padlock order separate.



Heavy-Duty Single Folding Gate Specifications: Galvanized finish. Heavy-duty 14 gauge steel u-channel webbing riveted back to back with zinc plated rivets. Heavy-duty 12 gauge steel 1-1/2" x 1-1/2" vertical angle frame. Solid steel casters. Locks on the right standard, locking left available. Locking bar included. Padlock order separate.

STOCK NO.	WIDTH	COLLAPSED HEIGHT	IN-USE HEIGHT	STACK WIDTH	WEIGHT (LBS.)	PRICE
PFG865	6'-8"	6'6"	6'	11" each	96	\$396
PFG870	6'-8"	7'	6'6"	11" each	104	\$432
PFG875	6'-8"	7'6"	7'	11" each	110	\$440
PFG880	6'-8"	8'	7'6"	11" each	112	\$468
PFG885	6'-8"	8'5"	8'	11" each	130	\$480
PFG1065	8'-10"	6'6"	6'	11" each	104	\$420
PFG1070	8'-10"	7'	6'6"	11" each	110	\$444
PFG1075	8'-10"	7'6"	7'	11" each	120	\$468
PFG1080	8'-10"	8'	7'6"	11" each	132	\$492
PFG1085	8'-10"	8'5"	8'	11" each	148	\$516
PFG1265	10'-12"	6'6"	6'	11" each	112	\$450
PFG1270	10'-12"	7'	6'6"	11" each	116	\$480
PFG1275	10'-12"	7'6"	7'	11" each	122	\$504
PFG1280	10'-12"	8'	7'6"	11" each	152	\$552
PFG1285	10'-12"	8'5"	8'	11" each	158	\$576

HAS CENTER WEB DROP PIN

PFG1465	12'-14'	6'6"	6'	11" each	128	\$516
PFG1470	12'-14'	7'	6'6"	11" each	138	\$540
PFG1475	12'-14'	7'6"	7'	11" each	140	\$570
PFG1480	12'-14'	8'	7'6"	15" each	164	\$600
PFG1485	12'-14'	8'5"	8'	15" each	196	\$630
PFG1665	14'-16'	6'6"	6'	15" each	140	\$588
PFG1670	14'-16'	7'	6'6"	15" each	164	\$612
PFG1675	14'-16'	7'6"	7'	15" each	166	\$648
PFG1680	14'-16'	8'	7'6"	15" each	180	\$696
PFG1685	14'-16'	8'5"	8'	15" each	196	\$756
PFG1865	16'-18'	6'6"	6'	15" each	160	\$696
PFG1870	16'-18'	7'	6'6"	15" each	170	\$732
PFG1875	16'-18'	7'6"	7'	15" each	180	\$792
PFG1880	16'-18'	8'	7'6"	15" each	186	\$828
PFG1885	16'-18'	8'5"	8'	15" each	190	\$876
PFG2065	18'-20'	6'6"	6'	15" each	178	\$792
PFG2070	18'-20'	7'	6'6"	15" each	180	\$828
PFG2075	18'-20'	7'6"	7'	15" each	185	\$900
PFG2080	18'-20'	8'	7'6"	15" each	192	\$948
PFG2085	18'-20'	8'5"	8'	15" each	197	\$1,020

HAS OUTRIGGER WITH AXLES

PFG2270	20'-22'	7'	6'6"	22" each	210	\$1,320
PFG2280	20'-22'	8'	7'6"	22" each	220	\$1,440

HAS OUTRIGGER WITH AXLES

PFG2470	22'-24'	7'	6'6"	22" each	230	\$1,500
PFG2480	22'-24'	8'	7'6"	22" each	240	\$1,560

STOCK NO.	WIDTH	COLLAPSED HEIGHT	IN-USE HEIGHT	STACK WIDTH	WEIGHT (LBS.)	PRICE
SSG465	3'-4'	6'6"	6'	11"	58	\$228
SSG470	3'-4'	7'	6'6"	11"	61	\$252
SSG475	3'-4'	7'6"	7'	11"	64	\$276
SSG480	3'-4'	8'	7'6"	11"	67	\$300
SSG485	3'-4'	8'5"	8'	11"	70	\$312
SSG565	4'-5'	6'6"	6'	11"	61	\$240
SSG570	4'-5'	7'	6'6"	11"	62	\$264
SSG575	4'-5'	7'6"	7'	11"	65	\$288
SSG580	4'-5'	8'	7'6"	11"	67	\$312
SSG585	4'-5'	8'5"	8'	11"	69	\$324
SSG665	5'-6'	6'6"	6'	11"	64	\$264
SSG670	5'-6'	7'	6'6"	11"	66	\$288
SSG675	5'-6'	7'6"	7'	11"	68	\$312
SSG680	5'-6'	8'	7'6"	11"	70	\$336
SSG685	5'-6'	8'5"	8'	11"	72	\$348

HAS CENTER WEB DROP PIN

SSG765	6'-7'	6'6"	6'	11"	69	\$288
SSG770	6'-7'	7'	6'6"	11"	71	\$312
SSG775	6'-7'	7'6"	7'	11"	73	\$336
SSG780	6'-7'	8'	7'6"	11"	75	\$360
SSG785	6'-7'	8'5"	8'	11"	77	\$372
SSG865	7'-8'	6'6"	6'	11"	74	\$324
SSG870	7'-8'	7'	6'6"	11"	77	\$348
SSG875	7'-8'	7'6"	7'	11"	80	\$372
SSG880	7'-8'	8'	7'6"	11"	83	\$396
SSG885	7'-8'	8'5"	8'	11"	87	\$420
SSG965	8'-9'	6'6"	6'	15"	80	\$396
SSG970	8'-9'	7'	6'6"	15"	85	\$420
SSG975	8'-9'	7'6"	7'	15"	87	\$444
SSG980	8'-9'	8'	7'6"	15"	89	\$468
SSG985	8'-9'	8'5"	8'	15"	94	\$492
SSG1065	9'-10'	6'6"	6'	15"	88	\$408
SSG1070	9'-10'	7'	6'6"	15"	91	\$432
SSG1075	9'-10'	7'6"	7'	15"	92	\$456
SSG1080	9'-10'	8'	7'6"	15"	94	\$480
SSG1085	9'-10'	8'5"	8'	15"	97	\$504
SSG1170	10'-11'	7'	6'6"	15"	100	\$504
SSG1180	10'-11'	8'	7'6"	15"	110	\$564

HAS OUTRIGGER WITH AXLES

SSG1270	11'-12'	7'	6'6"	22"	120	\$528
SSG1280	11'-12'	8'	7'6"	22"	130	\$576

ECO™ FOLDING GATES



ECO™ Pair Folding Gate Specifications: Recycled steel. Galvanized finish. 16 gauge steel u-channel webbing riveted back to back with zinc plated rivets. 12 gauge steel 1-1/2" x 1-1/2" vertical angle frame. Solid steel casters. Locks on the right. Padlock order separate.

STOCK NO.	WIDTH	COLLAPSED HEIGHT	IN-USE HEIGHT	STACK WIDTH	WEIGHT (LBS.)	PRICE
PECO865	6'-8'	6'6"	6'	11" each	69	\$349
PECO1065	8'-10'	6'6"	6'	11" each	77	\$370
PECO1075	8'-10'	7'6"	7'	11" each	100	\$412
PECO1265	10'-12'	6'6"	6'	11" each	85	\$396
PECO1475	12'-14'	7'6"	7'	11" each	122	\$502
PECO1665	14'-16'	6'6"	6'	11" each	105	\$518

STOREFRONT SECURITY GATES



HYBRID Storefront Security Gate Each gate is designed with a continuous frame on all sides with vertical bars and scissor style webbing for superior support and maximum security. Mounting options include permanent mounted track or fold-away top and bottom tracks. Powder coated colors available. Built custom. Call for pricing. Powder coated black finish shown.



LAZY TONG Storefront Security Gate Available in single or bi-parting design. Mounting option is a permanent mounted top track. Built custom. Call for pricing.

DOOR GATE



Heavy-Duty Door Gate Specifications: Galvanized finish. Heavy-duty 14 gauge steel 3/4" x 3/8" u-channel webbing riveted back to back with zinc plated rivets. Heavy-duty 12 gauge steel 1-1/2" x 1-1/2" vertical angle frame. Mount on left or right side, in the casing or on the facing. Locks to wall with locking bar and padlock hasp, padlock order separate.

STOCK NO.	MAXIMUM HEIGHT	MAXIMUM WIDTH	WEIGHT (LBS.)	PRICE
D31	31"	48"	16	\$126
D33	33"	48"	18	\$129
D37	37"	48"	20	\$133
D40	40"	48"	22	\$136
D43	43"	48"	23	\$140
D46	46"	48"	24	\$144
D49	49"	48"	25	\$147
D51	51"	48"	26	\$151
D59	59"	48"	28	\$154
D61	61"	48"	32	\$158
D63	63"	48"	34	\$162
D66	66"	48"	35	\$165
D71	71"	48"	45	\$169
D73	73"	48"	46	\$172
D76	76"	48"	47	\$176
D79	79"	48"	49	\$180
D81	81"	48"	50	\$183
D83	83"	48"	52	\$187

PORTABLE GATES



Heavy-Duty Portable Gate Specifications: Galvanized finish. Heavy-duty 14 gauge steel 3/8" x 3/4" u-channel webbing riveted back to back with zinc plated rivets. Heavy-duty 12 gauge steel 1-1/2" x 1-1/2" angle frame. 28" wide axle with 3" locking rubber casters. Wallmount locking bar and optional floor mount anchors included. Padlock order separate.

STOCK NO.	MAX. WIDTH	COLLAPSED HEIGHT	IN-USE HEIGHT	WEIGHT (LBS.)	PRICE
Starter XL1265	up to 12'	6'6"	6'	135	\$852
Add-on XL665	adds 6'	6'6"	6'	64	\$492

Aluminum Portable Gate

STOCK NO.	MAX. WIDTH	COLLAPSED HEIGHT	IN-USE HEIGHT	WEIGHT (LBS.)	PRICE
Starter XL1265AL	up to 12'	6'6"	6'	75	\$3,408
Add-on XL665AL	adds 6'	6'6"	6'	32	\$1,968



The ONLY Folding Gates Made with Galvanized Steel.

Illinois Engineered Products' folding gates stand up to weather – they're rust resistant, look better and last longer! Our galvanized coating bonds to steel 10 times stronger than paint. That means they'll be virtually maintenance-free!

BARRIER GATES



Barrier Gate Specifications: Galvanized steel powder coated yellow and black finish. Heavy-duty 14 gauge steel 3/8" x 3/4" u-channel webbing riveted back to back with zinc plated rivets. Heavy-duty 12 gauge steel 1-1/2" x 1-1/2" angle frame. 14" axles with 3" locking rubber casters. Starter with Add-on shown.

STOCK NO.	MAX. WIDTH	COLLAPSED HEIGHT	IN-USE HEIGHT	WEIGHT (LBS.)	PRICE
Starter XL1240	up to 12'	47"	41"	90	\$468
Add-on XL640	adds 6'	47"	41"	40	\$240

Aluminum Barrier Gate

STOCK NO.	MAX. WIDTH	COLLAPSED HEIGHT	IN-USE HEIGHT	WEIGHT (LBS.)	PRICE
Starter XL1240AL	up to 12'	47"	41"	45	\$1,872
Add-on XL640AL	adds 6'	47"	41"	20	\$960

AISLE GATES



Aisle Gate Specifications: Galvanized steel powder coated yellow finish. Heavy-duty 14 gauge steel 3/8" x 3/4" u-channel webbing riveted back to back with zinc plated rivets. Heavy-duty 12 gauge steel 1-1/2" x 1-1/2" angle iron frame. Welded on handle. Can be hooked together to form corners or any length. Two connected Aisle Gates shown.

STOCK NO.	MAX. WIDTH	COLLAPSED HEIGHT	IN-USE HEIGHT	WEIGHT (LBS.)	PRICE
Aisle Gate	7'	40"	40"	12	\$204

Aluminum Aisle Gate

STOCK NO.	MAX. WIDTH	COLLAPSED HEIGHT	IN-USE HEIGHT	WEIGHT (LBS.)	PRICE
Aisle Gate-AL	7'	40"	40"	6	\$816

GAS CYLINDER CABINET



Saf-T-Gas™ Specifications: Steel powder coated safety yellow finish: 14 gauge 3/4" diamond expanded metal, 14 gauge 1-1/2" x 1-1/2" vertical angle frame and 14 gauge steel top. Meets OSHA and NFPA58 requirements. Safety signage included. Padlock hasp. Padlock order separate. Ships fully assembled.

STOCK NO.	DEPTH	WIDTH	HEIGHT	CYLINDER CAPACITY	WEIGHT (LBS.)	PRICE
SAF-T-GAS-8	33-1/2"	30"	65"	8 horizontal	175	\$882
SAF-T-GAS-16	33-1/2"	60"	65"	16 horizontal	325	\$1477
SAF-T-GAS-9	33-1/2"	30"	65"	9 vertical	125	\$632
SAF-T-GAS-18	33-1/2"	60"	65"	18 vertical	245	\$1160
SAF-T-GAS-CB	33-1/2"	60"	65"	8 hor. & 9 ver.	285	\$1401

STORAGE LOCKER



VUE™ Locker Specifications: Steel powder coated grey finish: 14 gauge 3/4" diamond expanded metal, 14 gauge 1-1/2" x 1-1/2" vertical angle frame and 14 gauge steel top and back. 5 shelves. Padlock hasp. Padlock order separate. Ships fully assembled.

STOCK NO.	DEPTH	WIDTH	HEIGHT	WEIGHT (LBS.)	PRICE
VUE-LOCKER	19-1/2"	18"	6'	162	\$595

Accessories

Cylinder Lock

Pre-installed at the factory. \$400.



Padlock

2" hardened steel with plated shackle. \$40.



6" Bracket for Single and Pair Gates

Extends gate 6" from wall or casing for clearing overhead door tracks and bollards. \$25 single gate. \$49 pair gate.



9" Bracket for Single and Pair Gates

Extends gate 9" from wall or casing for clearing overhead door tracks and bollards. \$25 single gate. \$49 pair gate.



H Bracket for Pair Gates

Mounts overhead in center of gate. Provides additional security and rigidity. \$54 single gate. \$72 pair gate.



Gate Handle

For easier opening and closing. \$33 single gate. \$67 pair gate.



School Strap

Allows Pair Gates to be locked in retracted position. \$120.



Rubber Casters

Non-marking 2" rubber casters protect linoleum, floor tile and carpet from scratches. \$18 single gate. \$36 pair gate.



8" High Post with 6" Base Plate

Mount single or pair gates to posts instead of wall or casing. Sold separate. \$120 each.



Please order from
 Dick Jones Sales Inc.
 Phone: 800-441-9955
 Fax: 800-253-4036
 E-mail: dickjones@dickjonesales.com
 Contact us for discounts.