

Polyurethane Seating

Brewer's heavy-duty polyurethane seating is crafted specifically for durability and comfort. These stools are resistant to stains and damage from punctures, grease, water, and chemicals. Perfect for continuous use in the toughest of workplace environments.

Task Series

- Self-skinned, solid molded polyurethane resists stain and damage; available in black polyurethane only
- Large contoured waterfall seat: 18" wide x 17" deep x 1.5" thick
- Adjustable contoured backrest: 17" wide x 12" deep x 1" thick
- 20" adjustable footring standard on higher stool models; (- 2 & - 3)
- Pneumatic seat height adjustment; Tilting seat model available (PT model)
- Optional ergonomic armrests (-EAA) on seat tilt models; cannot be purchased separately; must be ordered with initial chair purchase
- Black ABS plastic five star base
- Glides standard; Casters available (add -C to end of part number)
- Meets flame retardant standards of FMVSS 302



PT-1-C



PS-1



PT-2-EAA

	Wt. (lb.)	Seat Height	Base Dia.	Seat Tilt
PS-1	28	16.5"-21.5"	25"	No
PS-2	33	19.5"-27"	27"	No
PS-3	34	22.5"-32.5"	27"	No
PT-1	32	17"-22.5"	25"	Yes
PT-2	37	20.5"-28"	27"	Yes
PT-3	38	23.5"-33.5"	27"	Yes

Optional Accessories:

- **Dual wheel casters (- C); set of 5**
If ordered for an existing stool: (CS/5)
- **Adjustable Armrests (- EAA)**
Available on tilt models only; Must be ordered at time of initial stool purchase

Sit Stand Series

- Designed to promote a balanced posture and provides support to the areas that experience the most discomfort as a result of excessive standing
- Comfortable and durable 13" soft black polyurethane seat
- Contoured tilting seat improves leg circulation
- Pneumatic seat height adjustment, three heights available
- 27" diameter, stable five star base, available in black ABS or polished cast aluminum
- Heavy-duty stationary glides
- Meets flame retardant standards FMVSS 302



PSIT-3



PSITM-2

	Wt. (lb.)	Seat Height	Base Dia.
PSIT-1	22	15"-20"	27"
PSIT-2	22	18.5"-26"	27"
PSIT-3	23	21.5"-31.5"	27"
PSITM-1	24	13.5"-18.5"	27"
PSITM-2	24	17"-24.5"	27"
PSITM-3	25	20"-30"	27"

Round Series

- Comfortable and durable 14" diameter polyurethane seat
- Self-skinned, solid molded polyurethane resists stain and damage
- Black standard; other colors an extra charge, while supplies last
- Pneumatic seat height adjustment, three heights available
- Available with black ABS or polished cast aluminum five star base
- Glides standard; Casters available (add -C to end of part number)
- Meets flame retardant standards of FMVSS 302

Mechanic Stool

- 23" diameter, stable five star reinforced black plastic base (PM models)
- Tray is divided into 5 compartments including 3 small graduated sections and a built-in magnetic strip
- Standard 3" casters; two are locking



PM-1



PR-1



PRM-2



PR-3-C

	Wt. (lb.)	Seat Height	Base Dia.
PR-1	18	16.5"-21.5"	25"
PR-2	23	19.5"-27"	27"
PR-3	28	22.5"-32.5"	27"
PRM-1	17	15"-20"	25"
PRM-2	27	18"-25.5"	25"
PRM-3	27	22"-32"	25"
PM-1	22	16.5"-21.5"	23"
PM-2	23	19.5"-27"	23"
PM-3	23	22.5"-32.5"	23"

Optional Accessories:

- **Dual wheel casters (- C); set of 5**
If ordered for an existing stool with a plastic base: (CS/5)
If ordered for an existing stool with a metal base: (CM/5)

Polyurethane Colors

Standard Poly Color:



Black

Optional Poly Colors: (Round Stools Only)



Burgundy Blue Grey Yellow

(Limited quantities; while supplies last)

Cloth & Vinyl Seating

Brewer's sturdy cloth seating and NaugaSoft™ vinyl seating are specifically designed for outstanding comfort and durability environment. Crafted with extraordinary care, these chairs offer total support with ergonomic features that improve productivity and reduce worker fatigue.

Task Series

- Available in cloth or vinyl material
- Contoured waterfall seat: 19" wide x 17.5" deep x 3.75" thick
- Fully adjustable, contoured backrest: 16" wide x 10" deep x 2" thick
- Optional larger back(-LEB), tilt models only: 15" wide x 13" deep x 3" thick
- 20" adjustable footring standard on higher stool models; (- 2 & - 3)
- Easy-to-use pneumatic seat height adjustment
- Tilting seat models available (CT & VT models)
- Glides standard; Casters available (add -C to end of part #)
- Optional ergonomic armrests (-EAA) on seat tilt models; cannot be purchased separately; must be ordered with initial chair purchase



	Material	Wt. (lb.)	Seat Height	Base Dia.	Seat Tilt
CS-1	Cloth	24	16.5"-21.5"	25"	No
CS-2	Cloth	29	19.5"-27"	27"	No
CS-3	Cloth	30	22.5"-32.5"	27"	No
VS-1	Vinyl	24	16.5"-21.5"	25"	No
VS-2	Vinyl	29	19.5"-27"	27"	No
VS-3	Vinyl	30	22.5"-32.5"	27"	No
CT-1	Cloth	28	17"-22.5"	25"	Yes
CT-2	Cloth	33	20.5"-28"	27"	Yes
CT-3	Cloth	34	23.5"-33.5"	27"	Yes
VT-1	Vinyl	28	17"-22.5"	25"	Yes
VT-2	Vinyl	33	20.5"-28"	27"	Yes
VT-3	Vinyl	34	23.5"-33.5"	27"	Yes

Optional Accessories:

- **Dual wheel casters (- C); set of 5**
If ordered for an existing stool: (CS/5)
- **Large Ergo Backrest (- LEB)**
Available on tilt models only
- **Adjustable Armrests (- EAA)**
Available on tilt models only
Must be ordered at time of stool purchase

Round Series

- Available in vinyl material only
- Durable poly-foam seat: 16" diameter x 4" thick
- Optional contoured backrest: 16" wide x 10" deep
- 18" adjustable footring on higher models; (- 2 & - 3)
- Pneumatic seat height adjustment
- Glides standard; Casters available
- Available with black ABS five star base or polished cast aluminum five star base

	Wt. (lb.)	Seat Height	Base Dia.
VR-1	18	16.5"-21.5"	25"
VR-2	23	19.5"-27"	27"
VR-3	28	22.5"-32.5"	27"
VRB-1	23	16.5"-21.5"	25"
VRB-2	28	19.5"-27"	27"
VRB-3	32	22.5"-32.5"	27"
VRM-1	17	17"-22.5"	25"
VRM-2	22	18"-25.5"	25"
VRM-3	27	24"-34.5"	25"
VRBM-1	22	17"-22.5"	25"
VRBM-2	27	18"-25.5"	25"
VRBM-3	31	24"-34.5"	25"



VRBM-3-C



VR-1-C

Optional Accessories:

- **Dual wheel casters (- C); set of 5**

If ordered for an existing stool with a plastic base: (CS/5)
If ordered for an existing stool with a metal base: (CM/5)

Additional Colors



Ordering Tips

CT-3-EAA-LEB-C

Material Type
Tilt/Standard
Seat Height
Ergonomic Armrests
Larger Ergo Backrest
Casters

Brewer Industrial Seating stools are highly customizable! Please follow the above format when placing an order. If you have any questions, please contact
Dick Jones Sales 1-800-441-9955

WHY Brewer?

With over 60 years of manufacturing experience, The Brewer Company has become one of the most trusted names in commercial seating. Industrial settings require seating that is comfortable, durable, and safe, all at an unbeatable price. Drawing on our extensive ergonomic research with Marquette University's Departments of Engineering, we have developed a complete line of industrial-strength seating that meets your needs for performance, safety, comfort, and durability. Brewer manufactures all of their seating in the United States. Industrial stools hold a 12 year product warranty and a lifetime warranty on cylinders. Rest assured; you're working with the best of the best!

The Brewer Company is also a leading provider for safe solutions in other markets:



Clinical Support Solutions • Advanced Ergonomic Seating • Custom OEM Products

Industrial
Seating

**Quality, Safety,
Comfortable, Durable,
Ergonomic**

Made in the
U.S.A.

ORDER FROM
DICK JONES SALES, INC.
PO Box 141 Hanover, PA 17331
P 800-441-9955
F 800-253-4036
dickjones@dickjonessales.com

Brewer 135DSS

Dynamic Saddle Stool

Benefits of a Saddle Stool

- **Better posture** as the vertebrae discs align naturally, resulting in immediate improved posture with less spinal muscle degeneration.
- **Tension relief** in the shoulder and neck area due to the improved positioning of the thoracic and cervical spine.
- **Deeper breathing** occurs due to the stretching of the torso allowing for better circulation, resulting in less fatigue.
- **Improved mobility and reach** is easily achieved as the legs are free to "scoot" around the operator, while remaining seated.

Why the Brewer 135DSS?


Circular movement and tilt:

- Unique 360° tilt makes movement easier and more natural.
- Allows core muscles to become active in supporting the spine.
- Strengthens spine stability muscles, pelvic and leg muscles.
- Less pressure on the edges of the upper legs when moving side to side.
- Easily adjusted to preference and comfort level.

Split Seat design:

- Improves lower body circulation with "no edge" design, and keeps the legs in the most open position for improved blood flow.
- Offers superior cooling comfort, resulting in improved reproductive health in both men and women.
- Balances the pelvis in an upright position, distributing the weight over the "sit bones" and not the soft tissues.
- Better hip abduction brings improved posture over narrower saddle seats.

Pressure mapping images clearly show the significant pressure relief provided by the patented Salli® Split-Saddle-Seat technology found in the Brewer 135DSS. (Top image is an ordinary saddle seat pressure map. Bottom image is the Dynamic Split Saddle Seat.)



	adjustable height range	shipping weight	seamless upholstery	recommended user height
135DSS	22.5" - 29.75"	28.4	Yes	5'3" - 5'11"
135DSS-L	18.75" - 23.75"	27.8	Yes	Under 5'3"
135DSS-H	24" - 33.75"	29	Yes	Over 5'11"

All 135DSS Saddle Stools feature:

- Unique split-saddle seat design
- 23" dia. cast aluminum base w/ large casters
- 250lb weight capacity
- Standard 5-year warranty
- Numerous colors available, incl. UltraLeather™

Brewer

Manufactured with  SALLI Technology Inside.

The Power To Advance. Safely. Financially. Competitively.

Brewer PS135

Polyurethane Saddle Stool


Benefits and Features of the Brewer PS135

- Promotes better posture, relieving tension in the shoulders and neck
- Unique channel seat design provides superior cooling comfort, resulting in improved genital health in both men and women
- Balances the pelvis in an upright position distributing the weight over the "sit bones" and not the soft tissues
- Comfortable and durable soft black polyurethane seat
- Pneumatic height adjustment, three models available to accommodate differing user heights
- 21.5" diameter stable five-star black ABS plastic base
- Large dual-wheel casters, standard, for easy rolling
- Standard 5-year product warranty
- 250lb weight capacity
- Built in the USA, with US and imported parts, in accordance with US BIFMA quality standards



PS135

	adjustable height range	shipping weight (lbs)	recommended user height
PS135-1	18.5" - 23.5"	19	Under 5'3"
PS135-2	21.75" - 29"	19.8	5'3" - 5'11"
PS135-3	25" - 34"	20.6	Over 5'11"



Brewer

Manufactured with  SALLI Technology Inside.

The Power To Advance. Safely. Financially. Competitively.