


Order From
 Dick Jones Sales, Inc.
 258 Baltimore St. PO Box 141
 Hanover, PA 17331
 Phone 800-441-9955
 Fax 800-253-4036
 dickjones@dickjonessales.com

INDUSTRIAL STORAGE SOLUTIONS

SUPPLEMENT 112



PALLET RACKING



CANTILEVER RACKING



STORAGE RACKS



STORAGE CABINETS



STORAGE CASES



PORTABLE TOOL BOXES

Pallet Racking.....	K2
Pallet Rack Guards.....	K3
Cantilever Racking	K5-K10
Roll-Out Shelving.....	K11
Storage Racks	K11
Bar Racks	K11-K12
Sheet Racks	K12-K13
Stackable Racks.....	K13-K14
Wire Reel Caddies.....	K15
Storage & Security Cabinets	K16-K18
Steel & Plastic Shelving.....	K18-K20
Storage Cases.....	K20-K22
Storage Containers.....	K22
Portable Tool Boxes.....	K23



series PRTD




series BEAM-S
BOLT-ON DESIGN




WE ALSO OFFER
THE "SNAP-IN"
BEAM STYLE
FROM SEVERAL
OF OUR SUPPLIERS.



model PSB-42



model SSB-42



model WMD-4252



model SWMD-4252



Pallet Racking

- Scratch and rust resistance
- Structural uniformity and integrity

Pallet racking solves the storage and retrieval needs faced by most industries today. Adaptability to specific layout installations is just one added feature. Powder coat finish.

FRAME				
MODEL NUMBER	FRAME HEIGHT	FRAME DEPTH	UNIFORM CAPACITY	NET WT. (POUND)
PRTD-10-42-19	120"	42"	19,380 lb.	93
PRTD-10-42-24	120"	42"	24,000 lb.	117
PRTD-12-42-19	144"	42"	19,380 lb.	106
PRTD-12-42-24	144"	42"	24,000 lb.	127
PRTD-14-42-19	168"	42"	19,380 lb.	116
PRTD-14-42-24	168"	42"	24,000 lb.	144
PRTD-16-42-19	192"	42"	19,380 lb.	123
PRTD-16-42-24	192"	42"	24,000 lb.	157
PRTD-18-42-24	216"	42"	24,000 lb.	160
STEP BEAM				
MODEL NUMBER	BEAM HEIGHT	BEAM LENGTH	UNIFORM CAPACITY / PAIR	NET WT. (POUND)
BEAM-S-850	6"	96"	5,000 lb.	73
BEAM-S-870	6"	96"	7,000 lb.	77
BEAM-S-960	6"	108"	6,000 lb.	81
BEAM-S-970	6"	108"	7,000 lb.	91
BEAM-S-1050	6"	120"	5,000 lb.	85
BEAM-S-1070	6"	120"	7,000 lb.	104
BEAM-S-1250	6"	144"	5,000 lb.	145
BEAM-S-1270	6"	144"	7,000 lb.	165
FRAME SPACER - SEPARATES BACK TO BACK FRAMES (HDWR. INCLUDED)				
MODEL NUMBER	FRAME SPACER			NET WT. (POUND)
FSR-6	6"			2
FSR-12	12"			2

Pallet Support Bars

Cross bars provide economical support for pallets between rack step beams. The model SSB-42 is 1½" high. It is designed to sit flush with the top of the rack step beam. The model PSB-42 is 1" high and is designed to be used with ½" plywood or particle board so the board will be flush with the top of the beam. The boxed steel bars fit our standard 42" rack. 14 gauge material. Uniform capacity is 1,000 pounds.

MODEL NUMBER	WIDTH	LENGTH	HEIGHT	NET WT. (POUND)
PSB-42	3"	38½"	1"	6
SSB-42	3"	38½"	1½"	9

Pallet Rack Wire Decking

Provide maximum support at minimum cost. The three 13 gauge "U" channels keep pallet and products from falling through rack beams. Fits 1½" step beam. Welded wire construction with under-supports. Powder coat finish. Requires two sections for use in bay. Uniform load capacity is 2,500 pounds.

MODEL NUMBER	DECKING DEPTH	DECKING LENGTH	(2) PIECES REQUIRED FOR BEAM WIDTH	NET WT. (POUND)
WMD-4246	42"	46"	96"	24
WMD-4252	42"	52"	108"	25
WMD-4258	42"	58"	120"	26

Crown Pallet Rack Decking


Add convenience, visibility, and efficiency to your rack. By sloping the decking, you help the user do their job. 6 gauge wire mesh. Powder coat finish. Uniform load capacity is 650 pounds. Slope is 4½" over 21". Designed for our 42" deep x 1½" step type pallet rack beam.

MODEL NUMBER	DECKING DEPTH	DECKING LENGTH	(2) PIECES REQUIRED FOR BEAM WIDTH	NET WT. (POUND)
SWMD-4246	42"	46"	96"	67
SWMD-4252	42"	52"	108"	74
SWMD-4258	42"	58"	120"	82

Open Area Rack Decking

Ideal for storing furniture, carpet, record files, or products that require a uniform support. Fire protection friendly with 50% open design. Designed for pallet rack beam with 42" deep racking. 16 square foot. The bright galvanized finish makes the 22 gauge steel rack appear more industrial. Fits 1½" beam offset. Custom sizes available


MODEL NUMBER	BEAM LENGTH	FRAME DEPTH	SPAN	UNIFORM CAPACITY	NET WT. (POUND)
PCH-96	96"	42"	38½"	3,780 lb.	62
PCH-108	108"	42"	38½"	3,780 lb.	72
PCH-120	120"	42"	38½"	3,780 lb.	82



Gravity Flow Inserts

Convert your pallet rack into flow rack simply by inserting our Gravity Flow Inserts between pallet rack beams. Inserts measure 38½" long for use in 42" deep pallet rack frames. Aluminum roller diameter is ¾" on 2" centers. Side frames are constructed of galvanized steel with aluminum end hangers. Uniform capacity is 50 pounds per foot.


MODEL NUMBER	WIDTH	LENGTH	UNIFORM CAPACITY PER FOOT	NET WT. (POUND)
RFLOW-9-42	9"	38½"	50 lb.	13
RFLOW-12-42	12"	38½"	50 lb.	15



Pallet Rack Gravity Flow Shelves

Pallet Rack Gravity Flow Shelves allow users to easily convert pallet racking into gravity flow racking. Each model includes all components for one shelf level: frame, roller tracks, and box dividers. Roller track and box divider spacing is adjustable. Uniform capacity is 25 pounds per square foot. Steel construction with painted finish. Ships knocked down and includes mounting hardware for attachment to frames.

MODEL NUMBER	OVERALL SIZE (W x D)	UNIFORM CAPACITY	NET WT. (POUND)
GFL-9648	96" x 48"	25 lb. per sq. ft.	181
GFL-9696	96" x 96"	25 lb. per sq. ft.	252



model GFL-9648

Pallet Rack Back Guards

Minimize the potential hazard of product falling out of the back of pallet rack. Attach this steel protective shield with the included steel brackets. Spacer brackets allow guard to be positioned 4 or 6 inches away from rack. Wire mesh is attached to 1¼" x 1½" x ⅝" angle frame.

MODEL NUMBER	LENGTH	HEIGHT	NET WT. (POUND)
PRSN-96-4	96"	48½"	44
PRSN-108-4	108"	48½"	49
PRSN-120-4	120"	48½"	53



Includes (4) multi-position spacer brackets with bolts



model GFL-9696

Back Guards for Pallet Rack

Contain and minimize the potential hazard of falling items with Pallet Rack Back Guards. Modular sized panels mount directly to pallet rack system, which installs quickly and provides safety. System is made of 2" x 2" x 10 gauge steel welded wire mesh, welded into a 1¼" x 1¼" x 13 gauge steel angle frame. Panels have mounting holes on 6" centers. Options of flush mount or offset brackets allow for material or pallets that overhang the beams.

MODEL NUMBER	LENGTH	HEIGHT	DESCRIPTION	NET WT. (POUND)
RBG-84	96"	48"	RACK BACK GUARD	38
RBG-85	96"	60"	RACK BACK GUARD	44
RBG-94	108"	48"	RACK BACK GUARD	42
RBG-95	108"	60"	RACK BACK GUARD	50
RBG-104	120"	48"	RACK BACK GUARD	45
RBG-105	120"	60"	RACK BACK GUARD	54
RBG-124	144"	48"	RACK BACK GUARD	58
RBG-125	144"	60"	RACK BACK GUARD	68
RBG-1FMC	4 PACK FLUSH MOUNT CLIPS (TEARDROP STYLE)			1
RBG-43-OC	1" - 3", 4 PACK OFFSET CLIPS (TEARDROP STYLE)			1
RBG-46-OC	4" - 6", 4 PACK OFFSET CLIPS (TEARDROP STYLE)			1
RDHG-88	96"	96"	DOUBLE HINGED RACK GATE	116
RDHG-810	96"	120"	DOUBLE HINGED RACK GATE	138




model RBG-95



model RBG-43-OC




model RBG-46-OC



model PRN-111-8



model PRRJ-10-D



model PRRJ-DOL



model PRS-51-D



model PRTD-TB-BK



model RPI-1-5

Nylon Pallet Rack Netting

Minimize the potential of racked products falling off the back of pallet racks. The nylon mesh is edged with polypropylene rope. Black nylon zip ties are included for attaching netting to pallet racking. This netting is designed for flush mounting on pallet racking. 96" high models consist of two 48" high units and zip ties to connect them together.

MODEL NUMBER	LENGTH	HEIGHT	NET WT. (POUND)
PRN-99-4	99"	48"	5
PRN-99-8	99"	96"	8
PRN-111-4	111"	48"	5
PRN-111-8	111"	96"	8
PRN-123-4	123"	48"	5
PRN-123-8	123"	96"	8

Pallet Rack Lifting Dolly

Designed for moving empty fully-assembled pallet racking. Lifting dolly jack includes hydraulic pump to raise pallet rack frame. Frame must have low cross-bar for proper usage. Safety strap is used to secure lifting dolly to pallet rack frames. Steel construction with painted finish. Optional dollies are used to hold frame feet.

MODEL NUMBER	DESCRIPTION	UNIFORM CAPACITY	NET WT. (POUND)
PRRJ-10-D	LIFTING DOLLY JACK	750 lb.	120
PRRJ-DOL	PAIR OF DOLLIES	500 lb. each	55

Pallet Rack Sump

Polyethylene Pallet Rack Sump keeps dangerous and costly spills off floors, equipment, and inventory. Allows direct forklift access to wooden pallet - sump unit stays positioned in the rack when removing pallet and drums. Low profile design fits into warehouse racking with minimal obstruction to adjacent storage areas. Unit holds up to (4) 55-gallon drums on a standard shipping pallet. Inside dimensions for a pallet are 49" x 49".

Model PRS-51-D comes with drain/ball valve assembly for draining liquids.

MODEL NUMBER	DESCRIPTION	OVERALL SIZE (W x L x H)	UNIFORM CONTAINMENT CAPACITY	NET WT. (POUND)
PRS-51-D	WITH DRAIN	51½" x 51½" x 12"	66 GAL.	50
PRS-51-ND	NO DRAIN	51½" x 51½" x 12"	66 GAL.	50

Pallet Rack Trash Bag

Control warehouse waste without using valuable floor space! Manufactured from rugged, black, waterproof polyester material, the unit has three handles to help with emptying. "S" hooks are included for hanging the bag on pallet rack end frames. Other colors and printed messages available

MODEL NUMBER	BAG SIZE AT TOP (W x H)	BAG SIZE AT BOTTOM (W x H)	NET WT. (POUND)
PRTD-TB-BK	37" x 40"	25" x 40"	2
PRTD-TB-BK-5PK	37" x 40"	25" x 40"	9

Racking Place Card Labels

Keep your pallet and flow racks organized, easy-to-identify, and cleaned up without the time and cost involved with painting. Product is designed for easy removal and replacement of labels or barcodes on pallet racks, flow racks, and shelving. The Rack Place Card Label adheres permanently to metal surfaces in a wide range of temperatures and accepts most standard label adhesives. The Industrial labels have a better service and application temperature, as well as better adhesive formulation than the economy labels.

INDUSTRIAL LABELS			
MODEL NUMBER	ROLL SIZE	NO. ROLLS PER PACKAGE	NET WT. (POUND)
RPI-1-5	1" x 100'	5	3
RPI-1-25	1" x 100'	25	11
RPI-1-50	1" x 100'	50	22
RPI-1-100	1" x 100'	100	44
RPI-2-5	2" x 100'	5	4
RPI-2-25	2" x 100'	25	19
RPI-2-50	2" x 100'	50	38
RPI-2-100	2" x 100'	100	76

ECONOMY LABELS			
MODEL NUMBER	ROLL SIZE	NO. ROLLS PER PACKAGE	NET WT. (POUND)
RPE-1-5	1" x 100'	5	3
RPE-1-25	1" x 100'	25	11
RPE-1-50	1" x 100'	50	22
RPE-1-100	1" x 100'	100	44
RPE-2-5	2" x 100'	5	4
RPE-2-25	2" x 100'	25	19
RPE-2-50	2" x 100'	50	38
RPE-2-100	2" x 100'	100	76

Structural Cantilever Racking

Cantilever Rack Systems offer flexibility to custom-fit individual applications. The unique bolt together construction with welded steel components offers a great combination of strength and durability. Individual components are sold separately to accommodate your requirements. Arms attach to upright with "C" clamps that are infinitely adjustable. *Capacity listed is per upright.

SINGLE-SIDED CANTILEVER UPRIGHTS				
MODEL NUMBER	COLUMN HEIGHT	ARM LENGTHS	*UNIFORM CAPACITY	NET WT. (POUND)
SAC-812	96"	12"	9,000 lb.	220
SAC-824	96"	24"	6,000 lb.	229
SAC-836	96"	36"	4,600 lb.	243
SAC-848	96"	48"	3,800 lb.	267
SAC-1012	120"	12"	13,250 lb.	285
SAC-1024	120"	24"	8,300 lb.	294
SAC-1036	120"	36"	6,125 lb.	317
SAC-1048	120"	48"	4,750 lb.	329
SAC-1212	144"	12"	13,300 lb.	325
SAC-1224	144"	24"	8,250 lb.	335
SAC-1236	144"	36"	6,125 lb.	358
SAC-1248	144"	48"	4,750 lb.	369

DOUBLE-SIDED CANTILEVER UPRIGHTS				
MODEL NUMBER	COLUMN HEIGHT	ARM LENGTHS	*UNIFORM CAPACITY	NET WT. (POUND)
DAC-812	96"	12"	18,000 lb.	242
DAC-824	96"	24"	12,000 lb.	271
DAC-836	96"	36"	9,200 lb.	290
DAC-848	96"	48"	7,600 lb.	336
DAC-1012	120"	12"	26,500 lb.	316
DAC-1024	120"	24"	16,600 lb.	350
DAC-1036	120"	36"	12,250 lb.	365
DAC-1048	120"	48"	9,500 lb.	411
DAC-1212	144"	12"	26,600 lb.	357
DAC-1224	144"	24"	16,500 lb.	386
DAC-1236	144"	36"	12,250 lb.	405
DAC-1248	144"	48"	9,500 lb.	451


MODEL NUMBER	ARM LENGTH	UNIFORM CAPACITY/ARM	NET WT. (POUND)
STRAIGHT ARMS WITH LIP			
SSAL-12	12"	3,000 lb.	11
SSAL-24	24"	2,000 lb.	15
SSAL-36	36"	1,200 lb.	20
SSAL-48	48"	1,000 lb.	24
STRAIGHT ARMS WITH NO LIP			
SSAL-12-NL	12"	3,000 lb.	11
SSAL-24-NL	24"	2,000 lb.	15
SSAL-36-NL	36"	1,200 lb.	20
SSAL-48-NL	48"	1,000 lb.	24

HORIZONTAL BRACE SETS				
MODEL NUMBER	COLUMN HEIGHT	COLUMN SPACING	BRACES PER SET	NET WT. (POUND/PAIR)
HBS-83	96"	36"	3	21
HBS-84	96"	48"	3	30
HBS-85	96"	60"	3	36
HBS-86	96"	72"	3	41
HBS-10123	120" & 144"	36"	5	84
HBS-10124	120" & 144"	48"	5	92
HBS-10125	120" & 144"	60"	5	102
HBS-10126	120" & 144"	72"	5	111


USED TO CONNECT TWO UPRIGHTS TOGETHER




SINGLE-SIDED CANTILEVER UPRIGHTS series SAC




STRAIGHT ARMS WITH 2" LIPS series SSAL



HORIZONTAL BRACE SETS series HBS





New

model
MU-C-6-24-SET
(shown assembled)



POWDER
COATED
TOUGH

model
HDU-C-8-36-G-SET
(shown assembled)

New

Cantilever Rack Kits

The Cantilever Racks are ideal for eliminating storage problems. The steel constructed design allows for quick and efficient handling by forklift or by hand. The rack includes pre-drilled holes, adjustable arms for access to variable heights, and front lipped arms to prevent items from falling. Available in both single sided and double sided units with the option of standard, medium, or heavy duty construction. **Capacity is per level.*

MODEL NUMBER	PACKAGE CONTENTS	*UNIFORM CAPACITY	NET WT. (POUND)
STANDARD-DUTY CANTILEVER RACK KITS			
SU-C-6-24-SET	(2) SU-C-6-24 6' High Single-Sided Uprights, (1) SB-C-6-48 Brace Set, (4) SSA-C-24 24" Arms	800 lb.	240
SU-C-8-24-SET	(2) SU-C-8-24 8' High Single-Sided Uprights, (1) SB-C-8-48 Brace Set, (4) SSA-C-24 24" Arms	800 lb.	270
SDU-C-6-24-SET	(2) SDU-C-6-24 6' High Double-Sided Uprights, (1) SB-C-6-48 Brace Set, (8) SSA-C-24 24" Arms	1,600 lb.	268
SDU-C-6-36-SET	(2) SDU-C-6-36 6' High Double-Sided Uprights, (1) SB-C-6-48 Brace Set, (8) SSA-C-36 36" Arms	800 lb.	295
MEDIUM-DUTY CANTILEVER RACK KITS			
MU-C-6-24-SET	(2) MU-C-6-24 6' High Single-Sided Uprights, (1) MB-C-6-48 Brace Set, (4) MSA-C-24 24" Arms	1,200 lb.	482
MU-C-8-24-SET	(2) MU-C-8-24 8' High Single-Sided Uprights, (1) MB-C-8-48 Brace Set, (4) MSA-C-24 24" Arms	1,200 lb.	522
MDU-C-6-24-SET	(2) MDU-C-6-24 6' High Double-Sided Uprights, (1) MB-C-6-48 Brace Set, (8) MSA-C-24 24" Arms	2,400 lb.	618
MDU-C-6-36-SET	(2) MDU-C-6-36 6' High Double-Sided Uprights, (1) MB-C-6-48 Brace Set, (8) MSA-C-36 36" Arms	1,600 lb.	656
HEAVY-DUTY CANTILEVER RACK KITS			
HU-C-8-36-SET	(2) HU-C-8-36 8' High Single-Sided Uprights, (1) HB-C-8-6 Brace Set, (4) HSA-C-36 36" Arms	2,400 lb.	810
HDU-C-8-24-SET	(2) HDU-C-8-24 8' High Double-Sided Uprights, (1) HB-C-8-6 Brace Set, (8) HSA-C-24 24" Arms	8,000 lb.	890
HDU-C-8-36-SET	(2) HDU-C-8-36 8' High Double-Sided Uprights, (1) HB-C-8-6 Brace Set, (8) HSA-C-36 36" Arms	4,800 lb.	1016

Galvanized Cantilever Rack Kits

The Galvanized Cantilever Rack systems are ideal for distributing and industrial settings. The galvanized steel design minimizes rust while providing a strong construction. The adjustable rack arms can be adapted to a customized position allowing the unit to fit the needs of individual circumstances. **Capacity is per level.*

MODEL NUMBER	PACKAGE CONTENTS	*UNIFORM CAPACITY	NET WT. (POUND)
STANDARD-DUTY GALVANIZED CANTILEVER RACK KITS			
SU-C-6-24-G-SET	(2) SU-C-6-24-G 6' High Single-Sided Uprights, (1) SB-C-6-48-G Brace Set, (4) SSA-C-24-G 24" Arms	800 lb.	240
SU-C-8-24-G-SET	(2) SU-C-8-24-G 8' High Single-Sided Uprights, (1) SB-C-8-48-G Brace Set, (4) SSA-C-24-G 24" Arms	800 lb.	270
SDU-C-6-24-G-SET	(2) SDU-C-6-24-G 6' High Double-Sided Uprights, (1) SB-C-6-48-G Brace Set, (8) SSA-C-24-G 24" Arms	1,600 lb.	268
SDU-C-6-36-G-SET	(2) SDU-C-6-36-G 6' High Double-Sided Uprights, (1) SB-C-6-48-G Brace Set, (8) SSA-C-36-G 36" Arms	800 lb.	295
MEDIUM-DUTY GALVANIZED CANTILEVER RACK KITS			
MU-C-6-24-G-SET	(2) MU-C-6-24-G 6' High Single-Sided Uprights, (1) MB-C-6-48-G Brace Set, (4) MSA-C-24-G 24" Arms	1,200 lb.	482
MU-C-8-24-G-SET	(2) MU-C-8-24-G 8' High Single-Sided Uprights, (1) MB-C-8-48-G Brace Set, (4) MSA-C-24-G 24" Arms	1,200 lb.	522
MDU-C-6-24-G-SET	(2) MDU-C-6-24-G 6' High Double-Sided Uprights, (1) MB-C-6-48-G Brace Set, (8) MSA-C-24-G 24" Arms	2,400 lb.	618
MDU-C-6-36-G-SET	(2) MDU-C-6-36-G 6' High Double-Sided Uprights, (1) MB-C-6-48-G Brace Set, (8) MSA-C-36-G 36" Arms	1,600 lb.	656
HEAVY-DUTY GALVANIZED CANTILEVER RACK KITS			
HU-C-8-36-G-SET	(2) HU-C-8-36-G 8' High Single-Sided Uprights, (1) HB-C-8-6-G Brace Set, (4) HSA-C-36-G 36" Arms	2,400 lb.	810
HDU-C-8-24-G-SET	(2) HDU-C-8-24-G 8' High Double-Sided Uprights, (1) HB-C-8-6-G Brace Set, (8) HSA-C-24-G 24" Arms	8,000 lb.	890
HDU-C-8-36-G-SET	(2) HDU-C-8-36-G 8' High Double-Sided Uprights, (1) HB-C-8-6-G Brace Set, (8) HSA-C-36-G 36" Arms	4,800 lb.	1016

Standard-Duty Cantilever Racking

The Standard Duty Cantilever Rack Systems are great for manufacturing and distributing facilities. The steel construction provides strength and durability, which allows the unit to withstand the harshest of environments. The adjustable arms allow the unit to be customized to fit the needs of individual circumstances. Individual components are sold separately to accommodate your requirements. *Capacity listed is per upright.

SINGLE-SIDED UPRIGHTS					
MODEL NUMBER	HEIGHT	BASE	ARMS TO USE	*UNIFORM CAPACITY	NET WT. (POUND)
SU-C-6-12	72"	25 ³ / ₈ "	12"	5,500 lb.	88
SU-C-6-18	72"	31"	18"	4,300 lb.	93
SU-C-6-24	72"	37"	24"	3,800 lb.	88
SU-C-6-36	72"	49 ³ / ₈ "	30" / 36"	3,000 / 2,600 lb.	107
SU-C-8-12	96"	25 ³ / ₈ "	12"	5,000 lb.	107
SU-C-8-18	96"	31"	18"	4,000 lb.	102
SU-C-8-24	96"	37"	24"	3,500 lb.	117
SU-C-8-36	96"	49 ³ / ₈ "	30" / 36"	2,700 / 2,400 lb.	126
SU-C-10-12	120"	25 ³ / ₈ "	12"	4,600 lb.	126
SU-C-10-18	120"	31"	18"	3,600 lb.	131
SU-C-10-24	120"	37"	24"	3,200 lb.	136
SU-C-10-36	120"	49 ³ / ₈ "	30" / 36"	2,500 / 2,100 lb.	145

DOUBLE-SIDED UPRIGHTS					
MODEL NUMBER	HEIGHT	BASE	ARMS TO USE	*UNIFORM CAPACITY	NET WT. (POUND)
SDU-C-6-12	72"	34"	12"	11,000 lb.	92
SDU-C-6-18	72"	46"	18"	8,600 lb.	97
SDU-C-6-24	72"	58"	24"	7,700 lb.	101
SDU-C-6-36	72"	82"	30" / 36"	6,000 / 5,200 lb.	111
SDU-C-8-12	96"	34"	12"	10,100 lb.	111
SDU-C-8-18	96"	46"	18"	8,000 lb.	115
SDU-C-8-24	96"	58"	24"	7,100 lb.	120
SDU-C-8-36	96"	82"	30" / 36"	5,500 / 4,800 lb.	130
SDU-C-10-12	120"	34"	12"	9,300 lb.	130
SDU-C-10-18	120"	46"	18"	7,300 lb.	134
SDU-C-10-24	120"	58"	24"	6,500 lb.	139
SDU-C-10-36	120"	82"	30" / 36"	5,000 / 4,300 lb.	149

STRAIGHT ARMS			
MODEL NUMBER	UNIFORM CAPACITY/ARM	ARM LENGTH	NET WT. (POUND)
SSA-C-12	800 lb.	12"	8
SSA-C-18	600 lb.	18"	10
SSA-C-24	400 lb.	24"	11
SSA-C-30	300 lb.	30"	12
SSA-C-36	200 lb.	36"	14


10° INCLINED ARMS			
MODEL NUMBER	UNIFORM CAPACITY/ARM	ARM LENGTH	NET WT. (POUND)
SIA-C-12	800 lb.	12"	8
SIA-C-18	600 lb.	18"	10
SIA-C-24	400 lb.	24"	11
SIA-C-30	300 lb.	30"	12
SIA-C-36	200 lb.	36"	14

BRACE SETS FOR 6 FOOT UPRIGHTS		
MODEL NUMBER	LENGTH	NET WT. (POUND)
SB-C-6-36	36"	11
SB-C-6-48	48"	12
SB-C-6-60	60"	14
SB-C-6-72	72"	15
SB-C-6-96	96"	19

BRACE SETS FOR 8 FOOT UPRIGHTS		
MODEL NUMBER	LENGTH	NET WT. (POUND)
SB-C-8-36	36"	11
SB-C-8-48	48"	12
SB-C-8-60	60"	14
SB-C-8-72	72"	15
SB-C-8-96	96"	19

BRACE SETS FOR 10 FOOT UPRIGHTS		
MODEL NUMBER	LENGTH	NET WT. (POUND)
SB-C-10-36	36"	11
SB-C-10-48	48"	12
SB-C-10-60	60"	14
SB-C-10-72	72"	15
SB-C-10-96	96"	19

New




model
SU-C series
(shown assembled)



Medium-Duty Cantilever Racking


Medium-Duty Cantilever Racks are ideal for manual loading; open design allows easy forklift accessibility. Store bar stock, pipe, tubing, lumber, and other hard-to-stock items that must be kept off the floor. Arms are adjustable up and down the full length of the upright. There is 3½" between arm slots. To adjust, align arms with pre-drilled slots and secure with key lock (included). All arms feature 2¾" lips to prevent product from falling off. Uprights and arms are sold each, not in pairs. Custom rack systems can be designed for your special application.

*Capacity listed is per upright.




model
MU-C-8-24

SINGLE-SIDED
series MU-C
(shown with arms
and brace set)




model
MDU-C-8-36


DOUBLE-SIDED
series MDU-C
(shown with arms
and brace set)



STRAIGHT ARMS
series MSA-C



INCLINED ARMS
series MIA-C



BRACE SET
series MB-C

SINGLE-SIDED UPRIGHTS

MODEL NUMBER	HEIGHT	BASE	ARMS TO USE	*UNIFORM CAPACITY	NET WT. (POUND)
MU-C-6-12	72"	25 ³ / ₈ "	12"	8,100 lb.	161
MU-C-6-18	72"	31"	18"	6,600 lb.	164
MU-C-6-24	72"	37"	24"	5,500 lb.	170
MU-C-6-36	72"	49 ³ / ₈ "	30" / 36"	4,700 / 4,100 lb.	183
MU-C-8-12	96"	25 ³ / ₈ "	12"	7,600 lb.	186
MU-C-8-18	96"	31"	18"	6,300 lb.	191
MU-C-8-24	96"	37"	24"	5,300 lb.	197
MU-C-8-36	96"	49 ³ / ₈ "	30" / 36"	4,500 / 4,000 lb.	208
MU-C-10-12	120"	25 ³ / ₈ "	12"	7,100 lb.	214
MU-C-10-18	120"	31"	18"	5,900 lb.	219
MU-C-10-24	120"	37"	24"	5,000 lb.	225
MU-C-10-36	120"	49 ³ / ₈ "	30" / 36"	4,400 / 3,800 lb.	237

DOUBLE-SIDED UPRIGHTS

MODEL NUMBER	HEIGHT	BASE	ARMS TO USE	*UNIFORM CAPACITY	NET WT. (POUND)
MDU-C-6-12	72"	34"	12"	16,200 lb.	172
MDU-C-6-18	72"	46"	18"	13,200 lb.	183
MDU-C-6-24	72"	58"	24"	11,000 lb.	195
MDU-C-6-36	72"	82"	30" / 36"	9,400 / 8,200 lb.	215
MDU-C-8-12	96"	34"	12"	15,200 lb.	197
MDU-C-8-18	96"	46"	18"	12,600 lb.	208
MDU-C-8-24	96"	58"	24"	10,500 lb.	219
MDU-C-8-36	96"	82"	30" / 36"	9,000 / 8,000 lb.	242
MDU-C-10-12	120"	34"	12"	14,200 lb.	225
MDU-C-10-18	120"	46"	18"	11,800 lb.	236
MDU-C-10-24	120"	58"	24"	10,000 lb.	249
MDU-C-10-36	120"	82"	30" / 36"	8,800 / 7,600 lb.	270

STRAIGHT ARMS WITH LIPS

MODEL NUMBER	UNIFORM CAPACITY/ARM	ARM LENGTH	NET WT. (POUND)
MSA-C-12	1,000 lb.	12"	10
MSA-C-18	750 lb.	18"	12
MSA-C-24	600 lb.	24"	15
MSA-C-30	500 lb.	30"	17
MSA-C-36	400 lb.	36"	21

10° INCLINED ARMS WITH LIPS

MODEL NUMBER	UNIFORM CAPACITY/ARM	ARM LENGTH	NET WT. (POUND)
MIA-C-12	1,000 lb.	12"	10
MIA-C-18	750 lb.	18"	12
MIA-C-24	600 lb.	24"	15
MIA-C-30	500 lb.	30"	17
MIA-C-36	400 lb.	36"	21

BRACE SETS FOR 6 FOOT UPRIGHTS

MODEL NUMBER	LENGTH	NET WT. (LB.)
MB-C-6-36	36"	26
MB-C-6-48	48"	38
MB-C-6-60	60"	44
MB-C-6-72	72"	50
MB-C-6-96	96"	64

BRACE SETS FOR 8 FOOT UPRIGHTS

MODEL NUMBER	LENGTH	NET WT. (LB.)
MB-C-8-36	36"	28
MB-C-8-48	48"	42
MB-C-8-60	60"	48
MB-C-8-72	72"	52
MB-C-8-96	96"	66

BRACE SETS FOR 10 FOOT UPRIGHTS

MODEL NUMBER	LENGTH	NET WT. (LB.)
MB-C-10-36	36"	30
MB-C-10-48	48"	44
MB-C-10-60	60"	50
MB-C-10-72	72"	54
MB-C-10-96	96"	90

Heavy-Duty Cantilever Racking

Heavy-Duty Cantilever Racks are completely adjustable for application specific design flexibility. Long, unwelded stock is handled quickly and efficiently by forklift; instant accessibility to one piece or a full load. Arms are adjustable up and down the length of the upright. Pre-drilled holes on the uprights are spaced every 3/2" for bolt-on arm placement (hardware included). All arms feature lips to prevent product from falling off. Standard arms have a 3/8" lip. Heavy-duty and extra heavy-duty have a 3/4" lip. Uprights and arms are sold each, not in pairs. Custom rack systems can be designed for your special application. *Capacity listed is per upright.

SINGLE-SIDED UPRIGHTS					
MODEL NUMBER	HEIGHT	BASE	ARMS TO USE	*UNIFORM CAPACITY	NET WT. (POUND)
HU-C-8-18	96"	28 1/4"	18"	24,700 lb.	265
HU-C-8-24	96"	36 1/2"	24"	21,500 lb.	275
HU-C-8-36	96"	48 1/2"	30" / 36"	18,300 / 16,000 lb.	292
HU-C-8-48	96"	60 1/2"	42" / 48"	14,200 / 12,800 lb.	310
HU-C-10-18	120"	28 1/4"	18"	24,700 lb.	313
HU-C-10-24	120"	36 1/2"	24"	21,500 lb.	323
HU-C-10-36	120"	48 1/2"	30" / 36"	18,300 / 16,000 lb.	340
HU-C-10-48	120"	60 1/2"	42" / 48"	14,200 / 12,800 lb.	357
HU-C-12-18	144"	28 1/4"	18"	24,400 lb.	351
HU-C-12-24	144"	36 1/2"	24"	20,900 lb.	362
HU-C-12-36	144"	48 1/2"	30" / 36"	17,800 / 15,600 lb.	378
HU-C-12-48	144"	60 1/2"	42" / 48"	13,900 / 12,500 lb.	396
HU-C-14-18	168"	28 1/4"	18"	23,400 lb.	390
HU-C-14-24	168"	36 1/2"	24"	20,200 lb.	401
HU-C-14-36	168"	48 1/2"	30" / 36"	17,600 / 15,400 lb.	417
HU-C-14-48	168"	60 1/2"	42" / 48"	13,700 / 12,400 lb.	435

DOUBLE-SIDED UPRIGHTS					
MODEL NUMBER	HEIGHT	BASE	ARMS TO USE	*UNIFORM CAPACITY	NET WT. (POUND)
HDU-C-8-18	96"	46"	18"	49,400 lb.	288
HDU-C-8-24	96"	58"	24"	43,000 lb.	307
HDU-C-8-36	96"	82"	30" / 36"	36,600 / 32,000 lb.	342
HDU-C-8-48	96"	106"	42" / 48"	28,400 / 25,600 lb.	378
HDU-C-10-18	120"	46"	18"	49,200 lb.	336
HDU-C-10-24	120"	58"	24"	42,600 lb.	355
HDU-C-10-36	120"	82"	30" / 36"	36,400 / 31,600 lb.	391
HDU-C-10-48	120"	106"	42" / 48"	28,200 / 25,200 lb.	427
HDU-C-12-18	144"	46"	18"	48,800 lb.	374
HDU-C-12-24	144"	58"	24"	41,800 lb.	393
HDU-C-12-36	144"	82"	30" / 36"	35,600 / 31,200 lb.	429
HDU-C-12-48	144"	106"	42" / 48"	27,800 / 25,000 lb.	465
HDU-C-14-18	168"	46"	18"	46,800 lb.	413
HDU-C-14-24	168"	58"	24"	40,400 lb.	432
HDU-C-14-36	168"	82"	30" / 36"	35,200 / 30,800 lb.	467
HDU-C-14-48	168"	106"	42" / 48"	27,400 / 24,800 lb.	507

STRAIGHT & INCLINE ARMS				
UNIFORM CAPACITY/ARM	LENGTH	NET WT. (LB.)	STRAIGHT ARMS MODEL NUMBER	INCLINE ARMS MODEL NUMBER
2,500 lb.	18"	16	HSA-C-18	HIA-C-18
2,000 lb.	24"	21	HSA-C-24	HIA-C-24
1,500 lb.	30"	22	HSA-C-30	HIA-C-30
1,200 lb.	36"	26	HSA-C-36	HIA-C-36
1,100 lb.	42"	29	HSA-C-42	HIA-C-42
1,000 lb.	48"	32	HSA-C-48	HIA-C-48

HEAVY-DUTY AND EXTRA HEAVY-DUTY ARMS			
MODEL NUMBER	UNIFORM CAPACITY/ARM	LENGTH	NET WT. (LB.)
HDSA-C-36	2,175 lb.	36"	26
XHDSA-C-36	3,400 lb.	36"	30
HDSA-C-42	1,865 lb.	42"	29
XHDSA-C-42	2,900 lb.	42"	33
HDSA-C-48	1,630 lb.	48"	31
HDSA-C-48M	2,000 lb.	48"	31
XHDSA-C-48	2,500 lb.	48"	36

BRACE SETS FOR 8 & 10 FOOT UPRIGHTS			
MODEL NUMBER	UPRIGHT HEIGHT	LENGTH	NET WT. (POUND)
HB-C-8-3	96"-120"	35 1/2"	28
HB-C-8-4	96"-120"	47 1/2"	31
HB-C-8-5	96"-120"	59 1/2"	38
HB-C-8-6	96"-120"	71 1/2"	43
HB-C-8-7	96"-120"	83 1/2"	98
HB-C-8-8	96"-120"	95 1/2"	107


BRACE SETS FOR 12 & 14 FOOT UPRIGHTS			
MODEL NUMBER	UPRIGHT HEIGHT	LENGTH	NET WT. (POUND)
HB-C-14-3	144" - 168"	35 1/2"	44
HB-C-14-4	144" - 168"	47 1/2"	48
HB-C-14-5	144" - 168"	59 1/2"	56
HB-C-14-6	144" - 168"	71 1/2"	66
HB-C-14-7	144" - 168"	83 1/2"	78
HB-C-14-8	144" - 168"	95 1/2"	123



model HU-C-8-48



SINGLE-SIDED series HU-C (shown with arms and brace set)



model HDU-C-10-36



DOUBLE-SIDED series HDU-C (shown with arms and brace set)


STRAIGHT ARMS WITH LIPS series HSA-C



10° INCLINE ARMS WITH LIPS series HIA-C



HB-C-8 & HB-C-14 STYLE BRACE SETS





model CANT-3060



Cantilever Carts

Portable Cantilever Carts for storage of bar stock type items. Each cart includes three pairs of arms (maximum of eight pair may be used). Arm height adjustable in 6" increments. Arms are secured to cart with a bolt and nut and each arm features two holes so that it may be attached in the level or inclined position. Lowest arm position is 17½" high; the highest position is 59¼". The 8½" high base includes built-in fork pockets that are 5½"W x 2"H usable. Units roll on two (2) rigid and two (2) locking swivel 6" x 2" casters. All steel construction with blue powder coat finish.

MODEL NUMBER	OVERALL SIZE (W x L x H)	UNIFORM LOAD CAPACITY	ARM LENGTH	UNIFORM CAPACITY/LEVEL	NET WT. (POUND)
CANT-3048	30" x 48 ⁹ / ₁₆ " x 64 ⁹ / ₁₆ "	2,000 lb.	24"	400 lb.	241
CANT-3648	36" x 48 ⁹ / ₁₆ " x 64 ⁹ / ₁₆ "	2,000 lb.	30"	400 lb.	288
CANT-3060	30" x 60 ⁹ / ₁₆ " x 64 ⁹ / ₁₆ "	2,000 lb.	24"	400 lb.	245
CANT-A30	EXTRA PAIR OF 24" USABLE ARMS				6
CANT-A36	EXTRA PAIR OF 30" USABLE ARMS				7



model FLOW-3-4




Carton Flow Racks

Cartons are gravity fed on rollers for convenient first in / first out stock rotating. Choose the quantity of levels that best fits your application. Each level has a 1,000 pound uniform capacity and includes four pairs of rollers with 50 pounds per foot capacity. Each level also includes five divider sections. The width of each level is 96". All models are 84" high. Assembly required. Units can be bolted together for additional depth.

MODEL NUMBER	WIDTH OF LEVELS	OVERALL HEIGHT	OVERALL DEPTH	QUANTITY OF FLOW LEVELS	NET WT. (POUND)
FLOW-3-3	96"	84"	36"	3	311
FLOW-3-4	96"	84"	36"	4	388
FLOW-3-5	96"	84"	36"	5	429
FLOW-4-3	96"	84"	48"	3	373
FLOW-4-4	96"	84"	48"	4	407
FLOW-4-5	96"	84"	48"	5	474
FLOW-WD-36	Wooden top shelf, 36" deep, 1,000 lb. cap. (include braces)				96
FLOW-WD-48	Wooden top shelf, 48" deep, 1,000 lb. cap. (include braces)				96

EXTRA ROLLER & TRACK SECTIONS

FLO-3-RLR	EXTRA ROLLER TRACK SECTION - 36" LONG				2
FLO-3-DIVD	EXTRA DIVIDER SECTION - 36" LONG				2
FLO-4-RLR	EXTRA ROLLER TRACK SECTION - 48" LONG				3
FLO-4-DIVD	EXTRA DIVIDER SECTION - 48" LONG				3



EXTRA ROLLER TRACK SECTION
model FLO-4-RLR



model VRSOR-54



Heavy Duty Roll-Out Shelving

Roll-out shelving racks store heavy dies, fixtures, and machinery. Capacity per shelf is 1,500 pounds evenly distributed with a total uniform capacity of 6,000 pounds. Shelves roll out to a full extension for convenient loading and retrieving. Can be easily loaded and unloaded with a crane, overhead hoist, forklift, or stacker. Individual shelf heights are adjustable on 2⅜" centers. Features 10 gauge steel shelves that can be fully extended one at a time and locked in the extended position for maximum safety. Top two (2) shelves are fixed, non-adjustable. Add on units are available. All steel construction with powder coat finish. Ships unassembled. Three (3) shelves per side of the VRSOR-114.

MODEL NUMBER	DESCRIPTION	OVERALL SIZE (W x D x H)	SHELF SIZE (W x D)	NUMBER OF SHELVES	NET WT. (POUND)
VRSOR-54	SINGLE	57" x 32" x 80"	52" x 32"	3	395
VRSOR-114	DOUBLE	114" x 32" x 80"	52" x 32"	6	792
VRSOR-A-114	ADD-ON	54" x 32" x 80"	52" x 32"	3	392
VRSOR-SLF	ADDITIONAL SHELVES				110




model VRSOR-114


Single/Dual Sided Bar Stock Trees

Starter unit includes two uprights and one set of cross braces. Storage room is increased when the add-on unit is ordered. Add-on unit consists of one upright and one set of cross braces for joining to the starter set. Uniform capacity is 2,000 pounds per level and 500 pounds per arm. Distance between levels is 10". There are 6 arm levels. Choose either single sided or double sided steel racks.

MODEL NUMBER	STYLE	DESCRIPTION	OVERALL SIZE (W x D x H)	NET WT. (POUND)
BAR-R-84-S	SINGLE SIDED	STARTER UNIT	84 ¹ / ₁₆ " x 38" x 80 ¹ / ₂ "	450
BAR-R-84-D	DOUBLE SIDED	STARTER UNIT	84 ¹ / ₁₆ " x 38 ¹ / ₂ " x 80 ¹ / ₂ "	490
BAR-A-84-S	SINGLE SIDED	ADD-ON UNIT	30" x 38 ¹ / ₂ " x 80 ¹ / ₂ "	227
BAR-A-84-D	DOUBLE SIDED	ADD-ON UNIT	30" x 42" x 80 ¹ / ₂ "	235




model BAR-R-84-D



Double Sided Horizontal Bar Rack

Ideal for use in maintenance departments, tool rooms, machine shops, and storage areas. Arms extend and act as dividers creating bays of storage. Nine arm levels can store material up to 10 feet long. Aligning two units next to each other will allow for the storage of longer material. Arm edges are sloped upward to prevent roll off's. Arms are welded at 6" increments with 6" between levels. Total uniform rack capacity is 2,600 pounds evenly distributed. Unit is supplied with lag down points and ships knocked down. Steel construction.

MODEL NUMBER	OVERALL WIDTH	OVERALL DEPTH	OVERALL HEIGHT	ARM LEVELS	DISTANCE BETWEEN LEVELS	NET WT. (POUND)
DSHZ-4	30"	30"	83 ³ / ₄ "	9	6"	145



model DSHZ-4



Vertical Storage Racks

Designed for vertical storage of tubing, pipe, and other types of similar materials. Organize pipes and extrusions with odd lengths instead of discarding them. Each rack has four (4) bays that measure 9³/₄" wide each and handle a uniform capacity of 1,500 pounds per bay. Designed to be placed up against a wall. A restraint chain securely holds items in storage bays. Fully welded steel construction with powder coat blue finish. Unit is shipped with lag down points.

MODEL NUMBER	OVERALL SIZE (W x D x H)	NUMBER OF BAYS	DISTANCE BETWEEN BAYS	NET WT. (POUND)
SSRT-47	48 ¹ / ₂ " x 24" x 61"	4	9 ³ / ₄ "	185
SSRT-47-HP	48 ¹ / ₂ " x 36" x 92"	4	9 ³ / ₄ "	239
AS-124-4PK	ANCHOR BOLTS FOR CONCRETE (4) 1/2" x 4"			4




model SSRT-47

Vertical Bar Rack

Designed for storage of long parts close to the work site. Long pieces stack vertically while shorter parts are kept horizontal on the three pan shelves. Designed to be placed up against a wall. Unit is supplied with lag down points. Includes a restraint chain to hold items in each bay. The uniform capacity is 3,000 pounds when evenly distributed. Bolt together design with blue painted finish. Some assembly is required.

MODEL NUMBER	OVERALL SIZE (W x D x H)	NUMBER OF BAYS	DISTANCE BETWEEN SHELVES	NET WT. (POUND)
VBR-9	39 ³ / ₄ " x 24" x 84 ¹ / ₂ "	3	18 ¹ / ₂ "	152



model VBR-9


Expandable Vertical Bar Racks


Designed for storage of long parts. Designed to be placed up against a wall. Order starter rack then extension rack for added width. Each rack includes three (3) adjustable dividers. Multiple units may be joined in-line or back-to-back. Total uniform capacity is 4,000 pounds when evenly distributed. Welded steel construction with blue painted finish. Ships knocked down, assembly required.

MODEL NUMBER	TYPE	OVERALL SIZE (W x D x H)	DISTANCE BETWEEN BAYS	NET WT. (POUND)
EVR-59-S	STARTER	53" x 22" x 59"	4 ¹ / ₂ "	187
EVR-59-EXT	EXTENSION	51" x 22" x 59"	4 ¹ / ₂ "	145
EVR-106-S	STARTER	53" x 23" x 106"	4 ¹ / ₂ "	202
EVR-106-EXT	EXTENSION	51" x 23" x 106"	4 ¹ / ₂ "	176



model EVR-59-S





model SHEET-R-57

48 Hours to Ship



Horizontal Sheet Rack

Designed for storage of sheet goods and similar materials. Flat storage reduces warping of thin materials. Five shelf design allows for generous storage of multiple thickness materials. Distance between shelves is 9½". All welded steel frame allows for 2,000 pound uniform capacity per shelf. Four sided access when using 4' x 8' sheet or smaller. Supplied with lag down points.

MODEL NUMBER	OVERALL SIZE (W x L x H)	NUMBER OF SHELVES	DISTANCE BETWEEN SHELVES	NET WT. (POUND)
SHEET-R-57	54½" x 102¾" x 48"	5	9½"	514



48 Hours to Ship

model VSSR-15

Standard Sheet Rack


Designed for vertical storage of sheet goods. Standard unit comes with four bays. Intermediate floor bracing gives added steel support, while keeping material off the floor. Uniform capacity per bay is 1,500 pounds. Unit is supplied with lag down points. Powder coat finish.

MODEL NUMBER	OVERALL SIZE (W x L x H)	NUMBER OF BAYS	DISTANCE BETWEEN BAYS	NET WT. (POUND)
VSSR-15	50" x 84" x 44"	4	10"	290
AS-124-4PK	ANCHOR BOLTS FOR CONCRETE (4) ½" x 4"			4



48 Hours to Ship

model U-RACK-10



Portable Storage U-Racks

These Storage Racks can be stacked up to four units high. Easy to set up and tear down and great for temporary locations. All welded steel construction for years of dependable service. Maximum 4 units high. Safety pins connect racks together.

MODEL NUMBER	OUTSIDE SIZE (W x D x H)	INSIDE DIMENSION (W (bottom) x W (top) x H)	UNIFORM CAPACITY/PAIR	NET WT. (POUND)
U-RACK-6	25" x 4" x 19"	16" x 21½" x 15½"	6,000 lb.	31
U-RACK-10	25" x 4½" x 19"	16" x 21½" x 18"	10,000 lb.	35



48 Hours to Ship

model VHSR-4


Variable Height Sheet Racks

Store various sizes of sheet goods in the vertical position for easy viewing of stock. These sheet racks are perfect for use with multiple sizes of material. Four different bays increase visibility of stored materials. Available in all welded steel construction, model VHSR-4 and VHSR-8, or bolt together construction, model VHSR-4B. Bolt-together units feature adjustable-width uprights. Uniform capacity per bay is 1,500 pounds. Unit is supplied with lag down points. Powder coat blue finish.

MODEL NUMBER	OVERALL SIZE (W x D x H)	NUMBER OF BAYS	DISTANCE BETWEEN BAYS	NET WT. (POUND)
VHSR-4	47¾" x 36" x 41¾"	4	6⅞"	170
VHSR-8	96" x 36" x 60"	4	6⅞"	268
VHSR-4B	47½" x 36" x 42"	4	6¾"	178
AS-124-4PK	ANCHOR BOLTS FOR CONCRETE (4) ½" x 4"			4



New



Fork Pockets

model SVSR-3260

Portable / Stackable Vertical Sheet Rack

The Vertical Sheet Rack supports multiple sizes of sheet material such as paneling, plywood, drywall, or anything that is long, bulky, and hard to handle. Ideal for lumberyards and hardware stores. Integral full length fork tubes standard for easy moving and handling with a fork truck. Industrial welded steel construction. Stack no more than two units high. Uniform capacity is 4,000 pounds.

MODEL NUMBER	OVERALL SIZE (W x L x H)	USABLE STORAGE BAY SIZE (W x H)	NET WT. (POUND)
SVSR-3260	32½" x 60" x 46"	16½" x 42"	355


Internestable Portable Stackable Rack Systems with Adjustable & Fixed Posts

Unique transport and storage racks will stack and nest for maximum versatility. Remove or change post heights depending on application. All heights noted are for load heights. Each unit features a uniform capacity of 4,000 pounds. Design allows for stacking up to two (2) units high. Solid steel deck construction. Rugged welded steel construction with powder coat blue finish. Large target and pintle for speedy alignment. Units are available with fork lift pockets, solid decking, and caster kits.



MODEL NUMBER	USABLE SIZE (W x L)	OVERALL SIZE (W x L)	NET WT. (POUND)
NON-REMOVABLE ADJUSTABLE POSTS 30" - 36"H IN 1" INCREMENTS			
NEST-F-4848	48" x 48"	55½" x 51½"	150
NEST-F-6048	60" x 48"	67½" x 51½"	170

MODEL NUMBER	USABLE SIZE (W x L)	OVERALL SIZE (W x L)	NET WT. (POUND)
BASE ONLY			
BASE-4848	48" x 48"	55½" x 51½"	90
BASE-6048	60" x 48"	67½" x 51½"	113

MODEL NUMBER	USABLE HEIGHT	QUANTITY PER BOX	NET WT. (POUND)
FIXED HEIGHT REMOVABLE POSTS (SET OF FOUR)			
POST-24	24"	4	60
POST-36	36"	4	62
POST-48	48"	4	64



model NEST-F-4848



model BASE-6048



Fixed Height Removable Posts (set of 4) series POST

Versa Racks


The Versa Racks are great for transporting or storing items. The powder coated steel construction provides versatility, efficiency, and durability. Corner posts can be removed or changed to fit the needs of various applications. Double post pins provide support up to 4,000 uniform pounds. All models contain a four way fork entry for simple transference and can be stacked five (5) units high, while models using the 24" and 36" posts can be stacked three (3) high, during use. The overall model size is 49-7/16" W x 43-7/16" L. Custom sizes and configurations are available upon request.

Model V-1 has four adjustable-height non-removable posts, fixed base targets, 4-way fork entry, and solid steel deck. The usable height is adjustable in 1" increments from 11¼" to 17¼".

Model V-3 is ideal for transporting long, oversized loads of material. The model is a stand/cart which has 8" phenolic wheels and a floor lock. 12" high non-removable fixed-height corner posts secure loads. Overall height is 30".

Model V-4 is a versa rack pallet with no posts or sockets. Solid deck steel pallet is a durable way to transfer products. The model has 4-way fork entrance for convenient portability. Usable fork opening is 8" W x 2½" H.


Model V-2 is a versa rack base, with no posts. Sockets included. The V-2 and V-3 can be used together by stacking a single V-2 onto a V-3 to create a larger, more versatile, model. A four way fork entrance enables the unit to be quickly transferred from workstation to workstation.



model V-1



model V-3




model V-4

MODEL NUMBER	DESCRIPTION	USABLE SIZE (W x L)	NET WT. (POUND)
V-1	BASE W/NON-REMOVABLE POSTS	48" x 42"	125
V-3	STAND/CART	48" x 42"	210
V-4	BASE, NO POSTS OR SOCKETS	48" x 42"	100
V-2	BASE ONLY, NO POSTS	48" x 42"	110
VP-4	REMOVABLE POST KIT	4" H	15
VP-12	REMOVABLE POST KIT	12" H	25
VP-24	REMOVABLE POST KIT	24" H	40
VP-36	REMOVABLE POST KIT	36" H	50




SECURELY STACKABLE



Internestackable Stackable Racks

Space saving storage is what this rack is all about. The 4" underclearance allows for easy fork truck accessibility. Units can stack up to 20 feet high. Sturdy, welded construction gives these units an abundance of strength and stability. (A) Special redundant stacking systems allow units to be internestacked for space saving storage when not in use. (B) Flared posts, pintle, and target, make it easy to line up units for stacking. (C) Optional fold down post available upon request.

MODEL NUMBER	USABLE (W x D x H)	OVERALL (W x D x H)	UNIFORM CAPACITY	NET WT. (POUND)
NEST-106	48" x 42" x 48"	57" x 46" x 58"	4,000 lb.	255
NEST-215	60" x 42" x 48"	69" x 46" x 58"	4,000 lb.	320
NEST-210	48" x 48" x 48"	57" x 54" x 58"	4,000 lb.	306
NEST-230	60" x 48" x 48"	69" x 54" x 58"	4,000 lb.	340



Long Bar Pigeon Hole Rack


Ideal for mixed storage of long items. Five-hole high and three-hole wide frame allows for easy identification and retrieval of materials. Frames are held in place by separator and bracing bars. 7,700 pound uniform capacity per frame. Extension bay kit, model LBPH-EXT, consists of one frame and one set of cross braces for joining to the starter set. Uniform capacity is 2,000 pounds per level or 7,700 pounds per frame. Steel construction.

MODEL NUMBER	DESCRIPTION	OVERALL SIZE (W x D x H)	NUMBER OF BAYS	NET WT. (POUND)
LBPH-77	STARTER UNIT	48½" x 48" x 60"	15	232
LBPH-EXT	EXTENSION BAY KIT	48½" x 46⅞" x 60"	15	176



Economical Material Racks

Model SR-WM is a wall mounted unit with dual 60" high supports. They come with three (3) 15" arms and four (4) 12" arms. The 15" arms have 9" height clearance and the 12" arms have 7¼" clearance. Uniform load capacity is 1,000 pounds. The bright zinc plating provides a long term, attractive appearance. Shipped knocked down with convenient and quick assembly.



Model SR-SS is a self-supporting 66" high A-frame with 7 storage levels. Arms extend up to 12" beyond A-frame. Base dimensions are 60" by 36". Shipped knocked down with convenient and quick assembly. Bright zinc plated finish.



Model SR-V is a floor-mounted vertical material rack. Features three storage bays. Shipped knocked down with convenient and quick assembly. Bright zinc plated finish.

MODEL NUMBER	DESCRIPTION	HEIGHT	UNIFORM CAPACITY	NET WT. (POUND)
SR-WM	WALL MOUNT	60"	1,000 lb.	24
SR-SS	SELF SUPPORTING	66"	2,000 lb.	61
SR-V	FLOOR MOUNTED	72"	2,000 lb.	55

Stackable Bar Cradles

These sturdy, welded steel racks are strong enough to handle heavy loads yet light enough to be set up by one person. Stackable up to five (5) units high. Allows for custom design by choosing length, depth, and height of individual storage systems. Welded steel construction with blue painted surface.



model CRAD-25-44 shown two possible configurations.

MODEL NUMBER	OVERALL SIZE (W x D x H)	INSIDE SIZE (W x D x H)	UNIFORM CAPACITY/PAIR	NET WT. (POUND)
CRAD-25	12" x 16" x 13½"	8" x 12" x 12"	2,500 lb.	24
CRAD-25-30	12" x 30" x 13½"	8" x 12" x 12"	2,500 lb.	32
CRAD-25-44	12" x 44" x 13½"	8" x 12" x 12"	2,500 lb.	44
CRAD-25-58	12" x 58" x 13½"	8" x 12" x 12"	2,500 lb.	55
CRAD-25-72	12" x 72" x 13½"	8" x 12" x 12"	2,500 lb.	66
CRAD-37	14" x 19" x 17"	10" x 15" x 15"	3,700 lb.	28
CRAD-56	15" x 22" x 20½"	11" x 18" x 18"	5,600 lb.	43
CRAD-75	16" x 26" x 23½"	12" x 22" x 20"	7,500 lb.	45

Reel Racks

Store and dispense poly or wire rope, hose, electrical cable, or chain. 96" units have three (3) pairs of axle brackets; 120" units have four (4) pairs of axle brackets (additional brackets available, contact factory). The axle brackets are adjustable on 2" centers and accept axles up to 2½" in diameter. Adjustable brackets allow you to stagger arms along the frame for different size reels. 2¼" diameter axles are included with reel rack. Uniform capacity per level is 2,000 pounds. Assembly required. Units must be secured to floor unless ordering Double Sided Portable Reel Racks.


MODEL NUMBER	OVERALL WIDTH	OVERALL DEPTH	OVERALL HEIGHT	INCLINE	TOTAL UNIFORM CAPACITY	NET WT. (POUND)
STARTER KITS						
RERC-338	39½"	36"	97½"	71°	6,000 lb.	200
RERC-438	51⅝"	36"	97½"	71°	6,000 lb.	212
RERC-3310	39¾"	36"	121½"	77°	6,000 lb.	222
RERC-4310	51⅝"	36"	121½"	77°	6,000 lb.	231
ADD-ON SECTIONS						
RERC-A-338	36"	36"	96"	71°	6,000 lb.	131
RERC-A-438	48"	36"	96"	71°	6,000 lb.	145
RERC-A-3310	36"	36"	120"	77°	6,000 lb.	156
RERC-A-4310	48"	36"	120"	77°	6,000 lb.	167
DOUBLE SIDED PORTABLE REEL RACKS* - (2) SWIVEL & (2) RIGID 8" x 2" GLASS-FILLED NYLON CASTERS						
RERC-CT-368	39"	72"	96"	71°	4,000 lb.	370
RERC-CT-468	51"	72"	96"	71°	4,000 lb.	400
RERC-CT-3610	39"	72"	120"	77°	4,000 lb.	470
RERC-CT-4610	53 ¹¹ / ₁₆ "	72½"	132 ¹³ / ₁₆ "	77°	4,000 lb.	495

*COMPLETE UNIT NO ADD-ON SECTIONS AVAILABLE



48 Hours
to Ship

model RERC-338



POWDER COATED TOUGH



model RERC-CT-468

Economy Wire Reel Caddy

Move wire reels and dispense wire in vertical and horizontal positions. Caddy includes eleven (11) spool bars for handling various size reels. Three (3) large 1-1/6" diameter axles handle 14" maximum reel diameter, while the eight (8) smaller ¾" diameter axles handle 7" maximum reel diameter. Storage tray on top for added versatility. Portable with 6" diameter semi-pneumatic wheels and 43½" high handle. Total uniform capacity is 150 pounds (90 pounds on large spindles and 60 pounds on small spindles). Steel construction with painted finish. Ships knocked down.

MODEL NUMBER	DESCRIPTION	OVERALL SIZE (W x D x H)	NET WT. (POUND)
WIRE-D-E	ECONOMY WHEEL REEL CADDY	17¾" x 19½" x 43¼"	41

POWDER COATED TOUGH
48 Hours
to Ship



model WIRE-D-E

Wire Reel Caddies



Easily moves wire reels where you need them and dispenses wire in vertical or horizontal positions. Includes four (4) spool bars for handling various size reels. Bottom of caddy includes wire guide holes for quick access. Built-in hand hole for portability. Steel construction with painted finish. Mount to a wall or transport with an optional hand truck. Uniform capacity is 300 pounds.

MODEL NUMBER	DESCRIPTION	OVERALL SIZE (W x L x H)	NET WT. (POUND)
WIRE-D	STAND-ALONE UNIT	24" x 16¼" x 44"	56
WIRE-D-WHK	PORTABLE UNIT (CASTERS & HANDLE)	24" x 16" x 51¼"	90
WIRE-D-SHD-PN	HAND TRUCK (PNEUMATIC WHEELS)	22" x 19" x 52"	39
WIRE-D-SHD-HR	HAND TRUCK (HARD RUBBER WHEELS)	22" x 19" x 52"	42

HAND TRUCK CAPACITY IS 600 POUNDS

48 Hours
to Ship

model WIRE-D



Wire reels are not included.



model WIRE-D-WHK



model WIRE-D shown with model WIRE-D-SHD-HR

Safety Flammable Cabinets

All welded double wall 18 gauge inside construction, 14 gauge outside construction with 1½" insulating air space. Each unit contains 2" leakproof sill to contain leaks. Lockable flush mounted handle (gripper pad) with 2 keys included. Adjustable leveling feet for various floor surfaces. Galvanized steel shelves adjust on 2½" centers. Doors open to a full 180°. Self close doors shut, index, and latch automatically as fusible link melts under fire conditions at 165°. Meets OSHA and NFPA code 30 standards. Powder coated yellow finish.



model VBM-45



model VBA-12



model VSC-3501-102



model VSC-JC-171



model VSC-SSC-185

MODEL NUMBER	OVERALL SIZE (W x D x H)	CAPACITY (GALLONS)	NUMBER OF SHELVES	DOOR TYPES	NET WT. (POUND)
TWO DOORS					
VBM-22	34" x 18" x 35"	22	1	MANUAL	237
VBM-30	43" x 18" x 44"	30	1	MANUAL	304
VBM-45	43" x 18" x 65"	45	2	MANUAL	410
VBM-90	43" x 34" x 65"	90	2	MANUAL	564
VBS-30	43" x 18" x 44"	30	1	SELF CLOSE	318
VBS-45	43" x 18" x 65"	45	2	SELF CLOSE	424
VBM-GS-134	34" x 18"	ADDITIONAL GALVANIZED SHELVES			8
VBM-GS-143	43" x 18"	ADDITIONAL GALVANIZED SHELVES			10
VBM-GS-334	34" x 34"	ADDITIONAL GALVANIZED SHELVES			15
VBM-GS-343	43" x 34"	ADDITIONAL GALVANIZED SHELVES			19
ONE DOOR					
VBA-12	23" x 18" x 35"	12	1	MANUAL	170
VBA-16	23" x 18" x 44"	16	2	MANUAL	206
VBA-24	23" x 18" x 65"	24	3	MANUAL	284
VBJ-12	23" x 18" x 35"	12	1	SELF CLOSE	182
VBJ-16	23" x 18" x 44"	16	2	SELF CLOSE	218
VBJ-24	23" x 18" x 65"	24	3	SELF CLOSE	290
55 GALLON DRUM - TWO DOORS					
VBV-1	34" x 34" x 65"	--	1	MANUAL	439
VBV-2	59" x 34" x 65"	--	1	MANUAL	610
VBW-1	34" x 34" x 65"	--	--	SELF CLOSE	451

Bin Storage Cabinets

The Bin Storage Cabinets are designed for high density storage and organization of parts. These cabinets offer easy accessibility to contents while maintaining cleanliness and security. Available in three sizes: 60" wide, 48" wide and 36" wide, each with different configurations of bins and/or shelves. Bins are made of a durable polyethylene with molded-in back hook for secure hanging. Front edges are lowered for better visibility and easier part picking. When not in use bins can be stacked on shelves, worktables, carts, or other flat surfaces. *Back and door feature louvered panels for customized configurations.

MODEL NUMBER	BIN CAPACITY	OVERALL SIZE (W x L x H)	NET WT. (POUND)
VSC-3501-132	132: 48 (A), 48 (B), 18 (C), 12 (D), 6 (E)	36" x 24" x 72"	400
VSC-3501-102	102: 48 (A), 48 (B), 6 (E)	36" x 24" x 72"	425
VSC-3501-NB	Custom Configurations*	36" x 24" x 72"	300
VSC-JC-171	171: 64 (A), 64 (B), 13 (D), 6 (E)	48" x 24" x 78"	521
VSC-JC-137	137: 64 (A), 64 (B), 3 (D), 6 (E)	48" x 24" x 78"	533
VSC-JC-NB	Custom Configurations*	48" x 24" x 78"	410
VSC-SSC-227	227: 80 (A), 90 (B), 30 (C), 18 (D), 9 (E)	60" x 24" x 84"	657
VSC-SSC-185	185: 80 (A), 90 (B), 6 (D), 9 (E)	60" x 24" x 84"	874
VSC-SSC-NB	Custom Configurations*	60" x 24" x 84"	700
HOOK-ON BINS			
VSPB-3021	(A) Sold in 24-pack units.	4" x 5" x 3"	15
VSPB-3022	(B) Sold in 24-pack units.	4" x 7" x 3"	16
VSPB-3023	(C) Sold in 12-pack units.	6" x 11" x 6"	16
VSPB-3024	(D) Sold in 12-pack units.	8" x 15" x 7"	17
VSPB-3025	(E) Sold in 6-pack units.	16" x 15" x 7"	18
SHELVES			
VBSH-6018	Adjustable Shelves for VSC-SSC series	59½" x 16³⁄₈"	25
VBSH-4818	Adjustable Shelves for VSC-JC series	47½" x 16³⁄₈"	23
VBSH-3618	Adjustable Shelves for VSC-3501 series	35½" x 16³⁄₈"	17



Keyed Handle Lock comes standard with models VSC-3501 and VSC-JC.



Padlock Handle comes standard with model VSC-SSC. Padlock is not included.

Security Cabinets

Stand-Alone Security Cabinets are specifically designed to secure small to medium sized products where they are stored - on the sales floor, in the back room, or in the receiving area. Open mesh design allows for quick visual inspection and will not deter sprinkler systems. Units are not to exceed 1,000 pounds. Shelves are sold separately. Panels are constructed of 8 gauge galvanized welded wire grid with 1½" x 3" openings. The frame is constructed of 2" x 2" 14 gauge galvanized steel frame. Industrial graded hinged doors feature built-in cylinder lock. Shelves are 4 gauge galvanized welded wire grid with 1½" x 3" openings or 20 gauge galvanized steel panels. Uniform capacity per shelf is 200 pounds.

MODEL NUMBER	DESCRIPTION	OVERALL SIZE (W x D x H)	NET WT. (POUND)
VLPSC-4030-6	HINGE SINGLE DOOR	48" x 30" x 72"	254
VLPSC-4030-8	HINGE SINGLE DOOR	48" x 30" x 96"	296
VLPSC-8030-6	HINGE DOUBLE DOOR	96" x 30" x 72"	420
VLPSC-8030-8	HINGE DOUBLE DOOR	96" x 30" x 96"	482
VLPSC-WS-30	WIRE GAUGE SHELF	44" x 26"	17
VLPSC-SS-30	SOLID STEEL SHELF	44" x 26"	29

model
VLPSC-4030-8



model
VLPSC-8030-6

Wire Cages

Modular system offers security, storage, and safety for many applications. Stackable panel design allows for easy installation and results in a clean finish, putting this system above the rest. Using wire partitions can save in inventory costs, are more economical alternatives to modular offices and drywall, and can increase safety - all benefits to your business. Constructed of 2" x 2" mesh, 10 gauge welded wire with a powder coat gray finish.

MODEL NUMBER	DESCRIPTION	OVERALL SIZE (W x D x H)	NET WT. (POUND)
HINGED DOOR TYPE			
WPC-8X8-3NC	3 SIDED, NO CEILING	102" x 100" x 101¼"	569
WPC-8X8-4NC	4 SIDED, NO CEILING	100" x 100" x 101¼"	671
WPC-8X8-4C	4 SIDED, W/ CEILING	100" x 100" x 101¼"	773
WPC-12X12-4NC	4 SIDED, NO CEILING	150" x 150" x 101¼"	854
SLIDING DOOR TYPE			
WPC-10X10-3NC	3 SIDED, NO CEILING	124" x 124" x 125¼"	759
WPC-10X10-4NC	4 SIDED, NO CEILING	124" x 124" x 125¼"	867
WPC-10X10-4C	4 SIDED, W/ CEILING	124" x 124" x 125¼"	1001



model WPC-10X10-3NC

Driver Cages

Driver Cages are an application that is placed around an entrance in a warehouse. This is used to keep truck drivers and delivery personnel secluded in one place when entering the warehouse or making a delivery. Each driver cage includes a key lock on the driver side, a push bar on the warehouse side, and a 2' x 1' 8" slide up service window with shelf. This Driver Cage prevents people from wandering throughout the warehouse, getting lost or hurt in the warehouse, as well as additional security. Cages consists of rectangular 2" x 1" mesh, 10 gauge woven wire, with a wet enamel gray finish. Doors are 3'W x 7'H with a 1'H transom panel at the top.

MODEL NUMBER	DESCRIPTION	OVERALL SIZE (W x D x H)	NET WT. (POUND)
WPC-D-4X4-2	2 SIDED	52" x 54" x 101¼"	569
WPC-D-4X6-2	2 SIDED	78" x 54" x 101¼"	671
WPC-D-4X8-2	2 SIDED	102" x 54" x 101¼"	773
WPC-D-4X4-3	3 SIDED	52" x 54" x 101¼"	854
WPC-D-4X6-3	3 SIDED	78" x 54" x 101¼"	867
WPC-D-4X8-3	3 SIDED	102" x 54" x 101¼"	1001



model WPC-D-4X6-3



model
GCAB-4415-72W



model
GCAB-4415-72

Galvanized Storage Cabinets

Galvanized Storage Cabinets are manufactured from high-quality galvanized steel. Lockable solid panel double hinged doors (two keys are included). The door frames include magnets to hold the doors closed without locking. The flush finger wells allow for easy door opening. Shelves adjust on 4" centers for flexibility. Material thickness is 26 gauge. Ships knocked down, assembly required.

Models GCAB-3015-67 and GCAB-4415-72 feature full-width shelves.

Model GCAB-3015-72W features a shelf / wardrobe combination. Opening size on the wardrobe side is 19½" W x 65¼" H. The inside opening dimensions are 20¾" W x 13½" D x 67" H.

MODEL NUMBER	OVERALL SIZE (W x D x H)	UNIFORM CAPACITY PER SHELF	NET WT. (POUND)
GCAB-3015-67	30" x 15" x 67"	120 lb.	106
GCAB-4415-72	44" x 15" x 72"	120 lb.	147
GCAB-4415-72W	44" x 15" x 72"	120 lb.	142



Easy assembly. Units set up fast!


Stainless Steel Solid Rivet Shelving

High quality Stainless Steel Solid Shelving is made of type 304 stainless steel construction with brushed finish. Each model includes five (5) adjustable shelves with a uniform capacity of 600 pounds per shelf. The 18 gauge thick shelves are adjustable in 1½" increments. Two (2) piece corner posts design includes plastic connectors. Ships knocked down, easy assembly.

MODEL NUMBER	SHELF SIZE (W x L)	OVERALL HEIGHT	UNIFORM CAPACITY PER SHELF	NET WT. (POUND)
LWSS-1836	18" x 36"	72"	600 lb.	86
LWSS-1848	18" x 48"	72"	600 lb.	93
LWSS-2436	24" x 36"	72"	600 lb.	91
LWSS-2448	24" x 48"	72"	600 lb.	133



model SSS-1848



model SSS-1836-SK

Stainless Steel Shelving

Provide easy access to stored items from all sides. High-quality stainless steel (type 304 with a #4 brushed finish) construction is ideal for the commercial or industrial use. Each model includes four (4) adjustable shelves ideal for different height products. Shelves are 18 gauge thick and hold up to 600 pounds each (uniform load). Units ship knocked down and requires assembly. Shelving kits include four shelves and hardware.

MODEL NUMBER	SHELF SIZE (W x L)	OVERALL HEIGHT	UNIFORM CAPACITY PER SHELF	NET WT. (POUND)
SSS-1836	18" x 36"	74"	600 lb.	110
SSS-1848	18" x 48"	74"	600 lb.	135
SSS-2436	24" x 36"	74"	600 lb.	129
SSS-2448	24" x 48"	74"	600 lb.	165
STAINLESS STEEL SHELVING KITS				
SSS-1836-SK	18" x 36"	--	600 lb.	70
SSS-1848-SK	18" x 48"	--	600 lb.	95
SSS-2436-SK	24" x 36"	--	600 lb.	89
SSS-2448-SK	24" x 48"	--	600 lb.	101
STAINLESS STEEL LEG KIT				
SSS-LGK	INCLUDES FOUR LEGS/CORNER POSTS			12

Powder Coated Boltless Shelving

Boltless design ensures fast assembly and adjustment while the textured powder coat surface resists rust and scratches. Each model includes five adjustable 17 gauge industrial strength steel shelves. Shelf heights are adjustable in 1½" increments. Unit features four sided access. Units ship knocked down.



Easy assembly. Units set up fast!



MODEL NUMBER	OVERALL SIZE (W x L x H)	UNIFORM CAPACITY PER SHELF	NET WT. (POUND)
PCBS-1836	18" x 36" x 72"	600 lb.	93
PCBS-1848	18" x 48" x 72"	600 lb.	115
PCBS-2436	24" x 36" x 72"	450 lb.	122
PCBS-2448	24" x 48" x 72"	450 lb.	137


Plastic Bulk Shelving & Storage

Largest all-purpose industrial-grade plastic shelving system in the industry. Our unique leg stacker system lets you choose whether to build up, out, or both. Our rigid high-density polyethylene panels are a stout 2⅝" thick with a grid top that allows liquids to flow through, promotes air circulation, and prevents dust build up. Optional drip trays available for different applications. Drip trays hold up to 2.5 gallons. The entire system is chemically resistant, making it an ideal choice for HAZMAT storage or any other applications, corrosive or not.



model PBSS-9624-4

MAX TRAYS PER SHELF SYSTEM (24" DEEP)	
SHELVING DIM.	NO. OF TRAYS PER SHELF
36"W x 24"L x 51"H	3
66"W x 24"L x 51"H	6
96"W x 24"L x 51"H	9
36"W x 24"L x 75"H	4
66"W x 24"L x 75"H	8
96"W x 24"L x 75"H	12



Optional Plastic Shelf Containment Trays

MODEL NUMBER	NUMBER OF SHELVES	SHELF SIZE (W x L)	OVERALL HEIGHT	TOTAL UNIFORM CAPACITY	NET WT. (POUND)
PBSS-3616-3	3	36" x 16"	51"	500 lb.	37
PBSS-3624-3	3	36" x 24"	51"	750 lb.	44
PBSS-6624-3	3	66" x 24"	51"	1,390 lb.	107
PBSS-9624-3	3	96" x 24"	51"	2,025 lb.	128
PBSS-3616-4	4	36" x 16"	75"	675 lb.	50
PBSS-3624-4	4	36" x 24"	75"	1,000 lb.	64
PBSS-6624-4	4	66" x 24"	75"	1,850 lb.	174
PBSS-9624-4	4	96" x 24"	75"	2,700 lb.	180

OPTIONAL PLASTIC SHELF CONTAINMENT TRAYS		
PBSS-BKTRY	GENERAL STORAGE (COLOR: BLACK)	5
PBSS-RDTRY	FLAMMABLES (COLOR: RED)	5
PBSS-BLTRY	HEALTH HAZARDS / TOXICS (COLOR: BLUE)	5
PBSS-YLTRY	REACTIVES/OXIDIZERS (COLOR: YELLOW)	5
PBSS-WTTRY	CONTACT HAZARDS (COLOR: WHITE)	5



model PBSS-6624-4 with Optional Yellow Plastic Shelf Containment Trays


Plastic Work Benches

Easy up, easy down, and two easy ways to change them around! Our Work-Bench™ can be set up in minutes to create an instant temporary or permanent island of productivity within any warehouse manufacturing floor or office environment. Pick from four sizes to fit virtually any need. Our original grid-top is ideal when work produces small scrap that can clutter work surfaces. Choose our solid top panel option for tough jobs that require a clean, flat work surface.

MODEL NUMBER	DESCRIPTION	OVERALL SIZE (W x D x H)	TOTAL UNIFORM CAPACITY	NET WT. (POUND)
WBT-S-3624	SOLID TOP/SOLID LOWER	36" x 24" x 36"	580 lb.	38
WBT-S-4824	SOLID TOP/SOLID LOWER	48" x 24" x 36"	785 lb.	48
WBT-S-6624	SOLID TOP/SOLID LOWER	66" x 24" x 36"	1,070 lb.	76
WBT-S-9624	SOLID TOP/SOLID LOWER	96" x 24" x 36"	1,555 lb.	101
WBT-G-3624	GRID TOP/GRID LOWER	36" x 24" x 36"	500 lb.	34
WBT-G-4824	GRID TOP/GRID LOWER	48" x 24" x 36"	688 lb.	44
WBT-G-6624	GRID TOP/GRID LOWER	66" x 24" x 36"	925 lb.	67
WBT-G-9624	GRID TOP/GRID LOWER	96" x 24" x 36"	1,350 lb.	90



model WBT-S-6624



model WBT-G-4824



model DRP-V-4824



model DRP-S-3636



model UBX-Y-NW

model UBX-Y-W

Dunnage Racks

Choose between our original vented grid-top Dunnage-Rack™ or its solid-top twin, available in all the same sizes and configurations. Dunnage-Racks™ are made tough with strong, durable, high-density polyethylene. They are waterproof and resistant to gas, solvents, and most industrial chemicals. Just push in the included legs and Dunnage-Rack™ will go to work immediately, no tools required!

MODEL NUMBER	DESCRIPTION	OVERALL SIZE (W x D x H)	UNIFORM CAPACITY	NET WT. (POUND)
DRP-V-3624	VENTED TOP	36" x 24" x 12"	500 lb.	13
DRP-V-3636	VENTED TOP	36" x 36" x 12"	750 lb.	22
DRP-V-4824	VENTED TOP	48" x 24" x 12"	700 lb.	19
DRP-V-6624	VENTED TOP	66" x 24" x 12"	1000 lb.	23
DRP-V-6636	VENTED TOP	66" x 36" x 12"	1500 lb.	37
DRP-V-9624	VENTED TOP	96" x 24" x 12"	1400 lb.	34
DRP-V-9636	VENTED TOP	96" x 36" x 12"	2000 lb.	53
DRP-S-3624	SOLID TOP	36" x 24" x 12"	700 lb.	17
DRP-S-3636	SOLID TOP	36" x 36" x 12"	1000 lb.	26
DRP-S-4824	SOLID TOP	48" x 24" x 12"	900 lb.	21
DRP-S-6624	SOLID TOP	66" x 24" x 12"	1400 lb.	28
DRP-S-6636	SOLID TOP	66" x 36" x 12"	1900 lb.	49
DRP-S-9624	SOLID TOP	96" x 24" x 12"	1800 lb.	41
DRP-S-9636	SOLID TOP	96" x 36" x 12"	2700 lb.	64

Utility Boxes

These versatile utility boxes can be used for spill kits, storage bins, and much more. Forklift accessible, able to be locked, and has a heavy-duty double walled lid, which is sloped to shed moisture. Model UBX-Y-W rolls smoothly on 5" solid rubber wheels. Units are also available in forest green and safety orange

MODEL NUMBER	DESCRIPTION	OVERALL SIZE (W x D x H)	UNIFORM CUBIC FEET CAPACITY	NET WT. (POUND)
UBX-Y-NW	NO WHEELS	48"W x 31"D x 31½"H	15	60
UBX-Y-W	5" WHEELS	48"W x 31"D x 38"H	15	68

Folding Container

Folding Container requires minimum storage space when not in use. Units feature lightweight construction for easy transport. Constructed of plastic material for economical and resourceful use. Uniform capacity is 500 pounds.



48 Hours to Ship



MODEL NUMBER	OUTSIDE DIMENSIONS (W x D x H)	FOLDED HEIGHT	NET WT. (POUND)
F-CRATE	23½" x 18¾" x 12⅛"	3"	9

Aluminum Storage Cases

Nestable Aluminum Storage Cases keep contents clean and dry. Dual lock and hasps offer extra security. Durable and attractive embossed surface with caps on each corner to minimize damage. For storage use only. Not recommended for shipping or transportation of goods.



model CASE-S



model CASE-M



model CASE-L

48 Hours to Ship

MODEL NUMBER	DESCRIPTION	OVERALL SIZE (W x D x H)	UNIFORM CAPACITY	NET WT. (POUND)
CASE-L	LARGE STORAGE CASE	24" x 18" x 20"	33 lb.	21
CASE-M	MEDIUM STORAGE CASE	21½" x 16¼" x 19¼"	33 lb.	20
CASE-S	SMALL STORAGE CASE	19" x 14¼" x 16¼"	33 lb.	16
CASE-A	SET OF THREE CASES	--	--	57

Aluminum Tool Cases

Rugged textured aluminum storage case with rounded corners. Lid interior includes removable panel with 13 storage pouches and 4 sleeves. Lower storage area includes segmented walls and adjustable panels in 1/4" increments. Molded plastic carrying handle. Includes removable shoulder strap. Quality locking latches included with two keys. Uniform capacity is 40 pounds. CASE-1814-FM includes a foam insert.

MODEL NUMBER	DESCRIPTION	OVERALL SIZE (W x D x H)	NET WT. (POUND)
CASE-1814	ALUMINUM TOOL CASE	18" x 14" x 6"	7
CASE-1814-FM	ALUMINUM TOOL CASE	18" x 14" x 6"	8



model CASE-1814



PVC / Plywood Storage Cases

These dark blue Storage Cases are constructed from PVC laminated plywood for strength and durability, with aluminum edging. Case interior is completely lined with protective foam. There is a carrying handle on each end of the case and two locking latches for security on the front.

MODEL NUMBER	DESCRIPTION	OVERALL SIZE (W x D x H)	UNIFORM CAPACITY	NET WT. (POUND)
PVCP-S	SMALL STORAGE CASE	17 ⁵ / ₈ " x 13 ¹ / ₄ " x 12 ³ / ₄ "	70 lb.	13
PVCP-M	MEDIUM STORAGE CASE	21 ¹ / ₈ " x 16" x 15 ¹ / ₂ "	80 lb.	17
PVCP-L	LARGE STORAGE CASE	24 ⁵ / ₈ " x 18 ¹ / ₄ " x 18 ¹ / ₄ "	90 lb.	24
PVCP-A	SET OF THREE CASES	--	--	54



model PVCP-L

Rugged Aluminum Storage Containers

Rugged Aluminum Storage Containers are constructed out of 100% aluminum. Each container includes two (2) carrying handles for easy transportation. Rounded corners protect the user. Material thickness is 20 gauge. Same size containers are not stackable. Units are not leak-proof.

MODEL NUMBER	WIDTH	LENGTH	UNIFORM CAPACITY	HEIGHT	NET WT. (POUND)
ALC-20	14"	20"	8 lb.	14"	6
ALC-21	15 ¹ / ₂ "	21 ¹ / ₂ "	10 lb.	14 ¹ / ₂ "	8
ALC-23	17"	23"	10 lb.	15 ¹ / ₄ "	10
ALC-24	18 ¹ / ₂ "	24 ¹ / ₂ "	12 lb.	15 ³ / ₄ "	11
ALC-26	20"	26"	15 lb.	16 ¹ / ₂ "	13
ALC-27	21 ¹ / ₂ "	27 ¹ / ₂ "	20 lb.	17"	13
ALC-SET	SET OF ALL SIX CONTAINERS				48



Fiberglass Storage Cases

These lockable Fiberglass Storage Cases are constructed of heavy-duty white fiberglass with an off-white interior finish. Cases are perfect for storage of hundreds of items. UV gelcoat topcoat provides long-lasting protection and prevents fading. Gas cylinders are included to help lift the lid and prevent the lid from over-rotating and damaging the hinges. The hinges are stainless steel piano hinges attached with adhesive and rust-proof rivets. Fiberglass nominal thickness is 3/16". Latch shackle thickness is 5/16".

MODEL NUMBER	OVERALL SIZE (W x L x H)	INSIDE VOLUME (CUBIC FEET)	NET WT. (POUND)
FCASE-48	48" x 20" x 18"	10	82
FCASE-60	60" x 20" x 18"	12 ¹ / ₂	106
FCASE-72	72" x 20" x 18"	15	114



model FCASE-48



model FCASE-60





model CASE-F



Storage Cases

Heavy-duty aluminum framed storage cases feature panel inserts and reinforced, rounded corners. Telescopic handle and wheels for convenient portability. Units are to be used for storage and/or transport of goods by hand - not recommended for use as containers for the shipment or transportation of goods. Uniform capacity is 33 pounds evenly distributed by the handle and 44 pounds evenly distributed by the wheels.

MODEL NUMBER	DESCRIPTION	OVERALL SIZE (W x L x H)	USABLE SIZE (W x L x H)	NET WT. (POUND)
CASE-F	CARRYING CASE	11" x 18" x 9"	12" x 8" x 9"	9
CASE-EH	PILOT CASE	8" x 16 ³ / ₄ " x 16"	17" x 7 ¹ / ₄ " x 12 ¹ / ₂ "	10
CASE-SH	PILOT CASE	16" x 10" x 18 ⁷ / ₈ "	18" x 8" x 13"	9




model CASE-SH



model CASE-EH




model MULTI-C



Multi-Height Container

Increase flexibility and accessibility with our Multi-Height Container. As the user loads or unloads the height can be increased or decreased. Includes one pallet base (with four way entry) and four side sections. Pallet base measures 47³/₁₆"W x 31³/₈"L x 5⁷/₈"H with fork openings: 8⁵/₁₆"W x 3⁷/₈"H on 14¹/₈" centers and 13³/₈"W x 3⁷/₈"H on 19" centers. Polyethylene construction with steel corner hinges. Multiple units are not stackable.

MODEL NUMBER	OVERALL SIZE (W x D x H)	FOLDED SECTION (W x D x H)	UNIFORM CAPACITY	NET WT. (POUND)
MULTI-C	47 ³ / ₁₆ " x 31 ³ / ₈ " x 37 ¹ / ₂ "	74 ¹ / ₂ " x 8 ³ / ₄ " x 2 ³ / ₄ "	2,500 lb.	126



Wire Containers

All steel construction with galvanized welded wire mesh. Corners have eyelets designed for rigidity and stacking. Legs are wrapped and welded around base to eliminate sharp edges. Containers can be stacked 4 high and have a 4" clearance underneath to allow movement by fork or pallet trucks. Container's front half drop gate allows speed loading and access to stored goods. The collapsible design allows for efficient storage and transportation.

MODEL NUMBER	UNIFORM CAPACITY	OVERALL SIZE (W x D x H)	MESH WIRE GAUGE	MESH OPENING	NET WT. (POUND)
VWIRE-32H	1,000 lb.	20" x 32" x 21"	11	1/2" x 1/2"	57
VWIRE-40H	4,000 lb.	32" x 40" x 34"	3	2" x 2"	115
VWIRE-48H	4,000 lb.	40" x 48" x 42"	3	2" x 2"	166



model CBC-4048-M

Collapsible Bulk Storage Containers

These rugged containers will fold flat for storage when not needed. Overall height when folded flat is only 11". Two-way fork entry openings are 33³/₄"W x 3³/₄"H. Uniform volume capacity is 26 cu-ft. Multiple units may be stacked up to three (3) high. Resistant to extreme high and low temperatures. Durable and easy to clean. Manufactured from HDPE.

MODEL NUMBER	DESCRIPTION	OVERALL SIZE (W x L x H)	UNIFORM CAPACITY			NET WT. (LB.)
			STATIC	DYNAMIC	STACKING	
CBC-4048-S	SOLID SIDES	46" x 46" x 31"	6,000 lb.	2,000 lb.	1,000 lb.	142
CBC-4048-M	MESH SIDES	46" x 46" x 31"	6,000 lb.	2,000 lb.	1,000 lb.	144



Aluminum Tread Plate Portable Tool Boxes

Secure your tools and other belongings from theft with our Portable Tool Boxes. Safety latch for padlock securing. Padlock is not included. Carrying handles are welded to each end. Constructed of 1/8" thick diamond tread plate material. Features two sturdy handles for transporting. Uniform capacity is 2,500 pounds.



model APTS-3060



MODEL NUMBER	OVERALL SIZE (W x D x H)	USABLE SIZE (W x D x H)	NET WT. (POUND)
STANDARD			
APTS-2436	41" x 25 ³ / ₄ " x 24 ¹ / ₈ "	36" x 24" x 24"	105
APTS-2448	53" x 25 ⁹ / ₁₆ " x 24"	48" x 24" x 24"	119
APTS-3648	53" x 25 ⁹ / ₁₆ " x 36"	48" x 24" x 36"	147
APTS-2460	65" x 25 ⁹ / ₁₆ " x 24"	60" x 24" x 24"	137
APTS-3060	65" x 25 ⁹ / ₁₆ " x 30"	60" x 24" x 30"	152
APTS-3660	65" x 25 ⁹ / ₁₆ " x 36"	60" x 24" x 36"	165
WITH CASTERS (5" x 2")			
APTS-2436-C	41" x 25 ³ / ₄ " x 31 ¹⁵ / ₁₆ "	36" x 24" x 24 ¹ / ₈ "	132
APTS-2448-C	53" x 25 ⁹ / ₁₆ " x 31 ¹⁵ / ₁₆ "	48" x 24" x 24"	144
APTS-3648-C	53" x 25 ⁹ / ₁₆ " x 43 ¹⁵ / ₁₆ "	48" x 24" x 36"	170
APTS-2460-C	65" x 25 ⁹ / ₁₆ " x 31 ¹⁵ / ₁₆ "	60" x 24" x 24"	162
APTS-3060-C	65" x 25 ⁹ / ₁₆ " x 37 ¹⁵ / ₁₆ "	60" x 24" x 30"	176
APTS-3660-C	65" x 25 ⁹ / ₁₆ " x 43 ¹⁵ / ₁₆ "	60" x 24" x 36"	190
WITH FORK POCKETS (7-1/2" x 2-1/2")			
APTS-2436-F	41" x 25 ³ / ₄ " x 27 ¹ / ₈ "	36" x 24" x 24 ¹ / ₈ "	110
APTS-2448-F	53" x 25 ⁹ / ₁₆ " x 27 ¹ / ₈ "	48" x 24" x 24"	122
APTS-3648-F	53" x 25 ⁹ / ₁₆ " x 39 ¹ / ₈ "	48" x 24" x 36"	152
APTS-2460-F	65" x 25 ⁹ / ₁₆ " x 27 ¹ / ₈ "	60" x 24" x 24"	145
APTS-3060-F	65" x 25 ⁹ / ₁₆ " x 33 ¹ / ₈ "	60" x 24" x 30"	154
APTS-3660-F	65" x 25 ⁹ / ₁₆ " x 39 ¹ / ₈ "	60" x 24" x 36"	168
WITH CASTERS AND FORK POCKETS			
APTS-2448-CF	53" x 25 ⁹ / ₁₆ " x 31 ¹⁵ / ₁₆ "	48" x 24" x 24"	147
APTS-3648-CF	53" x 25 ⁹ / ₁₆ " x 43 ¹⁵ / ₁₆ "	48" x 24" x 36"	173
APTS-2460-CF	65" x 25 ⁹ / ₁₆ " x 31 ¹⁵ / ₁₆ "	60" x 24" x 24"	165
APTS-3060-CF	65" x 25 ⁹ / ₁₆ " x 37 ¹⁵ / ₁₆ "	60" x 24" x 30"	179
APTS-3660-CF	65" x 25 ⁹ / ₁₆ " x 43 ¹⁵ / ₁₆ "	60" x 24" x 36"	193

TOOL BOXES WITH FOLD-DOWN FRONT DOORS			
MODEL NUMBER	OVERALL SIZE (W x D x H)	DOOR SIZE (W x H)	NET WT. (POUND)
STANDARD			
APTS-2436-FD	41" x 25 ³ / ₄ " x 24 ¹ / ₈ "	24" x 12"	105
APTS-2448-FD	53" x 25 ⁹ / ₁₆ " x 24"	36" x 12"	119
APTS-3648-FD	53" x 25 ⁹ / ₁₆ " x 36"	36" x 18"	147
APTS-2460-FD	65" x 25 ⁹ / ₁₆ " x 24"	48" x 12"	137
APTS-3060-FD	65" x 25 ⁹ / ₁₆ " x 30"	48" x 12"	152
APTS-3660-FD	65" x 25 ⁹ / ₁₆ " x 36"	48" x 18"	165
WITH CASTERS (5" x 2")			
APTS-2436-C-FD	41" x 25 ³ / ₄ " x 31 ¹⁵ / ₁₆ "	24" x 12"	132
APTS-2448-C-FD	53" x 25 ⁹ / ₁₆ " x 31 ¹⁵ / ₁₆ "	36" x 12"	144
APTS-3648-C-FD	53" x 25 ⁹ / ₁₆ " x 43 ¹⁵ / ₁₆ "	36" x 18"	179
APTS-2460-C-FD	65" x 25 ⁹ / ₁₆ " x 31 ¹⁵ / ₁₆ "	48" x 12"	172
APTS-3060-C-FD	65" x 25 ⁹ / ₁₆ " x 37 ¹⁵ / ₁₆ "	48" x 12"	165
APTS-3660-C-FD	65" x 25 ⁹ / ₁₆ " x 43 ¹⁵ / ₁₆ "	48" x 18"	192
WITH FORK POCKETS (7-1/2" x 2-1/2")			
APTS-2436-F-FD	41" x 25 ³ / ₄ " x 27 ¹ / ₈ "	24" x 12"	110
APTS-2448-F-FD	53" x 25 ⁹ / ₁₆ " x 27 ¹ / ₈ "	36" x 12"	122
APTS-3648-F-FD	53" x 25 ⁹ / ₁₆ " x 39 ¹ / ₈ "	36" x 18"	152
APTS-2460-F-FD	65" x 25 ⁹ / ₁₆ " x 27 ¹ / ₈ "	48" x 12"	145
APTS-3060-F-FD	65" x 25 ⁹ / ₁₆ " x 33 ¹ / ₈ "	48" x 12"	138
APTS-3660-F-FD	65" x 25 ⁹ / ₁₆ " x 39 ¹ / ₈ "	48" x 18"	165
WITH CASTERS AND FORK POCKETS			
APTS-2448-CF-FD	53" x 25 ⁹ / ₁₆ " x 31 ¹⁵ / ₁₆ "	36" x 12"	154
APTS-3648-CF-FD	53" x 25 ⁹ / ₁₆ " x 43 ¹⁵ / ₁₆ "	36" x 18"	189
APTS-2460-CF-FD	65" x 25 ⁹ / ₁₆ " x 31 ¹⁵ / ₁₆ "	48" x 12"	182
APTS-3060-CF-FD	65" x 25 ⁹ / ₁₆ " x 37 ¹⁵ / ₁₆ "	48" x 12"	175
APTS-3660-CF-FD	65" x 25 ⁹ / ₁₆ " x 43 ¹⁵ / ₁₆ "	48" x 18"	202



SHOWN WITH OPTIONAL FOLD-DOWN FRONT DOOR AND FORK POCKETS

